

Texas School Survey of Drug and Alcohol Use: 2014

HHSC Region 7 and 8 Report Grades 6-12

Table of Contents

1	General Substance Use Tables	4
	Tobacco	5
	Alcohol	9
	Drugs	18
	Inhalants	33
	Miscellaneous	38
2	Prevalence Tables	45
	Table B-1: All Students	46
	Table B-2: Male Students	50
	Table B-3: Female Students	54
	Table B-4: White Students	58
	Table B-5: African/American Students	62
	Table B-6: Mexican/American Students	66
	Table B-7: Students Reporting A Grades	70
	Table B-8: Students Reporting Grades Lower Than an A	74
	Table B-9: Students Living With 2 Parents	78
	Table B-10: Students Not Living With 2 Parents	82
	Table B-11: Students who would seek help from adults for substance abuse problems	86
	Table B-12: Students who would not seek help from adults for substance abuse problems	90
3	Margin Tables	94

1 General Substance Use Tables

Tobacco

Table T-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	7.4%	10.3%	19.4%	80.6%
Grade 6	1.3%	1.8%	5.3%	94.6%
Grade 7	1.9%	3.4%	8.8%	91.2%
Grade 8	5.5%	7.2%	13.3%	86.8%
Grade 9	7.2%	10.2%	21.8%	78.1%
Grade 10	10.4%	14.7%	27.7%	72.3%
Grade 11	13.4%	17.8%	31.9%	68.1%
Grade 12	15.3%	21.0%	32.5%	67.5%
Cigarettes?				
All	5.9%	8.4%	17.2%	82.8%
Grade 6	1.0%	1.3%	4.5%	95.6%
Grade 7	1.4%	2.2%	7.6%	92.3%
Grade 8	3.8%	5.0%	11.2%	88.8%
Grade 9	6.2%	8.8%	20.0%	79.9%
Grade 10	7.4%	11.7%	24.2%	75.8%
Grade 11	11.4%	15.1%	28.5%	71.5%
Grade 12	12.8%	18.0%	29.1%	70.8%
Smokeless Tobacco?				
All	3.5%	5.1%	8.2%	91.8%
Grade 6	0.5%	0.8%	1.6%	98.4%
Grade 7	0.6%	1.7%	3.0%	97.0%
Grade 8	2.8%	4.0%	6.4%	93.6%
Grade 9	2.7%	4.3%	8.1%	91.8%
Grade 10	5.2%	7.3%	12.1%	87.9%
Grade 11	5.2%	7.7%	12.1%	87.8%
Grade 12	9.8%	12.3%	17.3%	82.7%

Table T-2: How often do you normally use tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	86.1%	1.8%	1.3%	1.8%	3.0%	2.4%	3.7%
Grade 6	98.7%	0.0%	0.1%	0.0%	0.6%	0.4%	0.3%
Grade 7	96.3%	0.1%	0.3%	0.5%	1.2%	0.7%	1.0%
Grade 8	91.3%	0.6%	1.0%	1.5%	1.4%	2.6%	1.7%
Grade 9	85.8%	1.5%	0.8%	1.7%	4.1%	2.0%	4.2%
Grade 10	80.2%	1.8%	2.1%	2.0%	3.0%	4.4%	6.6%
Grade 11	74.4%	2.5%	2.1%	4.1%	5.3%	4.4%	7.1%
Grade 12	69.3%	8.0%	4.0%	3.7%	6.3%	2.7%	6.0%

Table T-3: Average age of first use of tobacco:

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Tobacco	11.0	10.8	11.8	12.1	13.1	13.8	14.8

Table T-4: If you wanted some, how difficult would it be to get tobacco?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	25.6%	25.1%	8.3%	9.1%	13.1%	18.8%
Grade 6	37.0%	45.4%	9.3%	3.3%	3.2%	1.8%
Grade 7	28.1%	38.3%	12.5%	7.9%	8.3%	4.9%
Grade 8	23.5%	29.1%	12.0%	11.2%	14.0%	10.1%
Grade 9	26.5%	22.0%	7.0%	10.4%	13.9%	20.2%
Grade 10	22.9%	15.4%	6.6%	11.5%	19.0%	24.5%
Grade 11	18.3%	11.6%	6.7%	11.6%	21.4%	30.5%
Grade 12	21.1%	8.8%	2.0%	7.7%	12.4%	48.0%

Table T-5: About how many of your close friends use tobacco?

	None	A Few	Some	Most	All
All	68.7%	18.2%	8.0%	4.0%	1.2%
Grade 6	94.6%	4.2%	0.7%	0.4%	0.1%
Grade 7	88.8%	8.3%	2.4%	0.2%	0.4%
Grade 8	78.0%	14.7%	4.1%	2.7%	0.6%
Grade 9	61.5%	23.1%	10.3%	4.3%	0.7%
Grade 10	54.9%	27.2%	11.6%	5.1%	1.2%
Grade 11	50.2%	29.1%	12.3%	6.5%	1.8%
Grade 12	44.9%	23.1%	16.9%	10.6%	4.5%

Table T-6: How do your parents feel about kids your age using tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	77.9%	5.9%	5.5%	0.9%	1.0%	8.7%
Grade 6	86.0%	1.6%	0.7%	0.8%	0.6%	10.3%
Grade 7	83.9%	1.9%	2.0%	0.1%	1.3%	10.8%
Grade 8	83.1%	4.6%	3.7%	0.4%	0.0%	8.2%
Grade 9	79.8%	5.5%	5.5%	1.1%	1.3%	6.8%
Grade 10	76.8%	8.0%	5.8%	1.4%	0.4%	7.6%
Grade 11	69.5%	12.3%	10.6%	1.6%	0.8%	5.2%
Grade 12	60.2%	9.0%	13.2%	1.4%	3.3%	13.0%

Table T-7: How dangerous do you think it is for kids your age to use tobacco?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	63.9%	22.1%	7.2%	2.2%	4.6%
Grade 6	85.8%	9.2%	1.0%	0.0%	3.9%
Grade 7	74.6%	17.9%	2.2%	0.5%	4.8%
Grade 8	66.1%	23.6%	4.7%	1.6%	3.9%
Grade 9	64.0%	23.6%	5.2%	1.9%	5.3%
Grade 10	54.6%	28.0%	10.7%	2.4%	4.3%
Grade 11	46.6%	28.9%	14.9%	3.3%	6.4%
Grade 12	49.0%	25.1%	14.7%	7.5%	3.7%

Alcohol

Table A-1: How recently, if ever, have you used ...

		Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?	All	18.6%	26.1%	45.7%	54.3%
	Grade 6	5.9%	9.2%	20.4%	79.5%
	Grade 7	10.4%	12.2%	27.8%	72.2%
	Grade 8	13.0%	20.1%	38.5%	61.5%
	Grade 9	20.1%	28.4%	53.7%	46.3%
	Grade 10	24.7%	34.6%	60.0%	39.9%
	Grade 11	28.1%	39.9%	64.7%	35.3%
	Grade 12	33.6%	45.8%	61.5%	38.5%
Beer?	All	11.2%	17.3%	33.7%	66.3%
	Grade 6	3.4%	5.9%	14.6%	85.4%
	Grade 7	5.0%	6.7%	18.6%	81.4%
	Grade 8	7.7%	12.4%	28.8%	71.3%
	Grade 9	10.9%	18.6%	39.8%	60.2%
	Grade 10	13.6%	22.5%	44.7%	55.4%
	Grade 11	18.7%	28.8%	48.2%	51.7%
	Grade 12	23.4%	31.3%	46.4%	53.6%
Wine Coolers?	All	10.4%	15.5%	28.5%	71.5%
	Grade 6	2.2%	3.2%	8.5%	91.5%
	Grade 7	4.7%	6.3%	13.9%	86.1%
	Grade 8	6.7%	10.6%	20.3%	79.7%
	Grade 9	11.5%	17.6%	35.0%	65.1%
	Grade 10	15.2%	22.5%	40.2%	59.8%
	Grade 11	18.0%	25.6%	44.4%	55.6%
	Grade 12	17.8%	27.5%	43.3%	56.8%
Wine?	All	8.0%	12.7%	29.1%	70.9%
	Grade 6	3.0%	4.4%	12.8%	87.2%
	Grade 7	5.0%	6.3%	17.0%	83.0%
	Grade 8	4.9%	9.7%	25.6%	74.4%
	Grade 9	8.8%	14.3%	34.6%	65.4%
	Grade 10	10.1%	16.9%	39.3%	60.8%
	Grade 11	9.8%	17.2%	37.3%	62.7%
	Grade 12	16.8%	23.1%	41.1%	58.9%
Liquor?	All	11.1%	17.1%	30.0%	69.9%
	Grade 6	1.5%	2.9%	7.4%	92.6%
	Grade 7	4.0%	5.6%	11.2%	88.9%
	Grade 8	6.8%	10.9%	22.2%	77.8%
	Grade 9	11.1%	17.0%	35.6%	64.4%
	Grade 10	17.0%	25.4%	44.0%	55.9%
	Grade 11	19.6%	30.2%	49.3%	50.7%
	Grade 12	22.4%	34.9%	48.5%	51.5%

Table A-2: How often do you normally use alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	63.0%	0.2%	2.1%	5.8%	10.1%	10.6%	8.3%
Grade 6	89.5%	0.0%	0.2%	0.6%	1.4%	3.6%	4.7%
Grade 7	83.1%	0.2%	0.9%	2.0%	3.0%	6.1%	4.7%
Grade 8	69.1%	0.3%	1.9%	4.4%	7.9%	8.2%	8.2%
Grade 9	55.8%	0.1%	1.8%	6.0%	12.8%	11.8%	11.6%
Grade 10	48.0%	0.1%	1.8%	7.9%	15.5%	15.2%	11.5%
Grade 11	42.8%	0.2%	2.9%	10.7%	15.1%	17.1%	11.3%
Grade 12	45.1%	0.3%	5.9%	11.3%	18.0%	13.8%	5.5%

Table A-3: When you drink the following alcoholic beverages, how many drinks do you usually have at one time, on average?

		Never drink this beverage	Ever Used	5 or More	1 to 4	Less than 1
Beer	All	65.6%	34.4%	7.1%	16.6%	10.7%
	Grade 6	85.0%	15.1%	0.6%	5.5%	9.0%
	Grade 7	80.2%	19.8%	2.0%	7.9%	9.9%
	Grade 8	68.9%	31.0%	5.1%	14.4%	11.5%
	Grade 9	60.1%	39.9%	6.5%	20.4%	13.0%
	Grade 10	55.7%	44.4%	9.3%	22.9%	12.2%
	Grade 11	49.5%	50.4%	12.2%	26.4%	11.8%
	Grade 12	55.1%	44.9%	17.2%	21.2%	6.5%
Wine Coolers	All	70.3%	29.7%	6.0%	16.2%	7.5%
	Grade 6	91.7%	8.2%	0.5%	3.3%	4.4%
	Grade 7	86.1%	13.8%	2.1%	5.5%	6.2%
	Grade 8	77.9%	22.1%	3.8%	10.2%	8.1%
	Grade 9	64.4%	35.6%	5.9%	20.4%	9.3%
	Grade 10	57.7%	42.3%	7.2%	26.1%	9.0%
	Grade 11	54.4%	45.7%	10.3%	25.6%	9.8%
	Grade 12	54.1%	45.8%	14.9%	25.5%	5.4%
Wine	All	72.1%	28.0%	2.3%	13.7%	12.0%
	Grade 6	87.6%	12.4%	0.6%	2.4%	9.4%
	Grade 7	84.6%	15.4%	0.8%	4.8%	9.8%
	Grade 8	74.9%	25.1%	2.2%	10.1%	12.8%
	Grade 9	68.1%	31.9%	3.1%	17.3%	11.5%
	Grade 10	60.4%	39.4%	2.9%	21.5%	15.0%
	Grade 11	61.2%	38.8%	3.5%	22.0%	13.3%
	Grade 12	64.1%	35.8%	3.0%	20.2%	12.6%
Liquor	All	69.2%	30.8%	7.3%	15.8%	7.7%
	Grade 6	92.9%	7.2%	0.5%	1.7%	5.0%
	Grade 7	89.4%	10.7%	2.3%	4.2%	4.2%
	Grade 8	76.6%	23.4%	4.3%	10.5%	8.6%
	Grade 9	64.0%	36.1%	6.9%	20.0%	9.2%
	Grade 10	54.8%	45.2%	11.0%	23.6%	10.6%
	Grade 11	48.9%	51.2%	12.5%	28.6%	10.1%
	Grade 12	50.8%	49.1%	16.7%	26.4%	6.0%

Table A-4: During the past 30 days, on how many days have you had five or more drinks of alcohol at one time?

		Never/None	1 day	2 days	3 to 5 days	6 to 9 days	10 or more days
Alcohol	All	88.7%	3.9%	2.9%	1.8%	0.9%	1.7%
	Grade 6	97.6%	1.6%	0.7%	0.0%	0.1%	0.0%
	Grade 7	94.8%	2.0%	1.8%	0.5%	0.3%	0.6%
	Grade 8	90.7%	3.2%	2.7%	1.3%	0.6%	1.6%
	Grade 9	88.5%	3.4%	2.5%	2.5%	0.7%	2.4%
	Grade 10	83.8%	6.1%	5.2%	1.8%	1.1%	2.0%
	Grade 11	82.9%	4.7%	4.2%	3.9%	1.7%	2.6%
	Grade 12	79.0%	7.7%	3.5%	3.7%	2.7%	3.3%

Table A-5: Average age of first use of alcohol:

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Any Alcohol	9.9	10.3	11.0	12.1	12.8	13.8	14.5

Table A-6: If you wanted some, how difficult would it be to get alcohol?

	Never Heard of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	20.7%	17.4%	7.4%	10.8%	17.2%	26.4%
Grade 6	33.7%	37.8%	7.8%	7.4%	7.9%	5.3%
Grade 7	24.0%	27.4%	9.9%	12.9%	11.6%	14.2%
Grade 8	18.5%	16.9%	9.6%	11.5%	17.8%	25.8%
Grade 9	21.1%	13.6%	7.0%	11.3%	17.7%	29.4%
Grade 10	17.1%	8.8%	5.5%	12.3%	20.8%	35.4%
Grade 11	13.3%	7.2%	4.9%	10.4%	26.1%	38.1%
Grade 12	15.7%	7.3%	6.7%	9.2%	20.1%	41.0%

Table A-7: Since school began in the fall, on how many days (if any) have you attended class while drunk on alcohol?

	None	1 to 3 days	4 to 9 days	10+ days
Class Days Drunk On Alcohol Since Sept				
All	96.1%	3.2%	0.4%	0.3%
Grade 6	98.8%	1.1%	0.1%	0.0%
Grade 7	96.6%	2.8%	0.3%	0.3%
Grade 8	96.2%	2.7%	0.6%	0.4%
Grade 9	96.0%	3.5%	0.2%	0.3%
Grade 10	94.6%	4.1%	0.6%	0.7%
Grade 11	94.7%	4.9%	0.2%	0.2%
Grade 12	95.6%	3.2%	0.8%	0.4%

Table A-8: School year use of alcohol by absences and conduct problems:

Average days absent due to illness or other reasons	
Alcohol Users	4.4
Alcohol Non-Users	3.1
Average days conduct problems reported	
Alcohol Users	2.3
Alcohol Non-Users	0.8

Table A-9: During the past twelve months, how many times (if any) have you ...

	None	1-3 Times	4-9 Times	10+ Times
Driven A Car When You Have Had A Good Bit To Drink?				
All	96.1%	3.0%	0.7%	0.2%
Grade 9	98.2%	1.4%	0.1%	0.3%
Grade 10	98.2%	1.7%	0.2%	0.0%
Grade 11	94.9%	4.4%	0.6%	0.1%
Grade 12	91.1%	5.9%	2.5%	0.5%
Had Difficulties Of Any Kind With Your Friends Because Of Your Drinking?				
All	97.0%	2.6%	0.3%	0.1%
Grade 6	99.4%	0.5%	0.0%	0.0%
Grade 7	98.5%	1.3%	0.2%	0.0%
Grade 8	95.9%	3.5%	0.6%	0.0%
Grade 9	97.0%	2.7%	0.1%	0.1%
Grade 10	96.7%	2.9%	0.2%	0.2%
Grade 11	95.6%	4.2%	0.2%	0.1%
Grade 12	95.6%	3.6%	0.8%	0.0%
Been Criticized By Someone You Were Dating Because Of Drinking?				
All	95.9%	3.5%	0.5%	0.1%
Grade 6	99.5%	0.5%	0.0%	0.0%
Grade 7	98.9%	1.0%	0.2%	0.0%
Grade 8	96.5%	3.0%	0.5%	0.0%
Grade 9	95.4%	3.9%	0.5%	0.1%
Grade 10	93.2%	5.7%	0.8%	0.3%
Grade 11	93.7%	5.5%	0.7%	0.1%
Grade 12	92.7%	6.4%	0.6%	0.3%

Table A-10: About how many of your close friends use alcohol?

	None	A Few	Some	Most	All
All	52.6%	22.0%	13.4%	9.4%	2.6%
Grade 6	87.2%	8.7%	3.2%	0.8%	0.1%
Grade 7	78.7%	14.2%	3.7%	2.4%	1.0%
Grade 8	62.6%	20.4%	9.6%	5.0%	2.4%
Grade 9	41.3%	28.8%	17.2%	10.7%	2.1%
Grade 10	34.4%	29.0%	19.4%	13.5%	3.7%
Grade 11	29.0%	30.3%	22.0%	15.4%	3.3%
Grade 12	26.2%	23.5%	21.5%	21.6%	7.3%

Table A-11: Thinking of parties you attended this school year, how often was alcohol used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do not know	Did not attend
All	53.8%	5.7%	4.3%	7.0%	8.8%	1.8%	18.7%
Grade 6	82.3%	1.9%	1.8%	1.2%	0.6%	2.5%	9.7%
Grade 7	71.9%	5.0%	3.8%	3.7%	2.2%	1.4%	11.9%
Grade 8	62.5%	8.1%	4.4%	5.8%	3.2%	2.0%	14.0%
Grade 9	48.3%	5.4%	6.5%	8.4%	8.1%	1.7%	21.5%
Grade 10	38.2%	7.8%	6.4%	9.0%	11.7%	1.6%	25.2%
Grade 11	31.0%	7.0%	3.7%	10.7%	17.9%	1.5%	28.2%
Grade 12	33.1%	4.4%	3.1%	11.8%	23.4%	1.7%	22.5%

Table A-12: How often, if ever, do you get alcohol beverages from ...?

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?	All	58.6%	17.5%	16.4%	5.0%	2.5%
	Grade 6	77.5%	13.9%	7.7%	0.7%	0.3%
	Grade 7	73.3%	14.6%	8.5%	2.3%	1.3%
	Grade 8	62.4%	16.5%	13.8%	5.8%	1.6%
	Grade 9	52.4%	19.2%	20.2%	5.4%	2.8%
	Grade 10	48.4%	19.9%	21.7%	7.2%	2.9%
	Grade 11	45.4%	19.8%	24.6%	7.5%	2.7%
	Grade 12	46.5%	19.2%	20.1%	7.0%	7.2%
Friends?	All	59.3%	18.7%	11.0%	8.4%	2.6%
	Grade 6	80.6%	17.9%	1.1%	0.4%	0.1%
	Grade 7	77.1%	16.7%	2.7%	2.4%	1.1%
	Grade 8	65.7%	18.6%	8.3%	6.4%	1.1%
	Grade 9	54.0%	22.0%	13.8%	8.5%	1.8%
	Grade 10	47.0%	19.3%	18.8%	11.1%	3.8%
	Grade 11	44.1%	17.9%	19.7%	13.9%	4.4%
	Grade 12	39.6%	17.7%	14.6%	20.4%	7.7%
Store?	All	62.2%	32.0%	3.2%	1.5%	1.2%
	Grade 6	80.4%	18.8%	0.5%	0.2%	0.2%
	Grade 7	76.9%	21.3%	1.1%	0.3%	0.4%
	Grade 8	66.4%	29.5%	2.4%	1.4%	0.4%
	Grade 9	58.3%	35.6%	3.6%	1.7%	0.9%
	Grade 10	50.5%	40.8%	4.8%	2.3%	1.7%
	Grade 11	49.2%	40.6%	4.9%	2.0%	3.2%
	Grade 12	47.7%	41.2%	5.7%	3.4%	2.0%
Parties?	All	57.8%	16.5%	8.7%	8.7%	8.2%
	Grade 6	78.5%	17.0%	2.8%	1.2%	0.5%
	Grade 7	74.0%	14.8%	5.1%	3.8%	2.3%
	Grade 8	63.2%	15.7%	9.2%	7.0%	4.9%
	Grade 9	52.9%	17.7%	10.8%	10.1%	8.5%
	Grade 10	45.7%	16.6%	14.0%	13.1%	10.7%
	Grade 11	42.7%	17.7%	11.2%	15.8%	12.5%
	Grade 12	40.8%	16.2%	8.2%	12.1%	22.7%
Other Source?	All	61.8%	22.4%	8.6%	3.8%	3.3%
	Grade 6	79.6%	17.8%	1.8%	0.5%	0.4%
	Grade 7	75.9%	16.9%	4.1%	1.6%	1.5%
	Grade 8	65.0%	20.7%	7.4%	3.6%	3.2%
	Grade 9	57.6%	25.7%	9.7%	4.2%	2.8%
	Grade 10	50.6%	26.8%	13.3%	5.3%	4.0%
	Grade 11	48.6%	26.3%	13.2%	7.5%	4.4%
	Grade 12	49.7%	23.5%	12.7%	5.3%	8.7%

Table A-13: How do your parents feel about kids your age drinking alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	66.3%	11.5%	9.6%	2.9%	1.2%	8.4%
Grade 6	80.0%	5.2%	3.1%	1.1%	0.6%	9.9%
Grade 7	76.3%	6.0%	5.0%	1.1%	1.3%	10.4%
Grade 8	71.5%	10.4%	8.5%	1.6%	0.8%	7.2%
Grade 9	64.8%	13.2%	10.8%	2.9%	1.6%	6.7%
Grade 10	61.3%	16.7%	9.5%	4.8%	1.1%	6.6%
Grade 11	52.8%	18.1%	17.3%	4.8%	0.9%	6.0%
Grade 12	51.7%	12.1%	15.6%	4.9%	2.6%	13.1%

Table A-14: How dangerous do you think it is for kids your age to use alcohol?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	53.8%	27.7%	12.6%	2.1%	3.8%
Grade 6	73.8%	15.8%	7.0%	0.1%	3.3%
Grade 7	62.7%	23.2%	8.7%	1.6%	3.8%
Grade 8	49.9%	30.0%	13.8%	2.2%	4.1%
Grade 9	51.7%	27.6%	14.2%	3.0%	3.5%
Grade 10	47.0%	32.0%	15.7%	2.1%	3.2%
Grade 11	41.8%	36.6%	13.8%	2.7%	5.0%
Grade 12	46.2%	30.6%	16.0%	3.4%	3.8%

Drugs

Table D-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Marijuana?				
All	6.9%	9.8%	19.2%	80.8%
Grade 6	0.8%	0.8%	2.7%	97.3%
Grade 7	1.7%	2.5%	5.1%	94.9%
Grade 8	4.3%	4.9%	10.5%	89.6%
Grade 9	7.9%	12.0%	22.9%	77.2%
Grade 10	10.9%	16.6%	30.4%	69.5%
Grade 11	13.7%	17.5%	33.1%	66.9%
Grade 12	11.1%	16.9%	35.0%	65.1%
Cocaine?				
All	0.3%	0.4%	1.0%	99.0%
Grade 6	0.0%	0.0%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.2%	0.2%	0.8%	99.1%
Grade 9	0.3%	0.4%	0.7%	99.2%
Grade 10	0.2%	0.2%	1.2%	98.8%
Grade 11	1.0%	1.4%	2.4%	97.6%
Grade 12	0.5%	0.5%	1.8%	98.2%
Crack?				
All	0.1%	0.1%	0.3%	99.7%
Grade 6	0.2%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.7%	99.3%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.1%	0.1%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens?				
All	0.6%	1.0%	2.0%	98.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.3%	0.3%	0.6%	99.3%
Grade 8	0.5%	0.6%	0.9%	99.1%
Grade 9	0.6%	1.1%	1.6%	98.5%
Grade 10	0.7%	0.8%	2.8%	97.1%
Grade 11	1.2%	2.0%	4.5%	95.5%
Grade 12	0.8%	2.4%	4.6%	95.4%
Rohypnol?				
All	0.2%	0.4%	0.7%	99.3%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.1%	0.2%	0.6%	99.4%
Grade 8	0.2%	0.2%	0.6%	99.4%
Grade 9	0.6%	1.0%	1.5%	98.5%
Grade 10	0.1%	0.6%	1.1%	99.0%
Grade 11	0.2%	0.2%	0.5%	99.5%
Grade 12	0.2%	0.2%	0.6%	99.5%

Table D-1: How recently, if ever, have you used ...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Steroids?				
All	0.3%	0.4%	1.1%	98.9%
Grade 6	0.0%	0.0%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.5%	99.5%
Grade 8	0.6%	0.6%	1.2%	98.8%
Grade 9	0.3%	0.5%	1.8%	98.1%
Grade 10	0.4%	0.4%	1.1%	98.9%
Grade 11	0.3%	0.3%	0.8%	99.2%
Grade 12	0.3%	0.5%	1.7%	98.3%
Ecstasy?				
All	0.3%	0.5%	1.6%	98.4%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.1%	0.2%	0.2%	99.8%
Grade 8	0.2%	0.3%	1.0%	98.9%
Grade 9	0.3%	0.9%	2.1%	97.8%
Grade 10	0.6%	0.7%	3.0%	97.1%
Grade 11	0.5%	0.6%	2.6%	97.4%
Grade 12	0.4%	0.6%	2.6%	97.5%
Heroin?				
All	0.2%	0.2%	0.4%	99.7%
Grade 6	0.2%	0.2%	0.3%	99.7%
Grade 7	0.8%	0.8%	0.9%	99.1%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.0%	0.0%	0.3%	99.6%
Grade 11	0.1%	0.1%	0.3%	99.8%
Grade 12	0.0%	0.0%	0.0%	100.0%
Methamphetamine?				
All	0.2%	0.5%	0.7%	99.3%
Grade 6	0.2%	0.2%	0.2%	99.7%
Grade 7	0.4%	0.5%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.1%	0.3%	0.7%	99.4%
Grade 10	0.3%	0.4%	0.6%	99.4%
Grade 11	0.1%	0.3%	0.7%	99.4%
Grade 12	0.2%	1.7%	2.0%	98.0%
Synthetic Marijuana?				
All	1.3%	2.0%	5.5%	94.5%
Grade 6	0.0%	0.2%	0.5%	99.6%
Grade 7	0.6%	0.9%	1.7%	98.3%
Grade 8	1.4%	1.8%	4.1%	96.0%
Grade 9	1.4%	2.7%	7.1%	92.9%
Grade 10	1.4%	2.1%	7.9%	92.1%
Grade 11	1.6%	3.1%	9.5%	90.5%
Grade 12	2.9%	3.8%	9.4%	90.7%

Table D-2: How often do you normally use ...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Marijuana?								
	All	83.1%	1.6%	1.8%	2.6%	3.1%	3.5%	4.3%
	Grade 6	96.9%	0.1%	0.4%	0.0%	0.3%	0.7%	1.6%
	Grade 7	95.3%	0.4%	1.0%	0.8%	0.6%	0.8%	1.0%
	Grade 8	90.5%	0.5%	1.9%	2.0%	1.6%	1.8%	1.7%
	Grade 9	80.2%	1.1%	2.2%	3.6%	4.3%	3.8%	4.8%
	Grade 10	71.7%	2.2%	2.2%	3.5%	6.4%	5.7%	8.2%
	Grade 11	71.4%	3.5%	2.9%	4.6%	5.3%	5.2%	7.1%
	Grade 12	70.9%	4.4%	2.4%	4.2%	3.4%	7.5%	7.2%
Cocaine?								
	All	99.3%	0.0%	0.1%	0.1%	0.1%	0.2%	0.3%
	Grade 6	99.8%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%
	Grade 7	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 8	99.8%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%
	Grade 9	99.6%	0.0%	0.0%	0.2%	0.1%	0.0%	0.1%
	Grade 10	99.2%	0.0%	0.3%	0.0%	0.0%	0.2%	0.4%
	Grade 11	98.3%	0.0%	0.0%	0.0%	0.4%	0.6%	0.6%
	Grade 12	98.4%	0.0%	0.0%	0.2%	0.0%	0.4%	0.9%
Crack?								
	All	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 6	99.6%	0.0%	0.0%	0.0%	0.0%	0.2%	0.2%
	Grade 7	99.7%	0.0%	0.0%	0.0%	0.2%	0.1%	0.0%
	Grade 8	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 9	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 10	99.9%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
	Grade 11	99.8%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Steroids?								
	All	99.3%	0.1%	0.1%	0.1%	0.0%	0.0%	0.4%
	Grade 6	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 7	99.4%	0.0%	0.2%	0.0%	0.0%	0.0%	0.4%
	Grade 8	99.0%	0.3%	0.0%	0.2%	0.1%	0.1%	0.3%
	Grade 9	99.0%	0.1%	0.0%	0.1%	0.1%	0.1%	0.5%
	Grade 10	99.3%	0.0%	0.0%	0.2%	0.0%	0.0%	0.6%
	Grade 11	99.6%	0.1%	0.0%	0.1%	0.0%	0.0%	0.1%
	Grade 12	98.9%	0.1%	0.2%	0.2%	0.1%	0.0%	0.5%

**Table D-2: How often do you normally use ...
(Continued)**

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
Ecstasy?								
	All	98.9%	0.0%	0.0%	0.0%	0.1%	0.3%	0.6%
	Grade 6	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 7	99.8%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%
	Grade 8	99.2%	0.0%	0.0%	0.0%	0.2%	0.2%	0.4%
	Grade 9	98.4%	0.0%	0.0%	0.0%	0.3%	0.4%	0.8%
	Grade 10	98.1%	0.1%	0.0%	0.0%	0.2%	0.5%	1.1%
	Grade 11	98.4%	0.1%	0.0%	0.0%	0.0%	0.5%	1.0%
	Grade 12	98.1%	0.0%	0.0%	0.2%	0.0%	0.8%	0.8%
Heroin?								
	All	99.9%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
	Grade 6	99.8%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%
	Grade 7	99.5%	0.0%	0.0%	0.2%	0.0%	0.1%	0.2%
	Grade 8	99.9%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
	Grade 9	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 11	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?								
	All	99.7%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
	Grade 6	99.8%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%
	Grade 7	99.6%	0.1%	0.0%	0.0%	0.0%	0.3%	0.0%
	Grade 8	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
	Grade 9	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
	Grade 10	99.8%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%
	Grade 11	99.7%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%
	Grade 12	99.7%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%
Synthetic Marijuana?								
	All	95.8%	0.1%	0.2%	0.5%	0.8%	0.9%	1.7%
	Grade 6	99.8%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%
	Grade 7	98.5%	0.0%	0.4%	0.5%	0.2%	0.3%	0.2%
	Grade 8	97.1%	0.0%	0.4%	0.2%	0.9%	0.5%	1.0%
	Grade 9	94.9%	0.3%	0.2%	0.6%	0.8%	1.8%	1.4%
	Grade 10	93.1%	0.0%	0.4%	0.9%	0.8%	1.0%	3.7%
	Grade 11	93.7%	0.2%	0.0%	1.0%	0.7%	1.4%	2.9%
	Grade 12	92.4%	0.2%	0.0%	0.0%	2.5%	1.7%	3.2%

Table D-3: Average age of first use of:

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Marijuana	10.9	11.1	11.7	12.9	13.9	14.3	15.1
Cocaine	11.4	12.0	12.8	13.2	12.9	15.3	15.3
Crack	10.6	12.1	13.6	13.1	8.0	14.6	14.0
Steroids	10.1	10.8	11.2	12.3	12.0	9.1	14.7
Ecstasy	*	10.7	12.8	13.6	14.0	14.6	15.6
Heroin	8.0	10.1	8.0	12.8	8.0	12.5	17.0
Methamphetamine	8.0	9.4	12.5	12.2	14.2	14.3	16.6
Synthetic Marijuana	11.4	11.7	12.4	13.2	14.0	14.9	16.0

Table D-4: Age of first use of marijuana by family situation

	Never	8 or younger	9	10 to 11	12 to 13	14 to 15	16 to 17	Over 17	
Two Parent Family									
All	86.6%	0.3%	0.3%	1.4%	3.2%	5.5%	2.5%	0.2%	
Grade 6	97.1%	0.1%	0.1%	2.5%	0.2%	0.0%	0.0%	0.0%	
Grade 7	97.4%	0.1%	0.7%	0.7%	1.0%	0.0%	0.0%	0.0%	
Grade 8	92.2%	0.8%	0.7%	1.5%	3.0%	1.8%	0.0%	0.0%	
Grade 9	85.3%	0.0%	0.0%	1.5%	6.4%	6.6%	0.1%	0.0%	
Grade 10	77.9%	0.3%	0.3%	1.0%	5.7%	12.1%	2.7%	0.0%	
Grade 11	68.7%	0.6%	0.0%	1.8%	6.1%	12.7%	9.7%	0.3%	
Grade 12	70.8%	0.3%	0.0%	0.8%	2.1%	13.5%	10.8%	1.8%	
Other Family Situation									
All	70.9%	0.6%	0.5%	3.3%	8.7%	10.2%	5.3%	0.5%	
Grade 6	95.7%	0.0%	0.3%	2.5%	1.5%	0.0%	0.0%	0.0%	
Grade 7	89.2%	0.9%	0.2%	3.4%	6.5%	0.0%	0.0%	0.0%	
Grade 8	82.6%	0.4%	2.1%	4.6%	8.7%	1.7%	0.0%	0.0%	
Grade 9	69.3%	0.8%	0.8%	5.0%	12.6%	10.7%	0.7%	0.0%	
Grade 10	57.6%	0.7%	0.0%	2.5%	11.0%	22.4%	5.6%	0.0%	
Grade 11	61.1%	0.8%	0.5%	3.2%	7.6%	13.9%	13.0%	0.0%	
Grade 12	59.8%	0.4%	0.0%	1.3%	7.9%	12.2%	14.8%	3.5%	

Table D-5: If you wanted some, how difficult would it be to get ...

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana	All	25.7%	28.5%	7.6%	8.4%	10.6%	19.2%
	Grade 6	43.0%	45.7%	5.2%	2.0%	2.4%	1.7%
	Grade 7	28.4%	50.6%	6.9%	5.6%	3.9%	4.7%
	Grade 8	23.1%	35.4%	11.0%	7.9%	8.3%	14.3%
	Grade 9	24.3%	22.2%	7.0%	10.9%	13.0%	22.6%
	Grade 10	20.8%	15.3%	8.2%	11.5%	14.8%	29.4%
	Grade 11	17.1%	12.5%	8.0%	10.4%	18.1%	33.9%
	Grade 12	22.2%	11.6%	6.5%	10.7%	15.9%	33.1%
Cocaine	All	35.3%	36.8%	12.8%	7.4%	3.5%	4.2%
	Grade 6	48.5%	43.6%	5.5%	1.2%	1.0%	0.2%
	Grade 7	36.7%	48.8%	8.7%	3.3%	1.2%	1.4%
	Grade 8	28.9%	43.6%	14.6%	7.0%	3.5%	2.4%
	Grade 9	35.6%	34.1%	12.6%	8.9%	4.1%	4.7%
	Grade 10	33.4%	30.5%	16.1%	9.9%	4.0%	6.0%
	Grade 11	29.5%	28.9%	17.3%	10.8%	5.2%	8.2%
	Grade 12	34.6%	23.6%	15.7%	11.8%	6.2%	8.2%
Crack	All	36.9%	36.7%	12.6%	6.5%	3.2%	4.1%
	Grade 6	51.4%	41.3%	5.6%	1.3%	0.3%	0.0%
	Grade 7	38.2%	48.8%	7.0%	2.4%	1.6%	2.0%
	Grade 8	29.9%	43.5%	15.0%	4.8%	3.1%	3.6%
	Grade 9	36.6%	35.0%	11.7%	8.1%	4.0%	4.7%
	Grade 10	34.4%	32.4%	15.4%	8.3%	4.1%	5.5%
	Grade 11	30.9%	28.4%	18.3%	10.5%	4.6%	7.3%
	Grade 12	37.2%	22.7%	17.3%	11.3%	5.2%	6.3%
Steroids	All	36.9%	36.0%	12.4%	6.9%	4.1%	3.8%
	Grade 6	48.1%	42.1%	5.5%	2.6%	1.5%	0.3%
	Grade 7	35.1%	48.1%	9.0%	3.3%	2.5%	2.1%
	Grade 8	31.2%	40.2%	15.2%	6.9%	4.3%	2.3%
	Grade 9	37.0%	35.7%	11.4%	6.2%	4.8%	4.9%
	Grade 10	35.3%	30.9%	14.4%	8.5%	5.7%	5.2%
	Grade 11	32.6%	28.3%	17.6%	10.1%	5.3%	6.0%
	Grade 12	39.7%	21.7%	14.6%	12.1%	4.9%	6.9%

Table D-5: If you wanted some, how difficult would it be to get ...
(Continued)

		Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Ecstasy?	All	47.8%	27.6%	10.1%	6.2%	3.9%	4.4%
	Grade 6	69.2%	27.2%	3.0%	0.6%	0.1%	0.0%
	Grade 7	61.4%	29.7%	4.0%	2.3%	1.3%	1.3%
	Grade 8	49.0%	30.1%	11.0%	4.8%	2.8%	2.4%
	Grade 9	41.1%	30.2%	10.0%	7.1%	6.0%	5.5%
	Grade 10	38.2%	26.6%	12.5%	9.4%	5.9%	7.5%
	Grade 11	34.3%	26.3%	15.2%	10.5%	7.0%	6.6%
	Grade 12	38.6%	20.8%	17.1%	10.4%	4.0%	9.0%
Heroin?	All	44.0%	34.7%	11.1%	4.6%	2.1%	3.4%
	Grade 6	59.1%	33.5%	4.8%	1.8%	0.3%	0.5%
	Grade 7	51.4%	38.1%	5.5%	2.4%	1.0%	1.6%
	Grade 8	39.6%	40.9%	11.9%	4.8%	1.8%	1.0%
	Grade 9	41.8%	34.3%	10.9%	5.9%	3.2%	3.9%
	Grade 10	38.1%	33.9%	14.7%	6.0%	2.3%	5.0%
	Grade 11	36.1%	34.4%	15.0%	5.3%	3.5%	5.8%
	Grade 12	41.3%	25.3%	17.0%	6.4%	2.5%	7.4%
Methamphetamine?	All	46.4%	32.8%	10.6%	4.0%	2.3%	3.8%
	Grade 6	63.8%	31.2%	3.6%	0.2%	0.2%	0.9%
	Grade 7	54.4%	36.4%	5.3%	1.1%	1.1%	1.7%
	Grade 8	43.2%	38.7%	10.9%	3.6%	1.7%	1.9%
	Grade 9	44.4%	32.9%	10.7%	4.5%	3.2%	4.3%
	Grade 10	40.0%	30.9%	13.7%	6.7%	3.4%	5.3%
	Grade 11	36.1%	31.4%	15.7%	5.9%	4.6%	6.2%
	Grade 12	40.9%	25.9%	16.7%	6.6%	2.3%	7.6%
Synthetic Marijuana?	All	46.5%	25.7%	7.7%	5.8%	6.2%	8.1%
	Grade 6	63.7%	30.8%	3.2%	0.8%	1.0%	0.5%
	Grade 7	59.3%	30.4%	4.6%	2.0%	1.5%	2.1%
	Grade 8	45.6%	29.3%	8.7%	5.3%	5.5%	5.6%
	Grade 9	43.0%	25.7%	6.8%	6.6%	7.7%	10.2%
	Grade 10	38.5%	21.1%	9.9%	10.0%	8.8%	11.5%
	Grade 11	33.2%	21.3%	10.2%	9.0%	12.4%	14.0%
	Grade 12	39.3%	18.9%	12.3%	7.6%	7.3%	14.6%

Table D-6: Since school began in the fall, on how many days (if any) have you ...

	None	1-3 Days	4-9 Days	10+ Days
Attended Class While High From Marijuana Use?				
All	93.8%	3.6%	1.0%	1.6%
Grade 6	99.3%	0.7%	0.0%	0.0%
Grade 7	97.5%	1.5%	0.3%	0.7%
Grade 8	95.5%	2.9%	0.7%	0.8%
Grade 9	92.2%	4.5%	1.7%	1.6%
Grade 10	91.5%	5.1%	0.8%	2.6%
Grade 11	88.5%	5.6%	2.6%	3.2%
Grade 12	90.3%	5.9%	0.9%	2.8%
Attended Class While High From Use Of Some Other Drug?				
All	97.4%	1.9%	0.5%	0.2%
Grade 6	99.5%	0.4%	0.1%	0.0%
Grade 7	98.5%	1.1%	0.2%	0.2%
Grade 8	97.5%	2.0%	0.4%	0.1%
Grade 9	97.5%	2.2%	0.1%	0.2%
Grade 10	96.1%	2.0%	1.1%	0.8%
Grade 11	95.3%	3.3%	1.0%	0.4%
Grade 12	96.8%	2.3%	0.8%	0.1%

Table D-7: School year use of marijuana by absences and conduct problems:

Average days absent due to illness or other reasons	
Marijuana Users	4.6
Marijuana Non-Users	3.3
Average days conduct problems reported	
Marijuana Users	3.1
Marijuana Non-Users	1.0

Table D-8: During the past twelve months, how many times (if any) have you ...

	None	1-3 Times	4-9 Times	10+ Times
Driven A Car When You Have Felt High From Drugs?				
All	94.8%	3.1%	1.1%	0.9%
Grade 9	97.1%	2.1%	0.7%	0.2%
Grade 10	96.9%	2.2%	0.5%	0.4%
Grade 11	91.7%	5.0%	1.1%	2.2%
Grade 12	92.2%	3.8%	2.7%	1.3%
Had Difficulties Of Any Kind With Your Friends Because Of Your Drug Use?				
All	96.8%	2.6%	0.4%	0.2%
Grade 6	99.6%	0.4%	0.0%	0.0%
Grade 7	98.3%	1.5%	0.2%	0.0%
Grade 8	97.3%	2.1%	0.5%	0.0%
Grade 9	95.2%	3.6%	0.6%	0.5%
Grade 10	95.1%	3.8%	0.8%	0.3%
Grade 11	95.7%	3.7%	0.3%	0.3%
Grade 12	96.6%	3.4%	0.0%	0.0%
Been Criticized By Someone You Were Dating Because Of Drug Use?				
All	95.7%	3.5%	0.5%	0.3%
Grade 6	99.1%	0.9%	0.0%	0.0%
Grade 7	98.4%	1.3%	0.2%	0.1%
Grade 8	96.3%	3.1%	0.5%	0.2%
Grade 9	93.5%	5.1%	0.5%	0.8%
Grade 10	93.1%	5.5%	0.9%	0.5%
Grade 11	94.8%	4.3%	0.6%	0.3%
Grade 12	94.0%	5.0%	0.6%	0.4%

Table D-9: About how many of your close friends use marijuana?

	None	A Few	Some	Most	All
All	61.4%	16.3%	10.6%	8.6%	3.0%
Grade 6	91.6%	4.4%	3.1%	0.6%	0.3%
Grade 7	84.4%	9.0%	2.8%	2.9%	0.9%
Grade 8	71.3%	14.4%	6.7%	6.2%	1.4%
Grade 9	49.0%	21.8%	15.5%	10.3%	3.4%
Grade 10	45.2%	22.0%	14.9%	12.7%	5.1%
Grade 11	41.4%	23.1%	16.0%	14.7%	4.8%
Grade 12	39.4%	21.1%	17.3%	15.6%	6.7%

Table D-10: Thinking of parties you attended this school year, how often were marijuana and/or other drugs used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do not know	Did not attend
All	60.4%	4.8%	3.8%	5.1%	5.3%	2.2%	18.5%
Grade 6	85.2%	1.8%	0.7%	0.5%	0.3%	1.9%	9.7%
Grade 7	78.2%	3.5%	2.1%	1.8%	1.1%	1.5%	11.9%
Grade 8	70.0%	3.6%	3.5%	3.5%	2.2%	2.8%	14.4%
Grade 9	53.7%	5.4%	4.8%	6.4%	6.4%	2.5%	20.8%
Grade 10	45.7%	6.1%	4.5%	7.8%	7.5%	3.0%	25.4%
Grade 11	38.6%	7.0%	5.9%	8.9%	10.0%	1.6%	27.9%
Grade 12	43.4%	7.0%	5.7%	8.1%	12.1%	2.0%	21.8%

Table D-11: How do your parents feel about kids your age using marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do not know
All	78.8%	5.4%	5.3%	1.3%	1.6%	7.7%
Grade 6	86.3%	1.2%	2.3%	0.4%	0.6%	9.2%
Grade 7	83.9%	1.9%	2.7%	0.4%	1.3%	9.8%
Grade 8	83.5%	3.6%	4.3%	1.0%	1.0%	6.6%
Grade 9	76.9%	7.5%	5.8%	1.2%	2.4%	6.2%
Grade 10	76.4%	7.4%	5.5%	2.2%	1.5%	7.0%
Grade 11	72.6%	9.2%	9.1%	1.6%	2.6%	5.0%
Grade 12	68.6%	7.8%	8.6%	2.7%	1.7%	10.6%

Table D-12: How dangerous do you think it is for kids your age to use ...

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
Marijuana?	All	62.7%	11.7%	9.5%	11.9%	4.1%
	Grade 6	88.5%	4.5%	2.0%	0.2%	4.7%
	Grade 7	80.2%	9.6%	4.8%	1.8%	3.6%
	Grade 8	68.6%	13.3%	7.3%	7.9%	3.0%
	Grade 9	56.4%	12.3%	10.8%	15.2%	5.4%
	Grade 10	47.0%	15.4%	13.9%	20.6%	3.1%
	Grade 11	42.4%	15.7%	15.8%	20.8%	5.4%
	Grade 12	50.4%	11.9%	13.7%	20.3%	3.7%
Cocaine?	All	88.1%	5.3%	0.9%	0.5%	5.2%
	Grade 6	89.6%	3.6%	0.4%	0.0%	6.5%
	Grade 7	87.4%	5.9%	0.6%	0.5%	5.7%
	Grade 8	88.8%	5.5%	1.0%	0.7%	4.0%
	Grade 9	86.9%	6.3%	0.6%	0.7%	5.5%
	Grade 10	88.5%	6.4%	0.8%	0.5%	3.7%
	Grade 11	87.7%	4.9%	1.0%	0.6%	5.9%
	Grade 12	88.1%	4.0%	2.2%	0.7%	4.9%
Crack?	All	88.4%	4.5%	0.9%	0.6%	5.6%
	Grade 6	88.8%	3.4%	0.6%	0.0%	7.1%
	Grade 7	87.7%	5.1%	0.6%	0.6%	6.0%
	Grade 8	87.7%	5.2%	1.2%	0.9%	5.0%
	Grade 9	87.8%	5.0%	0.8%	0.8%	5.6%
	Grade 10	89.0%	5.1%	1.0%	0.5%	4.4%
	Grade 11	89.6%	3.7%	0.5%	0.4%	5.8%
	Grade 12	88.7%	3.5%	1.9%	0.7%	5.0%
Ecstasy?	All	82.0%	6.9%	2.1%	0.6%	8.4%
	Grade 6	87.5%	2.5%	0.3%	0.0%	9.7%
	Grade 7	82.3%	5.3%	0.8%	0.3%	11.2%
	Grade 8	82.1%	5.8%	1.5%	0.7%	10.0%
	Grade 9	80.7%	9.0%	1.7%	0.9%	7.7%
	Grade 10	79.4%	8.9%	4.7%	0.8%	6.2%
	Grade 11	80.2%	10.1%	2.2%	0.8%	6.8%
	Grade 12	81.5%	7.3%	4.0%	0.9%	6.3%

Table D-12: How dangerous do you think it is for kids your age to use ...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
Hydrocodone (Vicodin, Lortab, Or Lorcet)?	All	80.8%	6.2%	2.2%	1.0%	9.8%
	Grade 6	84.9%	2.5%	0.5%	0.0%	12.1%
	Grade 7	80.2%	5.9%	1.3%	0.3%	12.3%
	Grade 8	82.0%	3.9%	2.0%	1.1%	11.0%
	Grade 9	81.0%	6.4%	2.0%	1.3%	9.3%
	Grade 10	79.2%	8.3%	3.2%	1.5%	7.8%
	Grade 11	78.8%	9.2%	2.4%	1.6%	8.0%
	Grade 12	78.6%	8.1%	4.7%	1.9%	6.6%
Steroids?	All	76.9%	11.8%	3.9%	1.2%	6.1%
	Grade 6	84.1%	6.0%	2.4%	0.0%	7.4%
	Grade 7	77.3%	12.0%	3.6%	0.9%	6.3%
	Grade 8	73.0%	14.9%	4.4%	2.2%	5.5%
	Grade 9	78.2%	11.0%	3.5%	1.5%	5.8%
	Grade 10	74.8%	14.0%	4.8%	1.1%	5.4%
	Grade 11	76.1%	13.2%	3.2%	1.1%	6.4%
	Grade 12	74.2%	11.7%	6.1%	1.5%	6.5%
Heroin?	All	87.3%	4.4%	0.8%	0.6%	7.0%
	Grade 6	86.5%	3.0%	1.1%	0.0%	9.4%
	Grade 7	82.9%	6.3%	0.6%	0.7%	9.5%
	Grade 8	87.2%	5.2%	0.9%	1.1%	5.6%
	Grade 9	87.0%	4.7%	0.4%	0.7%	7.3%
	Grade 10	90.6%	3.8%	0.5%	0.5%	4.7%
	Grade 11	89.5%	4.0%	0.2%	0.2%	6.1%
	Grade 12	87.7%	3.3%	2.2%	0.7%	6.1%
Methamphetamine?	All	87.3%	4.0%	0.8%	0.5%	7.4%
	Grade 6	86.3%	2.9%	0.7%	0.0%	10.2%
	Grade 7	84.5%	4.9%	0.8%	0.5%	9.2%
	Grade 8	86.0%	4.9%	1.1%	0.7%	7.4%
	Grade 9	88.0%	3.5%	0.4%	0.8%	7.3%
	Grade 10	90.6%	3.4%	0.7%	0.5%	4.8%
	Grade 11	89.5%	4.1%	0.1%	0.3%	6.1%
	Grade 12	86.2%	4.8%	2.0%	0.9%	6.1%
Synthetic Marijuana?	All	78.5%	7.6%	3.4%	1.7%	8.7%
	Grade 6	85.3%	3.0%	0.2%	0.2%	11.3%
	Grade 7	81.0%	6.7%	1.3%	0.3%	10.7%
	Grade 8	77.6%	8.0%	3.0%	3.3%	8.1%
	Grade 9	77.1%	7.3%	4.3%	2.5%	8.8%
	Grade 10	76.8%	10.2%	4.4%	2.1%	6.5%
	Grade 11	75.7%	9.7%	4.6%	1.8%	8.2%
	Grade 12	74.3%	9.2%	7.3%	2.0%	7.2%

Table D-13: How recently, if ever, have you taken the following PRESCRIPTION drugs ...

	Past Month	School Year	Ever Used	Never Used
Codeine Cough Syrup?				
All	5.2%	6.8%	10.6%	89.4%
Grade 6	2.4%	2.8%	4.5%	95.5%
Grade 7	2.4%	2.6%	4.4%	95.6%
Grade 8	3.7%	4.2%	6.0%	94.0%
Grade 9	6.8%	8.5%	12.3%	87.7%
Grade 10	6.8%	9.1%	13.8%	86.2%
Grade 11	8.0%	11.2%	17.3%	82.8%
Grade 12	7.0%	10.3%	18.6%	81.4%
Oxycontin, Percodan, Percocet Or Oxycodone?				
All	1.4%	1.8%	2.5%	97.6%
Grade 6	0.0%	0.0%	0.2%	99.8%
Grade 7	0.5%	0.5%	0.6%	99.5%
Grade 8	0.1%	0.2%	0.8%	99.2%
Grade 9	1.8%	2.0%	2.6%	97.4%
Grade 10	2.5%	3.2%	4.9%	95.1%
Grade 11	3.6%	4.7%	5.9%	94.1%
Grade 12	1.3%	1.9%	2.4%	97.6%
Vicodin, Lortab, Lorcet, Or Hydrocodone?				
All	2.7%	3.7%	5.0%	95.0%
Grade 6	0.2%	0.2%	0.3%	99.8%
Grade 7	0.4%	0.6%	1.0%	99.1%
Grade 8	0.8%	1.3%	1.9%	98.1%
Grade 9	3.0%	3.8%	5.0%	94.9%
Grade 10	4.4%	6.2%	8.6%	91.5%
Grade 11	4.9%	8.0%	10.9%	89.1%
Grade 12	6.1%	7.4%	9.3%	90.8%
Valium Or Diazepam?				
All	0.6%	0.8%	1.0%	99.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.1%	0.3%	0.7%	99.2%
Grade 9	1.0%	1.2%	1.2%	98.8%
Grade 10	0.6%	1.0%	1.7%	98.3%
Grade 11	1.6%	1.9%	2.0%	98.0%
Grade 12	0.9%	1.2%	1.4%	98.7%
Xanax Or Alprazolam?				
All	1.6%	2.1%	2.9%	97.1%
Grade 6	0.2%	0.2%	0.2%	99.8%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.7%	0.9%	2.0%	98.0%
Grade 9	1.9%	2.6%	3.7%	96.3%
Grade 10	2.4%	3.1%	4.4%	95.6%
Grade 11	3.3%	4.8%	6.4%	93.6%
Grade 12	2.7%	3.5%	4.0%	96.0%

Table D-14: How recently, if ever, have you taken the following OVER-THE-COUNTER drugs ...

	Past Month	School Year	Ever Used	Never Used
Dxm, Triple Cs, Or Coricidin?				
All	1.0%	1.4%	2.9%	97.1%
Grade 6	0.2%	0.2%	1.3%	98.7%
Grade 7	1.0%	1.4%	2.8%	97.3%
Grade 8	1.6%	1.8%	2.7%	97.3%
Grade 9	0.6%	1.2%	2.8%	97.2%
Grade 10	1.1%	1.8%	3.0%	97.0%
Grade 11	1.3%	1.8%	3.8%	96.3%
Grade 12	1.7%	2.3%	4.7%	95.4%

Inhalants

Table I-1: How recently, if ever, have you used ...

	Past Month	School Year	Ever Used	Never Used
Spray Paint?				
All	0.6%	0.8%	2.8%	97.2%
Grade 6	1.3%	1.3%	2.6%	97.4%
Grade 7	0.5%	0.9%	3.2%	96.8%
Grade 8	0.7%	1.0%	2.6%	97.5%
Grade 9	0.5%	0.7%	2.2%	97.8%
Grade 10	0.4%	0.6%	2.3%	97.7%
Grade 11	0.5%	0.7%	2.1%	97.9%
Grade 12	0.0%	0.4%	5.0%	95.0%
Whiteout, Correction Fluid, Magic Markers?				
All	1.5%	2.0%	5.8%	94.2%
Grade 6	2.2%	2.6%	4.9%	95.1%
Grade 7	2.7%	3.3%	8.4%	91.6%
Grade 8	1.5%	2.4%	7.5%	92.5%
Grade 9	1.1%	1.7%	5.3%	94.7%
Grade 10	1.2%	1.5%	5.8%	94.2%
Grade 11	0.5%	0.7%	3.6%	96.4%
Grade 12	0.5%	1.2%	4.0%	96.0%
Computer Dusting Sprays?				
All	0.5%	0.7%	1.5%	98.4%
Grade 6	0.7%	0.9%	1.0%	99.0%
Grade 7	0.2%	0.5%	0.9%	99.1%
Grade 8	0.5%	0.9%	2.9%	97.1%
Grade 9	0.3%	0.3%	1.0%	99.0%
Grade 10	0.3%	0.6%	1.2%	98.8%
Grade 11	0.4%	0.5%	1.5%	98.6%
Grade 12	1.5%	1.6%	2.6%	97.3%
Helium, Butane, Propane, Whip-pets, Freon?				
All	1.6%	2.2%	5.7%	94.3%
Grade 6	1.2%	1.4%	3.9%	96.1%
Grade 7	2.3%	2.6%	7.2%	92.8%
Grade 8	1.7%	2.2%	6.5%	93.5%
Grade 9	1.4%	1.9%	5.8%	94.3%
Grade 10	1.6%	2.9%	6.2%	93.8%
Grade 11	1.1%	1.9%	5.3%	94.8%
Grade 12	1.7%	2.8%	4.9%	95.2%
Glue?				
All	0.3%	0.5%	1.4%	98.7%
Grade 6	0.9%	0.9%	1.7%	98.3%
Grade 7	0.4%	0.8%	2.3%	97.7%
Grade 8	0.4%	0.6%	1.6%	98.3%
Grade 9	0.0%	0.0%	0.4%	99.6%
Grade 10	0.2%	0.3%	0.9%	99.1%
Grade 11	0.0%	0.2%	0.8%	99.2%
Grade 12	0.0%	0.1%	1.3%	98.6%

Table I-1: How recently, if ever, have you used ...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Toluene, Paint Thinner, Other Solvents?				
All	0.5%	0.6%	1.2%	98.8%
Grade 6	0.4%	0.4%	0.8%	99.2%
Grade 7	0.3%	0.6%	1.5%	98.5%
Grade 8	1.2%	1.2%	2.0%	98.0%
Grade 9	0.2%	0.4%	0.7%	99.2%
Grade 10	0.7%	0.8%	1.1%	98.9%
Grade 11	0.2%	0.2%	0.7%	99.3%
Grade 12	0.2%	0.3%	1.0%	99.0%
Gasoline, Octane Booster, Carburetor Cleaner?				
All	0.8%	1.0%	2.1%	97.9%
Grade 6	1.2%	1.5%	1.9%	98.0%
Grade 7	0.4%	0.8%	2.4%	97.6%
Grade 8	1.1%	1.2%	2.6%	97.4%
Grade 9	0.7%	0.7%	1.7%	98.3%
Grade 10	1.0%	1.3%	2.4%	97.7%
Grade 11	0.5%	0.6%	1.2%	98.9%
Grade 12	0.5%	0.8%	2.4%	97.7%
Other Aerosols/Sprays?				
All	0.9%	1.1%	2.5%	97.6%
Grade 6	1.5%	1.6%	2.8%	97.2%
Grade 7	0.9%	1.4%	4.5%	95.4%
Grade 8	0.8%	1.0%	1.9%	98.1%
Grade 9	0.8%	0.8%	1.6%	98.4%
Grade 10	0.5%	0.8%	1.9%	98.2%
Grade 11	0.3%	0.4%	1.7%	98.3%
Grade 12	1.5%	1.7%	2.8%	97.1%
Any Inhalant?				
All	4.2%	5.2%	11.7%	88.4%
Grade 6	6.3%	6.6%	10.0%	90.0%
Grade 7	6.1%	7.2%	14.6%	85.4%
Grade 8	3.6%	4.8%	12.4%	87.6%
Grade 9	3.6%	4.5%	12.3%	87.6%
Grade 10	2.9%	4.5%	11.7%	88.3%
Grade 11	2.5%	3.2%	8.9%	91.1%
Grade 12	3.6%	4.9%	10.5%	89.5%

Table I-2: How often do you normally use inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less than Once a Year
All	96.6%	0.1%	0.1%	0.3%	0.5%	0.6%	1.8%
Grade 6	97.4%	0.2%	0.2%	0.1%	0.6%	0.7%	0.8%
Grade 7	95.0%	0.1%	0.2%	0.5%	0.5%	1.1%	2.7%
Grade 8	96.1%	0.0%	0.1%	0.6%	0.4%	1.0%	1.8%
Grade 9	96.8%	0.0%	0.2%	0.2%	0.6%	0.8%	1.2%
Grade 10	96.7%	0.2%	0.0%	0.4%	0.6%	0.2%	2.0%
Grade 11	97.1%	0.0%	0.0%	0.2%	0.6%	0.3%	1.9%
Grade 12	97.8%	0.0%	0.0%	0.2%	0.0%	0.1%	2.0%

Table I-3: Number of different kinds of inhalants used

	None	One	Two to Three	Four Plus
All	88.6%	6.2%	3.7%	1.5%
Grade 6	90.2%	5.0%	3.8%	1.1%
Grade 7	85.5%	8.0%	3.5%	3.1%
Grade 8	87.6%	5.7%	4.5%	2.2%
Grade 9	87.8%	8.4%	3.2%	0.6%
Grade 10	88.4%	6.7%	3.7%	1.1%
Grade 11	91.4%	5.0%	2.3%	1.2%
Grade 12	89.8%	3.6%	5.6%	1.0%

Table I-4: Average age of first use of inhalants:

	Grade 6	Grade 7	Grade 8	Grade 9	Grade 10	Grade 11	Grade 12
Inhalants	9.2	10.5	11.7	11.5	12.7	12.7	12.2

Table I-5: Since school began in the fall, on how many days (if any) have you attended class while high from inhalant use?

	None	1 to 3 days	4 to 9 days	10+ days
All	99.1%	0.7%	0.1%	0.1%
Grade 6	99.3%	0.6%	0.0%	0.0%
Grade 7	99.0%	1.0%	0.0%	0.0%
Grade 8	98.9%	0.8%	0.1%	0.2%
Grade 9	98.7%	1.0%	0.3%	0.0%
Grade 10	98.4%	1.3%	0.0%	0.3%
Grade 11	99.6%	0.1%	0.3%	0.0%
Grade 12	99.8%	0.2%	0.0%	0.0%

Table I-6: School year use of inhalants by absences and conduct problems:

	Average days absent due to illness or other reasons
Inhalants Users	4.6
Inhalants Non-Users	3.4
	Average days conduct problems reported
Inhalants Users	3.1
Inhalants Non-Users	1.1

Table I-7: About how many of your close friends use inhalants?

	None	A Few	Some	Most	All
All	91.9%	5.9%	1.3%	0.7%	0.2%
Grade 6	95.1%	3.2%	0.7%	1.0%	0.0%
Grade 7	90.8%	6.9%	1.5%	0.6%	0.2%
Grade 8	91.5%	6.7%	1.4%	0.1%	0.2%
Grade 9	89.7%	7.8%	1.1%	1.1%	0.2%
Grade 10	92.0%	5.5%	1.7%	0.5%	0.4%
Grade 11	91.0%	6.4%	1.7%	0.8%	0.2%
Grade 12	93.8%	4.2%	0.8%	0.9%	0.3%

Table I-8: How dangerous do you think it is for kids your age to use inhalants?

	Very Dangerous	Somewhat Dangerous	Not very Dangerous	Not at All Dangerous	Do not know
All	76.4%	12.4%	3.6%	1.2%	6.5%
Grade 6	83.7%	8.3%	2.4%	0.2%	5.4%
Grade 7	75.0%	12.9%	3.8%	1.5%	6.8%
Grade 8	76.7%	12.5%	4.8%	1.2%	4.8%
Grade 9	75.3%	12.8%	2.9%	1.8%	7.2%
Grade 10	73.4%	14.5%	4.4%	1.5%	6.1%
Grade 11	74.3%	13.0%	3.0%	1.0%	8.6%
Grade 12	76.0%	12.4%	3.8%	0.7%	7.0%

Table I-9: If you wanted some, how difficult would it be to get inhalants?

	Never Heard Of	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	35.8%	18.7%	4.8%	7.0%	9.9%	23.9%
Grade 6	43.7%	30.9%	2.7%	4.6%	5.7%	12.4%
Grade 7	33.9%	22.8%	4.1%	9.3%	9.2%	20.7%
Grade 8	29.8%	18.5%	6.0%	7.5%	12.2%	26.1%
Grade 9	37.3%	19.4%	4.4%	5.9%	9.4%	23.6%
Grade 10	36.7%	13.3%	5.5%	8.4%	8.7%	27.4%
Grade 11	31.8%	11.9%	7.1%	7.0%	13.4%	28.7%
Grade 12	37.5%	11.9%	3.5%	5.9%	11.3%	29.9%

Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?

		Yes
A School Health Class		
	All	36.2%
	Grade 6	34.9%
	Grade 7	33.3%
	Grade 8	43.0%
	Grade 9	36.9%
	Grade 10	34.8%
	Grade 11	35.7%
	Grade 12	34.0%
An Assembly Program		
	All	39.0%
	Grade 6	37.0%
	Grade 7	38.9%
	Grade 8	38.5%
	Grade 9	35.5%
	Grade 10	39.3%
	Grade 11	39.3%
	Grade 12	46.8%
Guidance Counselor		
	All	24.5%
	Grade 6	24.0%
	Grade 7	26.2%
	Grade 8	32.7%
	Grade 9	22.4%
	Grade 10	21.5%
	Grade 11	19.1%
	Grade 12	25.9%
Science Or Social Studies Class		
	All	25.1%
	Grade 6	16.8%
	Grade 7	23.7%
	Grade 8	22.4%
	Grade 9	31.9%
	Grade 10	28.4%
	Grade 11	24.9%
	Grade 12	26.4%

**Table X-1: Since school began in the fall, have you gotten any information on drugs or alcohol from the following sources?
(Continued)**

	Yes
Student Group Or Club Meeting At School	
All	13.0%
Grade 6	11.5%
Grade 7	9.0%
Grade 8	11.4%
Grade 9	13.6%
Grade 10	15.2%
Grade 11	15.4%
Grade 12	15.3%
An Invited School Guest	
All	26.6%
Grade 6	18.9%
Grade 7	32.4%
Grade 8	27.4%
Grade 9	22.1%
Grade 10	27.1%
Grade 11	27.0%
Grade 12	32.7%
Another Source At School	
All	26.3%
Grade 6	25.7%
Grade 7	20.6%
Grade 8	26.0%
Grade 9	28.5%
Grade 10	29.2%
Grade 11	25.7%
Grade 12	28.4%
Any School Source	
All	62.2%
Grade 6	61.8%
Grade 7	64.0%
Grade 8	68.4%
Grade 9	59.9%
Grade 10	60.4%
Grade 11	58.4%
Grade 12	62.5%

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?

		Yes
Counselor/Program In-School		
	All	39.3%
	Grade 6	50.3%
	Grade 7	44.7%
	Grade 8	43.1%
	Grade 9	36.6%
	Grade 10	32.0%
	Grade 11	32.1%
	Grade 12	35.0%
Another Adult In School		
	All	40.9%
	Grade 6	48.1%
	Grade 7	43.7%
	Grade 8	44.1%
	Grade 9	39.0%
	Grade 10	35.3%
	Grade 11	36.0%
	Grade 12	39.9%
Counselor/Program Outside-School		
	All	42.2%
	Grade 6	43.1%
	Grade 7	44.3%
	Grade 8	49.0%
	Grade 9	39.6%
	Grade 10	40.8%
	Grade 11	38.3%
	Grade 12	39.5%
Your Parents		
	All	68.2%
	Grade 6	85.7%
	Grade 7	73.1%
	Grade 8	70.7%
	Grade 9	65.4%
	Grade 10	60.8%
	Grade 11	61.5%
	Grade 12	57.5%

Table X-2: If you had a drug or alcohol problem and needed help, who would you go to?
(Continued)

		Yes
A Medical Doctor		
	All	55.1%
	Grade 6	68.0%
	Grade 7	63.1%
	Grade 8	60.5%
	Grade 9	50.8%
	Grade 10	49.1%
	Grade 11	45.8%
	Grade 12	45.7%
Your Friends		
	All	60.1%
	Grade 6	39.5%
	Grade 7	50.7%
	Grade 8	64.9%
	Grade 9	61.9%
	Grade 10	68.7%
	Grade 11	70.3%
	Grade 12	66.0%
Another Adult		
	All	60.3%
	Grade 6	60.5%
	Grade 7	58.3%
	Grade 8	63.9%
	Grade 9	58.9%
	Grade 10	62.7%
	Grade 11	58.3%
	Grade 12	58.7%

Table X-3: Since school began in the fall, have you sought help, other than from family or friends, for problems in any way connected with your use of alcohol, marijuana, or other drugs?

		Yes
Sought Help For Drug/Alcohol Problem		
	All	5.9%
	Grade 6	4.3%
	Grade 7	5.5%
	Grade 8	6.2%
	Grade 9	8.0%
	Grade 10	6.8%
	Grade 11	6.2%
	Grade 12	3.5%

Table X-4: About how many of your friends

	None	A Few	Some	Most	All
Feel Close To Their Parents?					
All	5.0%	19.7%	22.9%	36.7%	15.6%
Grade 6	5.9%	15.7%	16.4%	32.8%	29.2%
Grade 7	4.8%	17.0%	17.9%	41.6%	18.8%
Grade 8	4.1%	15.3%	22.8%	41.5%	16.3%
Grade 9	4.8%	23.7%	26.1%	33.6%	11.9%
Grade 10	3.6%	25.2%	27.5%	34.9%	8.8%
Grade 11	4.8%	21.9%	25.3%	38.0%	10.0%
Grade 12	7.8%	19.3%	24.8%	34.3%	13.7%
Sometimes Carry Weapons?					
All	70.5%	17.8%	7.2%	3.4%	1.1%
Grade 6	87.4%	10.6%	1.2%	0.3%	0.5%
Grade 7	84.4%	9.4%	4.7%	1.5%	0.0%
Grade 8	70.9%	20.7%	5.4%	1.9%	1.2%
Grade 9	66.0%	21.6%	7.8%	3.8%	0.9%
Grade 10	64.7%	20.1%	9.6%	4.6%	0.9%
Grade 11	61.5%	18.7%	11.3%	6.1%	2.4%
Grade 12	54.2%	24.6%	11.8%	7.2%	2.1%
Care About Making Good Grades?					
All	2.4%	10.5%	19.4%	41.5%	26.2%
Grade 6	2.3%	8.0%	13.5%	37.0%	39.2%
Grade 7	2.2%	9.9%	19.4%	40.6%	27.8%
Grade 8	1.7%	8.4%	18.4%	42.5%	29.1%
Grade 9	1.8%	13.2%	24.2%	39.0%	21.7%
Grade 10	2.4%	14.1%	20.8%	44.8%	17.9%
Grade 11	2.0%	9.9%	19.6%	46.8%	21.7%
Grade 12	5.0%	9.7%	19.2%	40.0%	26.1%
Belong/Want To Belong To A Gang?					
All	83.2%	10.7%	4.0%	1.4%	0.8%
Grade 6	86.8%	7.9%	3.4%	1.4%	0.6%
Grade 7	84.1%	10.0%	4.1%	1.4%	0.4%
Grade 8	86.1%	11.3%	1.2%	0.6%	0.8%
Grade 9	78.1%	14.3%	5.4%	1.6%	0.6%
Grade 10	83.4%	10.1%	4.2%	2.0%	0.4%
Grade 11	82.2%	11.0%	5.1%	0.8%	0.9%
Grade 12	81.7%	9.5%	4.4%	2.1%	2.3%
Wish They Could Drop Out Of School?					
All	65.8%	22.3%	7.5%	2.7%	1.8%
Grade 6	75.9%	14.8%	6.3%	1.4%	1.6%
Grade 7	70.5%	18.0%	5.5%	3.7%	2.3%
Grade 8	69.4%	22.3%	5.4%	1.4%	1.4%
Grade 9	60.5%	25.8%	8.6%	3.2%	2.0%
Grade 10	55.7%	28.4%	11.4%	3.0%	1.5%
Grade 11	61.5%	25.7%	7.7%	2.9%	2.3%
Grade 12	67.2%	20.5%	7.4%	3.2%	1.7%

Table X-5: How safe to do you feel when you are:

		Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do not Know
In Your Home?						
	All	85.0%	12.8%	0.7%	0.4%	1.1%
	Grade 6	88.1%	11.0%	0.5%	0.1%	0.2%
	Grade 7	84.6%	13.6%	1.1%	0.1%	0.6%
	Grade 8	86.3%	11.9%	0.5%	0.0%	1.3%
	Grade 9	83.7%	14.0%	0.7%	0.3%	1.3%
	Grade 10	81.7%	15.4%	1.0%	0.4%	1.4%
	Grade 11	85.1%	12.5%	0.9%	0.3%	1.3%
	Grade 12	86.0%	10.4%	0.4%	1.7%	1.6%
Out In Your Neighborhood?						
	All	44.2%	45.5%	6.1%	1.7%	2.4%
	Grade 6	40.3%	47.5%	8.0%	2.4%	1.9%
	Grade 7	40.9%	48.1%	7.8%	1.3%	1.9%
	Grade 8	50.0%	42.3%	4.6%	0.7%	2.5%
	Grade 9	41.7%	46.7%	6.6%	2.2%	2.8%
	Grade 10	40.7%	49.2%	5.4%	1.3%	3.3%
	Grade 11	48.5%	41.1%	6.2%	2.2%	2.1%
	Grade 12	49.8%	42.2%	3.4%	1.8%	2.7%
At School?						
	All	45.7%	41.2%	6.6%	3.4%	3.2%
	Grade 6	61.0%	30.6%	5.5%	1.8%	1.1%
	Grade 7	47.2%	44.3%	4.8%	2.1%	1.7%
	Grade 8	58.6%	32.9%	4.1%	2.1%	2.3%
	Grade 9	33.8%	48.9%	8.1%	4.1%	5.0%
	Grade 10	35.6%	46.7%	9.0%	3.9%	4.8%
	Grade 11	36.1%	46.2%	8.2%	5.1%	4.4%
	Grade 12	47.7%	38.1%	6.3%	5.2%	2.6%

2 Prevalence Tables

**Table B-1: Prevalence and recency of use of selected substances by grade
All Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	7.4%	10.3%	19.4%	80.6%
	Grade 6	1.3%	1.8%	5.3%	94.6%
	Grade 7	1.9%	3.4%	8.8%	91.2%
	Grade 8	5.5%	7.2%	13.3%	86.8%
	Grade 9	7.2%	10.2%	21.8%	78.1%
	Grade 10	10.4%	14.7%	27.7%	72.3%
	Grade 11	13.4%	17.8%	31.9%	68.1%
	Grade 12	15.3%	21.0%	32.5%	67.5%
Alcohol	All	18.6%	26.1%	45.7%	54.3%
	Grade 6	5.9%	9.2%	20.4%	79.5%
	Grade 7	10.4%	12.2%	27.8%	72.2%
	Grade 8	13.0%	20.1%	38.5%	61.5%
	Grade 9	20.1%	28.4%	53.7%	46.3%
	Grade 10	24.7%	34.6%	60.0%	39.9%
	Grade 11	28.1%	39.9%	64.7%	35.3%
	Grade 12	33.6%	45.8%	61.5%	38.5%
Inhalants	All	4.2%	5.2%	11.7%	88.4%
	Grade 6	6.3%	6.6%	10.0%	90.0%
	Grade 7	6.1%	7.2%	14.6%	85.4%
	Grade 8	3.6%	4.8%	12.4%	87.6%
	Grade 9	3.6%	4.5%	12.3%	87.6%
	Grade 10	2.9%	4.5%	11.7%	88.3%
	Grade 11	2.5%	3.2%	8.9%	91.1%
	Grade 12	3.6%	4.9%	10.5%	89.5%
Any Illicit Drug	All	7.5%	10.6%	20.1%	80.0%
	Grade 6	1.0%	1.0%	3.3%	96.6%
	Grade 7	2.7%	3.4%	6.0%	93.9%
	Grade 8	4.6%	5.3%	11.3%	88.6%
	Grade 9	8.6%	13.0%	23.9%	76.1%
	Grade 10	11.3%	17.4%	31.4%	68.6%
	Grade 11	14.3%	18.4%	34.1%	65.9%
	Grade 12	11.5%	17.4%	35.0%	65.0%
Marijuana	All	6.9%	9.8%	19.2%	80.8%
	Grade 6	0.8%	0.8%	2.7%	97.3%
	Grade 7	1.7%	2.5%	5.1%	94.9%
	Grade 8	4.3%	4.9%	10.5%	89.6%
	Grade 9	7.9%	12.0%	22.9%	77.2%
	Grade 10	10.9%	16.6%	30.4%	69.5%
	Grade 11	13.7%	17.5%	33.1%	66.9%
	Grade 12	11.1%	16.9%	35.0%	65.1%

**Table B-1: Prevalence and recency of use of selected substances by grade
All Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.5%	5.1%	11.6%	88.4%
Grade 6	0.2%	0.2%	1.7%	98.2%
Grade 7	0.5%	0.8%	2.6%	97.4%
Grade 8	1.3%	1.6%	5.1%	94.9%
Grade 9	4.7%	6.8%	14.1%	85.9%
Grade 10	6.2%	10.0%	19.9%	80.1%
Grade 11	7.8%	9.9%	20.5%	79.5%
Grade 12	4.9%	7.6%	20.9%	79.1%
Cocaine Or Crack				
All	0.4%	0.5%	1.3%	98.8%
Grade 6	0.2%	0.2%	0.7%	99.3%
Grade 7	0.1%	0.2%	0.4%	99.6%
Grade 8	0.3%	0.3%	1.2%	98.7%
Grade 9	0.4%	0.5%	0.8%	99.1%
Grade 10	0.3%	0.3%	1.4%	98.5%
Grade 11	0.9%	1.3%	2.4%	97.5%
Grade 12	0.5%	0.5%	1.8%	98.2%
Cocaine				
All	0.3%	0.4%	1.0%	99.0%
Grade 6	0.0%	0.0%	0.5%	99.5%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.2%	0.2%	0.8%	99.1%
Grade 9	0.3%	0.4%	0.7%	99.2%
Grade 10	0.2%	0.2%	1.2%	98.8%
Grade 11	1.0%	1.4%	2.4%	97.6%
Grade 12	0.5%	0.5%	1.8%	98.2%
Crack				
All	0.1%	0.1%	0.3%	99.7%
Grade 6	0.2%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.1%	0.3%	99.7%
Grade 8	0.1%	0.1%	0.7%	99.3%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.1%	0.1%	0.4%	99.6%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.6%	1.0%	2.0%	98.0%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.3%	0.3%	0.6%	99.3%
Grade 8	0.5%	0.6%	0.9%	99.1%
Grade 9	0.6%	1.1%	1.6%	98.5%
Grade 10	0.7%	0.8%	2.8%	97.1%
Grade 11	1.2%	2.0%	4.5%	95.5%
Grade 12	0.8%	2.4%	4.6%	95.4%

Table B-1: Prevalence and recency of use of selected substances by grade
All Students
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.2%	0.4%	0.7%	99.3%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.1%	0.2%	0.6%	99.4%
	Grade 8	0.2%	0.2%	0.6%	99.4%
	Grade 9	0.6%	1.0%	1.5%	98.5%
	Grade 10	0.1%	0.6%	1.1%	99.0%
	Grade 11	0.2%	0.2%	0.5%	99.5%
	Grade 12	0.2%	0.2%	0.6%	99.5%
Steroids	All	0.3%	0.4%	1.1%	98.9%
	Grade 6	0.0%	0.0%	0.4%	99.6%
	Grade 7	0.0%	0.0%	0.5%	99.5%
	Grade 8	0.6%	0.6%	1.2%	98.8%
	Grade 9	0.3%	0.5%	1.8%	98.1%
	Grade 10	0.4%	0.4%	1.1%	98.9%
	Grade 11	0.3%	0.3%	0.8%	99.2%
	Grade 12	0.3%	0.5%	1.7%	98.3%
Ecstasy	All	0.3%	0.5%	1.6%	98.4%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.1%	0.2%	0.2%	99.8%
	Grade 8	0.2%	0.3%	1.0%	98.9%
	Grade 9	0.3%	0.9%	2.1%	97.8%
	Grade 10	0.6%	0.7%	3.0%	97.1%
	Grade 11	0.5%	0.6%	2.6%	97.4%
	Grade 12	0.4%	0.6%	2.6%	97.5%
Heroin	All	0.2%	0.2%	0.4%	99.7%
	Grade 6	0.2%	0.2%	0.3%	99.7%
	Grade 7	0.8%	0.8%	0.9%	99.1%
	Grade 8	0.0%	0.0%	0.1%	99.9%
	Grade 9	0.0%	0.0%	0.3%	99.7%
	Grade 10	0.0%	0.0%	0.3%	99.6%
	Grade 11	0.1%	0.1%	0.3%	99.8%
	Grade 12	0.0%	0.0%	0.0%	100.0%

Table B-1: Prevalence and recency of use of selected substances by grade
All Students
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.3%	2.0%	5.5%	94.5%
Grade 6	0.0%	0.2%	0.5%	99.6%
Grade 7	0.6%	0.9%	1.7%	98.3%
Grade 8	1.4%	1.8%	4.1%	96.0%
Grade 9	1.4%	2.7%	7.1%	92.9%
Grade 10	1.4%	2.1%	7.9%	92.1%
Grade 11	1.6%	3.1%	9.5%	90.5%
Grade 12	2.9%	3.8%	9.4%	90.7%
Methamphetamine				
All	0.2%	0.5%	0.7%	99.3%
Grade 6	0.2%	0.2%	0.2%	99.7%
Grade 7	0.4%	0.5%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.1%	0.3%	0.7%	99.4%
Grade 10	0.3%	0.4%	0.6%	99.4%
Grade 11	0.1%	0.3%	0.7%	99.4%
Grade 12	0.2%	1.7%	2.0%	98.0%

**Table B-2: Prevalence and recency of use of selected substances by grade
Male Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	8.2%	11.8%	21.2%	78.8%
	Grade 6	1.5%	2.3%	5.8%	94.2%
	Grade 7	1.6%	2.9%	9.1%	90.8%
	Grade 8	6.6%	8.9%	16.0%	84.0%
	Grade 9	9.2%	13.7%	24.8%	75.2%
	Grade 10	10.2%	14.8%	28.7%	71.3%
	Grade 11	15.5%	20.1%	35.6%	64.4%
	Grade 12	16.4%	24.4%	34.9%	65.1%
Alcohol	All	17.9%	25.3%	43.5%	56.5%
	Grade 6	7.4%	10.3%	21.4%	78.5%
	Grade 7	9.7%	10.7%	25.3%	74.7%
	Grade 8	11.5%	21.5%	39.2%	60.9%
	Grade 9	20.2%	29.3%	52.7%	47.3%
	Grade 10	19.2%	29.9%	55.0%	45.1%
	Grade 11	28.7%	37.8%	59.3%	40.8%
	Grade 12	35.0%	44.7%	58.4%	41.5%
Inhalants	All	3.9%	4.7%	10.1%	89.8%
	Grade 6	6.3%	6.7%	9.2%	90.9%
	Grade 7	4.9%	5.6%	10.8%	89.2%
	Grade 8	3.1%	4.2%	12.5%	87.5%
	Grade 9	3.4%	4.1%	10.8%	89.2%
	Grade 10	2.1%	3.7%	9.9%	90.1%
	Grade 11	1.9%	2.4%	6.9%	93.1%
	Grade 12	5.5%	6.4%	10.2%	89.8%
Any Illicit Drug	All	7.4%	10.6%	20.5%	79.5%
	Grade 6	0.7%	0.7%	3.3%	96.7%
	Grade 7	2.0%	2.8%	6.1%	94.0%
	Grade 8	3.8%	4.8%	11.3%	88.7%
	Grade 9	8.0%	14.0%	25.2%	74.9%
	Grade 10	11.8%	15.9%	32.2%	67.8%
	Grade 11	15.6%	19.8%	37.0%	63.1%
	Grade 12	13.1%	20.8%	35.8%	64.2%
Marijuana	All	7.0%	10.1%	20.0%	80.1%
	Grade 6	0.8%	0.8%	3.3%	96.7%
	Grade 7	1.2%	2.0%	5.3%	94.6%
	Grade 8	3.8%	4.7%	10.5%	89.5%
	Grade 9	7.1%	12.5%	24.0%	76.0%
	Grade 10	11.4%	15.1%	31.4%	68.7%
	Grade 11	15.2%	19.1%	36.0%	64.1%
	Grade 12	12.4%	20.3%	35.7%	64.3%

Table B-2: Prevalence and recency of use of selected substances by grade
Male Students
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.6%	5.0%	11.6%	88.3%
Grade 6	0.3%	0.3%	2.1%	97.9%
Grade 7	0.9%	1.2%	3.3%	96.8%
Grade 8	0.7%	1.1%	5.1%	94.9%
Grade 9	4.8%	7.4%	14.3%	85.8%
Grade 10	6.5%	9.4%	21.0%	79.0%
Grade 11	8.1%	9.6%	20.7%	79.3%
Grade 12	5.4%	8.1%	19.0%	81.0%
Cocaine Or Crack				
All	0.4%	0.5%	1.1%	98.8%
Grade 6	0.0%	0.0%	0.3%	99.7%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.3%	0.3%	0.9%	99.1%
Grade 9	0.2%	0.3%	0.7%	99.2%
Grade 10	0.3%	0.4%	2.1%	97.9%
Grade 11	1.1%	2.0%	3.2%	96.7%
Grade 12	1.0%	1.0%	1.5%	98.4%
Cocaine				
All	0.4%	0.5%	1.1%	98.9%
Grade 6	0.0%	0.0%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.3%	0.8%	99.2%
Grade 9	0.1%	0.2%	0.6%	99.4%
Grade 10	0.3%	0.3%	1.7%	98.2%
Grade 11	1.1%	2.0%	3.2%	96.7%
Grade 12	1.0%	1.0%	1.5%	98.4%
Crack				
All	0.1%	0.1%	0.3%	99.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.0%	0.1%	99.9%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.1%	0.6%	99.4%
Grade 11	0.0%	0.0%	0.6%	99.3%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.6%	1.3%	2.5%	97.5%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.2%	0.2%	0.8%	99.2%
Grade 9	0.4%	1.3%	1.9%	98.0%
Grade 10	1.0%	1.1%	2.5%	97.5%
Grade 11	1.2%	2.8%	6.3%	93.7%
Grade 12	1.6%	4.7%	7.8%	92.3%

**Table B-2: Prevalence and recency of use of selected substances by grade
Male Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.2%	0.3%	0.6%	99.4%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.5%	99.5%
	Grade 8	0.3%	0.3%	0.5%	99.4%
	Grade 9	0.1%	0.4%	1.2%	98.9%
	Grade 10	0.1%	0.4%	0.4%	99.6%
	Grade 11	0.3%	0.3%	0.5%	99.4%
	Grade 12	0.3%	0.3%	0.8%	99.2%
Steroids	All	0.4%	0.5%	1.3%	98.8%
	Grade 6	0.1%	0.2%	0.9%	99.1%
	Grade 7	0.0%	0.1%	0.5%	99.6%
	Grade 8	0.6%	0.6%	1.5%	98.6%
	Grade 9	0.4%	0.5%	1.8%	98.2%
	Grade 10	0.8%	0.8%	1.3%	98.7%
	Grade 11	0.4%	0.4%	0.8%	99.1%
	Grade 12	0.2%	0.6%	1.8%	98.3%
Ecstasy	All	0.4%	0.7%	1.7%	98.4%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.2%	0.4%	0.4%	99.6%
	Grade 8	0.4%	0.5%	0.7%	99.3%
	Grade 9	0.1%	1.1%	2.7%	97.3%
	Grade 10	1.0%	1.0%	1.9%	98.2%
	Grade 11	0.6%	0.6%	2.8%	97.2%
	Grade 12	0.7%	1.0%	3.5%	96.4%
Heroin	All	0.1%	0.1%	0.2%	99.7%
	Grade 6	0.0%	0.0%	0.2%	99.8%
	Grade 7	0.7%	0.7%	0.7%	99.3%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.1%	0.1%	0.1%	99.9%
	Grade 10	0.1%	0.1%	0.5%	99.5%
	Grade 11	0.1%	0.1%	0.4%	99.6%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-2: Prevalence and recency of use of selected substances by grade
Male Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.3%	2.1%	6.1%	94.0%
Grade 6	0.0%	0.0%	0.5%	99.5%
Grade 7	0.0%	0.4%	1.5%	98.5%
Grade 8	1.7%	1.9%	4.4%	95.6%
Grade 9	1.2%	3.4%	7.8%	92.3%
Grade 10	2.0%	2.3%	8.1%	91.9%
Grade 11	1.6%	3.2%	11.4%	88.6%
Grade 12	2.6%	3.6%	10.2%	89.8%
Methamphetamine				
All	0.2%	0.3%	0.6%	99.4%
Grade 6	0.0%	0.0%	0.1%	99.9%
Grade 7	0.5%	0.6%	0.6%	99.5%
Grade 8	0.0%	0.1%	0.7%	99.3%
Grade 9	0.1%	0.4%	0.8%	99.2%
Grade 10	0.2%	0.4%	0.7%	99.4%
Grade 11	0.2%	0.5%	1.0%	99.1%
Grade 12	0.3%	0.3%	0.8%	99.2%

**Table B-3: Prevalence and recency of use of selected substances by grade
Female Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	6.4%	8.6%	17.4%	82.6%
	Grade 6	0.9%	1.1%	4.5%	95.4%
	Grade 7	2.2%	3.9%	8.5%	91.4%
	Grade 8	4.3%	5.3%	9.8%	90.2%
	Grade 9	5.3%	6.9%	19.2%	80.7%
	Grade 10	10.0%	14.1%	26.2%	73.8%
	Grade 11	11.6%	15.5%	28.2%	71.8%
	Grade 12	13.4%	16.8%	29.9%	70.1%
Alcohol	All	19.2%	26.8%	47.8%	52.2%
	Grade 6	4.2%	7.9%	19.3%	80.8%
	Grade 7	11.2%	13.8%	30.1%	70.0%
	Grade 8	14.5%	18.6%	38.0%	62.0%
	Grade 9	20.1%	27.7%	55.0%	45.1%
	Grade 10	29.7%	39.2%	65.1%	35.0%
	Grade 11	28.1%	42.6%	70.5%	29.6%
	Grade 12	32.0%	46.3%	64.4%	35.6%
Inhalants	All	4.3%	5.5%	13.1%	86.9%
	Grade 6	6.4%	6.7%	11.0%	89.0%
	Grade 7	7.3%	8.8%	18.2%	81.7%
	Grade 8	3.9%	5.2%	12.2%	87.8%
	Grade 9	3.8%	4.9%	14.0%	85.9%
	Grade 10	3.8%	5.4%	13.7%	86.3%
	Grade 11	3.2%	4.1%	11.1%	89.0%
	Grade 12	0.7%	2.4%	10.2%	89.8%
Any Illicit Drug	All	7.3%	10.2%	19.3%	80.7%
	Grade 6	0.9%	0.9%	3.0%	96.9%
	Grade 7	3.4%	4.1%	6.1%	93.8%
	Grade 8	5.7%	6.2%	11.7%	88.3%
	Grade 9	8.7%	11.5%	22.1%	78.0%
	Grade 10	11.1%	19.2%	31.1%	68.8%
	Grade 11	13.3%	17.5%	31.9%	68.1%
	Grade 12	9.1%	13.0%	33.6%	66.4%
Marijuana	All	6.7%	9.4%	18.3%	81.7%
	Grade 6	0.5%	0.5%	1.9%	98.2%
	Grade 7	2.2%	2.9%	4.9%	95.1%
	Grade 8	4.9%	5.2%	10.5%	89.5%
	Grade 9	8.0%	10.7%	20.9%	79.1%
	Grade 10	10.9%	18.6%	30.3%	69.7%
	Grade 11	12.5%	16.3%	30.8%	69.2%
	Grade 12	9.1%	12.5%	33.6%	66.4%

**Table B-3: Prevalence and recency of use of selected substances by grade
Female Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.3%	5.0%	11.4%	88.6%
Grade 6	0.1%	0.1%	1.4%	98.6%
Grade 7	0.1%	0.4%	1.9%	98.0%
Grade 8	2.1%	2.2%	5.2%	94.8%
Grade 9	4.0%	5.7%	13.2%	86.7%
Grade 10	6.0%	10.8%	19.1%	80.8%
Grade 11	7.8%	10.5%	20.7%	79.3%
Grade 12	3.4%	5.9%	22.0%	77.9%
Cocaine Or Crack				
All	0.3%	0.3%	1.1%	98.8%
Grade 6	0.0%	0.0%	0.8%	99.2%
Grade 7	0.2%	0.3%	0.6%	99.4%
Grade 8	0.4%	0.4%	1.8%	98.3%
Grade 9	0.5%	0.7%	0.9%	99.1%
Grade 10	0.2%	0.2%	0.8%	99.1%
Grade 11	0.8%	0.8%	1.8%	98.1%
Grade 12	0.0%	0.0%	2.1%	97.9%
Cocaine				
All	0.3%	0.3%	1.0%	99.0%
Grade 6	0.0%	0.0%	0.8%	99.2%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.2%	0.2%	1.0%	99.0%
Grade 9	0.5%	0.7%	0.9%	99.1%
Grade 10	0.1%	0.1%	0.7%	99.3%
Grade 11	0.8%	0.8%	1.6%	98.4%
Grade 12	0.0%	0.0%	2.1%	97.9%
Crack				
All	0.1%	0.1%	0.4%	99.6%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.1%	0.4%	99.6%
Grade 8	0.2%	0.2%	1.4%	98.6%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.2%	0.2%	0.2%	99.8%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.6%	0.7%	1.6%	98.4%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.6%	0.6%	1.2%	98.8%
Grade 8	0.8%	0.9%	0.9%	99.0%
Grade 9	0.7%	0.7%	1.0%	98.9%
Grade 10	0.4%	0.6%	3.3%	96.7%
Grade 11	1.3%	1.5%	3.1%	96.9%
Grade 12	0.0%	0.0%	1.4%	98.6%

**Table B-3: Prevalence and recency of use of selected substances by grade
Female Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.3%	0.5%	0.9%	99.1%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.3%	0.5%	0.7%	99.3%
	Grade 8	0.0%	0.0%	0.5%	99.5%
	Grade 9	1.1%	1.7%	2.0%	98.0%
	Grade 10	0.0%	0.8%	1.7%	98.3%
	Grade 11	0.1%	0.1%	0.4%	99.6%
	Grade 12	0.1%	0.1%	0.3%	99.7%
Steroids	All	0.2%	0.3%	1.0%	99.0%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.6%	99.4%
	Grade 8	0.6%	0.6%	1.0%	99.0%
	Grade 9	0.3%	0.6%	2.0%	98.0%
	Grade 10	0.0%	0.0%	0.8%	99.2%
	Grade 11	0.2%	0.2%	0.7%	99.3%
	Grade 12	0.5%	0.5%	1.8%	98.3%
Ecstasy	All	0.2%	0.3%	1.6%	98.4%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.1%	0.1%	0.1%	99.9%
	Grade 8	0.0%	0.2%	1.5%	98.5%
	Grade 9	0.6%	0.9%	1.9%	98.1%
	Grade 10	0.2%	0.4%	4.0%	96.0%
	Grade 11	0.5%	0.6%	2.2%	97.8%
	Grade 12	0.0%	0.0%	1.4%	98.6%
Heroin	All	0.2%	0.2%	0.4%	99.6%
	Grade 6	0.5%	0.5%	0.5%	99.5%
	Grade 7	0.9%	0.9%	1.1%	98.9%
	Grade 8	0.1%	0.1%	0.3%	99.8%
	Grade 9	0.0%	0.0%	0.5%	99.5%
	Grade 10	0.0%	0.0%	0.3%	99.7%
	Grade 11	0.0%	0.0%	0.1%	99.9%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-3: Prevalence and recency of use of selected substances by grade
Female Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.3%	2.0%	5.2%	94.9%
Grade 6	0.0%	0.3%	0.3%	99.7%
Grade 7	1.2%	1.4%	1.9%	98.1%
Grade 8	1.0%	1.6%	3.7%	96.3%
Grade 9	1.6%	2.0%	6.4%	93.6%
Grade 10	0.9%	2.0%	8.0%	92.0%
Grade 11	1.4%	2.8%	7.7%	92.2%
Grade 12	3.2%	3.9%	8.7%	91.2%
Methamphetamine				
All	0.2%	0.6%	0.8%	99.2%
Grade 6	0.5%	0.5%	0.5%	99.5%
Grade 7	0.3%	0.5%	0.5%	99.5%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.4%	99.5%
Grade 10	0.4%	0.4%	0.6%	99.3%
Grade 11	0.0%	0.1%	0.4%	99.6%
Grade 12	0.2%	3.4%	3.4%	96.6%

**Table B-4: Prevalence and recency of use of selected substances by grade
White Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	7.4%	10.5%	17.3%	82.7%
	Grade 6	0.1%	0.8%	3.1%	96.9%
	Grade 7	1.1%	1.1%	2.3%	97.7%
	Grade 8	2.8%	3.8%	7.6%	92.4%
	Grade 9	7.8%	11.5%	23.6%	76.5%
	Grade 10	11.2%	17.4%	28.3%	71.7%
	Grade 11	15.5%	22.1%	34.4%	65.5%
	Grade 12	21.6%	28.8%	39.0%	61.0%
Alcohol	All	15.0%	22.1%	40.8%	59.2%
	Grade 6	3.7%	4.7%	14.0%	86.0%
	Grade 7	4.3%	4.9%	18.1%	81.9%
	Grade 8	7.5%	13.0%	31.0%	69.0%
	Grade 9	19.4%	27.8%	53.5%	46.6%
	Grade 10	22.0%	33.8%	60.9%	39.2%
	Grade 11	28.1%	40.6%	67.2%	32.8%
	Grade 12	32.6%	48.6%	65.9%	34.1%
Inhalants	All	2.3%	3.3%	8.4%	91.5%
	Grade 6	5.5%	6.1%	8.1%	91.9%
	Grade 7	1.7%	2.1%	6.4%	93.6%
	Grade 8	0.8%	1.5%	7.2%	92.9%
	Grade 9	3.2%	4.2%	12.5%	87.5%
	Grade 10	2.4%	4.9%	11.7%	88.3%
	Grade 11	1.6%	3.1%	9.0%	90.9%
	Grade 12	0.6%	1.5%	5.5%	94.4%
Any Illicit Drug	All	4.2%	6.9%	13.9%	86.0%
	Grade 6	0.6%	0.7%	1.4%	98.6%
	Grade 7	1.1%	1.4%	2.0%	98.0%
	Grade 8	0.7%	1.3%	4.0%	96.0%
	Grade 9	4.6%	8.2%	18.8%	81.2%
	Grade 10	8.0%	13.9%	26.1%	73.9%
	Grade 11	12.2%	16.6%	27.3%	72.8%
	Grade 12	6.5%	13.6%	32.2%	67.9%
Marijuana	All	3.9%	6.5%	13.3%	86.7%
	Grade 6	0.0%	0.1%	0.7%	99.3%
	Grade 7	0.5%	0.6%	1.2%	98.8%
	Grade 8	0.4%	0.8%	3.5%	96.5%
	Grade 9	4.3%	8.1%	18.0%	82.0%
	Grade 10	7.7%	13.6%	25.4%	74.7%
	Grade 11	12.0%	16.4%	26.6%	73.4%
	Grade 12	6.5%	13.4%	32.0%	68.1%

**Table B-4: Prevalence and recency of use of selected substances by grade
White Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	1.9%	3.1%	8.0%	92.0%
Grade 6	0.0%	0.1%	0.7%	99.4%
Grade 7	0.1%	0.2%	0.7%	99.3%
Grade 8	0.4%	0.8%	2.9%	97.1%
Grade 9	2.3%	3.6%	10.1%	89.9%
Grade 10	3.8%	6.7%	13.9%	86.1%
Grade 11	5.3%	7.9%	15.0%	85.0%
Grade 12	3.2%	5.5%	21.0%	79.0%
Cocaine Or Crack				
All	0.2%	0.2%	0.7%	99.3%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.2%	0.4%	2.0%	98.1%
Grade 11	0.3%	0.3%	1.8%	98.2%
Grade 12	0.4%	0.4%	1.0%	99.0%
Cocaine				
All	0.1%	0.1%	0.5%	99.4%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.1%	0.1%	1.7%	98.4%
Grade 11	0.3%	0.3%	1.5%	98.5%
Grade 12	0.4%	0.4%	1.0%	99.0%
Crack				
All	0.1%	0.1%	0.2%	99.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.1%	0.1%	0.1%	99.9%
Grade 8	0.2%	0.2%	0.2%	99.8%
Grade 9	0.0%	0.0%	0.0%	100.0%
Grade 10	0.1%	0.3%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.5%	99.5%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.5%	1.1%	2.3%	97.7%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.6%	0.6%	0.7%	99.3%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	0.2%	0.4%	1.4%	98.6%
Grade 10	1.3%	1.6%	5.0%	94.9%
Grade 11	1.7%	2.1%	5.9%	94.1%
Grade 12	0.3%	4.4%	5.8%	94.1%

Table B-4: Prevalence and recency of use of selected substances by grade
White Students
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.1%	0.1%	0.3%	99.7%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.1%	99.9%
	Grade 9	0.0%	0.3%	0.4%	99.6%
	Grade 10	0.2%	0.2%	1.2%	98.9%
	Grade 11	0.2%	0.2%	0.8%	99.2%
	Grade 12	0.1%	0.1%	0.1%	99.9%
Steroids	All	0.3%	0.4%	1.2%	98.8%
	Grade 6	0.0%	0.1%	0.5%	99.5%
	Grade 7	0.0%	0.1%	0.9%	99.1%
	Grade 8	0.5%	0.5%	1.3%	98.6%
	Grade 9	0.4%	0.7%	2.2%	97.7%
	Grade 10	0.4%	0.4%	1.1%	98.9%
	Grade 11	0.3%	0.3%	0.5%	99.5%
	Grade 12	0.1%	0.1%	1.6%	98.4%
Ecstasy	All	0.2%	0.3%	1.4%	98.6%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.1%	0.2%	99.8%
	Grade 9	0.1%	0.3%	3.0%	97.0%
	Grade 10	1.1%	1.4%	4.4%	95.6%
	Grade 11	0.5%	0.7%	2.6%	97.4%
	Grade 12	0.0%	0.0%	0.8%	99.2%
Heroin	All	0.2%	0.2%	0.3%	99.7%
	Grade 6	0.6%	0.6%	0.6%	99.4%
	Grade 7	0.3%	0.3%	0.3%	99.7%
	Grade 8	0.1%	0.1%	0.3%	99.7%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.2%	0.2%	0.6%	99.4%
	Grade 11	0.0%	0.0%	0.2%	99.8%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-4: Prevalence and recency of use of selected substances by grade
White Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	0.6%	1.0%	3.4%	96.6%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.1%	0.1%	99.9%
Grade 8	0.0%	0.1%	0.1%	99.9%
Grade 9	1.0%	2.1%	6.5%	93.5%
Grade 10	1.1%	1.6%	8.7%	91.3%
Grade 11	2.0%	3.2%	7.8%	92.2%
Grade 12	0.4%	0.8%	4.4%	95.5%
Methamphetamine				
All	0.2%	0.4%	0.7%	99.4%
Grade 6	0.6%	0.6%	0.7%	99.3%
Grade 7	0.0%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.4%	99.6%
Grade 9	0.1%	0.4%	0.5%	99.5%
Grade 10	0.3%	0.6%	0.7%	99.3%
Grade 11	0.2%	0.4%	1.4%	98.6%
Grade 12	0.2%	0.2%	0.3%	99.7%

**Table B-5: Prevalence and recency of use of selected substances by grade
African/American Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	7.6%	10.0%	21.2%	78.9%
	Grade 6	2.0%	2.0%	6.3%	93.7%
	Grade 7	3.6%	3.6%	12.9%	87.1%
	Grade 8	3.9%	3.9%	14.0%	86.0%
	Grade 9	3.7%	6.9%	17.7%	82.3%
	Grade 10	8.1%	11.6%	25.6%	74.4%
	Grade 11	9.6%	12.2%	23.4%	76.7%
	Grade 12	13.3%	14.7%	24.8%	75.2%
Alcohol	All	21.5%	28.6%	52.7%	47.2%
	Grade 6	10.1%	10.1%	19.5%	80.5%
	Grade 7	15.1%	15.1%	42.4%	57.6%
	Grade 8	8.9%	14.4%	35.7%	64.3%
	Grade 9	14.5%	20.6%	45.0%	54.9%
	Grade 10	24.6%	33.8%	61.5%	38.5%
	Grade 11	18.4%	28.7%	59.2%	40.8%
	Grade 12	37.5%	43.9%	60.1%	40.0%
Inhalants	All	4.3%	5.3%	11.7%	88.4%
	Grade 6	13.6%	16.2%	18.1%	82.0%
	Grade 7	15.8%	15.8%	19.4%	80.6%
	Grade 8	4.8%	5.6%	13.5%	86.6%
	Grade 9	5.9%	7.5%	13.9%	86.1%
	Grade 10	4.0%	4.3%	14.2%	85.8%
	Grade 11	1.5%	2.5%	7.0%	93.1%
	Grade 12	0.0%	1.1%	5.7%	94.3%
Any Illicit Drug	All	11.1%	16.1%	30.6%	69.4%
	Grade 6	0.0%	0.0%	3.8%	96.2%
	Grade 7	9.8%	9.8%	16.7%	83.3%
	Grade 8	2.9%	2.9%	9.6%	90.4%
	Grade 9	8.6%	13.1%	25.4%	74.7%
	Grade 10	11.0%	19.4%	36.9%	63.1%
	Grade 11	13.9%	18.2%	37.3%	62.8%
	Grade 12	16.9%	22.7%	38.4%	61.6%
Marijuana	All	10.2%	15.1%	29.6%	70.4%
	Grade 6	0.0%	0.0%	2.7%	97.3%
	Grade 7	1.8%	1.8%	8.7%	91.2%
	Grade 8	1.9%	1.9%	8.4%	91.6%
	Grade 9	7.8%	12.3%	24.0%	76.0%
	Grade 10	9.8%	17.4%	35.7%	64.3%
	Grade 11	13.7%	18.4%	37.3%	62.7%
	Grade 12	16.9%	22.8%	38.5%	61.5%

**Table B-5: Prevalence and recency of use of selected substances by grade
African/American Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	5.0%	8.5%	20.0%	80.0%
Grade 6	0.0%	0.0%	2.5%	97.5%
Grade 7	0.0%	0.0%	6.7%	93.3%
Grade 8	1.1%	1.1%	6.4%	93.6%
Grade 9	5.1%	8.4%	16.7%	83.3%
Grade 10	4.4%	10.3%	25.3%	74.8%
Grade 11	9.8%	13.1%	26.6%	73.5%
Grade 12	4.5%	8.4%	22.8%	77.3%
Cocaine Or Crack				
All	0.3%	0.4%	1.0%	99.0%
Grade 6	0.0%	0.0%	1.2%	98.8%
Grade 7	0.0%	1.8%	1.8%	98.2%
Grade 8	0.0%	0.0%	1.4%	98.6%
Grade 9	0.8%	0.8%	1.2%	98.8%
Grade 10	0.2%	0.2%	1.1%	98.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.0%	99.0%
Cocaine				
All	0.1%	0.1%	0.6%	99.4%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.2%	0.2%	0.6%	99.5%
Grade 10	0.2%	0.2%	1.1%	98.8%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	1.0%	99.0%
Crack				
All	0.2%	0.3%	0.5%	99.5%
Grade 6	0.0%	0.0%	1.2%	98.8%
Grade 7	0.0%	1.8%	1.8%	98.2%
Grade 8	0.0%	0.0%	1.4%	98.6%
Grade 9	0.8%	0.8%	1.2%	98.8%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.8%	0.9%	1.6%	98.4%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.4%	0.7%	0.7%	99.3%
Grade 10	1.6%	1.9%	4.0%	96.0%
Grade 11	0.5%	0.5%	1.6%	98.4%
Grade 12	1.1%	1.1%	1.1%	98.9%

**Table B-5: Prevalence and recency of use of selected substances by grade
African/American Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.1%	0.1%	0.5%	99.5%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.5%	0.5%	1.4%	98.6%
	Grade 10	0.0%	0.0%	0.6%	99.4%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	0.3%	0.3%	1.5%	98.5%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.2%	0.4%	1.9%	98.1%
	Grade 10	0.9%	0.9%	2.7%	97.2%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	2.1%	97.9%
Ecstasy	All	0.6%	0.8%	1.8%	98.3%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.8%	0.8%	0.8%	99.2%
	Grade 9	0.0%	0.0%	0.3%	99.7%
	Grade 10	1.8%	1.8%	3.6%	96.4%
	Grade 11	0.5%	0.5%	1.6%	98.4%
	Grade 12	0.0%	1.1%	2.5%	97.5%
Heroin	All	0.4%	0.4%	0.5%	99.5%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	7.9%	7.9%	7.9%	92.1%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.2%	0.2%	0.2%	99.8%
	Grade 10	0.0%	0.0%	0.3%	99.7%
	Grade 11	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-5: Prevalence and recency of use of selected substances by grade
African/American Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.8%	3.6%	7.2%	92.7%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	1.9%	1.9%	1.9%	98.1%
Grade 9	1.0%	1.3%	5.3%	94.7%
Grade 10	1.6%	3.9%	8.2%	91.8%
Grade 11	1.5%	2.4%	8.2%	91.8%
Grade 12	9.4%	9.4%	12.5%	87.4%
Methamphetamine				
All	0.4%	2.4%	2.7%	97.3%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	7.9%	7.9%	7.9%	92.1%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.3%	0.8%	1.7%	98.3%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	9.4%	9.4%	90.6%

**Table B-6: Prevalence and recency of use of selected substances by grade
Mexican/American Students**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	7.4%	10.2%	21.0%	79.0%
	Grade 6	2.5%	3.0%	7.5%	92.6%
	Grade 7	2.8%	5.8%	15.4%	84.6%
	Grade 8	7.5%	10.0%	18.2%	81.9%
	Grade 9	7.9%	10.4%	22.6%	77.5%
	Grade 10	10.4%	13.5%	26.6%	73.4%
	Grade 11	12.7%	15.7%	32.3%	67.7%
	Grade 12	10.4%	17.1%	30.5%	69.5%
Alcohol	All	20.5%	28.6%	48.4%	51.6%
	Grade 6	7.3%	12.5%	25.6%	74.4%
	Grade 7	16.4%	19.3%	36.8%	63.2%
	Grade 8	18.2%	27.2%	46.9%	53.0%
	Grade 9	20.9%	30.0%	56.0%	44.0%
	Grade 10	25.6%	34.8%	58.9%	41.1%
	Grade 11	31.3%	43.2%	64.2%	35.8%
	Grade 12	29.8%	41.2%	55.5%	44.5%
Inhalants	All	5.2%	6.3%	13.7%	86.3%
	Grade 6	6.6%	6.6%	11.3%	88.7%
	Grade 7	10.0%	12.0%	22.6%	77.4%
	Grade 8	6.0%	7.7%	17.4%	82.6%
	Grade 9	3.1%	3.5%	11.5%	88.4%
	Grade 10	2.9%	4.4%	10.5%	89.5%
	Grade 11	3.5%	3.5%	9.0%	91.0%
	Grade 12	4.2%	6.1%	12.5%	87.5%
Any Illicit Drug	All	8.9%	11.7%	22.4%	77.6%
	Grade 6	1.5%	1.5%	5.3%	94.7%
	Grade 7	3.4%	4.7%	9.0%	91.0%
	Grade 8	8.2%	8.9%	17.9%	82.1%
	Grade 9	10.2%	15.4%	26.2%	73.8%
	Grade 10	13.3%	17.9%	31.2%	68.8%
	Grade 11	15.5%	19.3%	37.9%	62.2%
	Grade 12	12.4%	17.1%	36.9%	63.0%
Marijuana	All	8.4%	10.9%	21.5%	78.5%
	Grade 6	1.5%	1.5%	4.5%	95.4%
	Grade 7	2.9%	4.4%	8.7%	91.3%
	Grade 8	7.7%	8.4%	16.6%	83.4%
	Grade 9	9.2%	13.7%	25.1%	75.0%
	Grade 10	13.2%	17.4%	30.5%	69.6%
	Grade 11	14.4%	17.3%	36.0%	64.0%
	Grade 12	11.6%	16.1%	36.9%	63.0%

**Table B-6: Prevalence and recency of use of selected substances by grade
Mexican/American Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.6%	5.9%	12.8%	87.2%
Grade 6	0.4%	0.4%	2.9%	97.1%
Grade 7	0.9%	1.4%	4.1%	95.8%
Grade 8	2.2%	2.4%	7.2%	92.8%
Grade 9	6.0%	8.4%	15.8%	84.3%
Grade 10	8.3%	11.3%	20.5%	79.5%
Grade 11	9.0%	10.3%	22.9%	77.2%
Grade 12	6.6%	8.4%	20.7%	79.2%
Cocaine Or Crack				
All	0.5%	0.7%	1.7%	98.3%
Grade 6	0.3%	0.3%	1.1%	98.9%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.5%	0.5%	2.3%	97.8%
Grade 9	0.4%	0.7%	1.0%	98.9%
Grade 10	0.3%	0.3%	1.4%	98.6%
Grade 11	1.8%	2.7%	3.7%	96.3%
Grade 12	0.9%	0.9%	3.1%	96.9%
Cocaine				
All	0.5%	0.7%	1.5%	98.5%
Grade 6	0.0%	0.0%	0.8%	99.2%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.5%	0.5%	1.8%	98.2%
Grade 9	0.4%	0.7%	1.0%	98.9%
Grade 10	0.3%	0.3%	1.2%	98.8%
Grade 11	1.8%	2.7%	3.7%	96.3%
Grade 12	0.9%	0.9%	3.1%	96.9%
Crack				
All	0.1%	0.1%	0.4%	99.6%
Grade 6	0.3%	0.3%	0.3%	99.7%
Grade 7	0.0%	0.0%	0.3%	99.7%
Grade 8	0.0%	0.0%	1.1%	98.9%
Grade 9	0.2%	0.2%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.6%	99.4%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.4%	0.7%	1.5%	98.5%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.2%	0.2%	0.4%	99.6%
Grade 8	1.0%	1.0%	1.4%	98.6%
Grade 9	0.3%	1.0%	1.0%	98.9%
Grade 10	0.0%	0.0%	1.1%	98.9%
Grade 11	1.1%	2.5%	4.3%	95.8%
Grade 12	0.4%	0.7%	3.7%	96.2%

**Table B-6: Prevalence and recency of use of selected substances by grade
Mexican/American Students
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.3%	0.6%	1.0%	99.0%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.2%	0.4%	1.1%	98.9%
	Grade 8	0.4%	0.4%	1.1%	99.0%
	Grade 9	0.7%	1.1%	1.9%	98.1%
	Grade 10	0.0%	1.0%	1.2%	98.7%
	Grade 11	0.3%	0.3%	0.3%	99.7%
	Grade 12	0.3%	0.3%	0.9%	99.1%
Steroids	All	0.2%	0.3%	0.8%	99.1%
	Grade 6	0.0%	0.0%	0.2%	99.8%
	Grade 7	0.0%	0.0%	0.2%	99.8%
	Grade 8	0.7%	0.7%	1.3%	98.7%
	Grade 9	0.3%	0.5%	1.7%	98.4%
	Grade 10	0.3%	0.3%	0.6%	99.5%
	Grade 11	0.3%	0.3%	0.9%	99.1%
	Grade 12	0.0%	0.4%	1.2%	98.8%
Ecstasy	All	0.3%	0.5%	1.5%	98.4%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.2%	0.4%	0.4%	99.6%
	Grade 8	0.3%	0.5%	1.8%	98.2%
	Grade 9	0.5%	1.5%	1.9%	98.1%
	Grade 10	0.0%	0.0%	2.1%	97.9%
	Grade 11	0.6%	0.6%	2.6%	97.4%
	Grade 12	0.9%	0.9%	2.8%	97.2%
Heroin	All	0.1%	0.1%	0.3%	99.8%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.3%	0.3%	0.5%	99.5%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.5%	99.5%
	Grade 10	0.0%	0.0%	0.3%	99.7%
	Grade 11	0.0%	0.0%	0.1%	99.9%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-6: Prevalence and recency of use of selected substances by grade
Mexican/American Students
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.4%	2.3%	6.7%	93.3%
Grade 6	0.0%	0.3%	0.6%	99.3%
Grade 7	1.2%	1.7%	3.3%	96.6%
Grade 8	2.5%	3.0%	7.4%	92.6%
Grade 9	1.5%	3.3%	8.0%	92.0%
Grade 10	1.5%	1.9%	7.4%	92.6%
Grade 11	1.1%	3.0%	10.6%	89.4%
Grade 12	1.8%	3.3%	12.3%	87.7%
Methamphetamine				
All	0.1%	0.1%	0.3%	99.6%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.2%	0.2%	0.2%	99.8%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.5%	99.5%
Grade 10	0.5%	0.5%	0.7%	99.3%
Grade 11	0.0%	0.3%	0.4%	99.6%
Grade 12	0.3%	0.3%	0.3%	99.7%

**Table B-7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	3.5%	5.0%	10.1%	89.9%
	Grade 6	0.0%	0.1%	1.5%	98.5%
	Grade 7	0.1%	0.9%	2.1%	97.9%
	Grade 8	1.5%	2.3%	4.2%	95.7%
	Grade 9	3.1%	4.2%	11.2%	88.7%
	Grade 10	4.8%	6.7%	14.2%	85.8%
	Grade 11	7.7%	11.5%	26.6%	73.4%
	Grade 12	13.4%	17.3%	27.1%	72.9%
Alcohol	All	11.7%	17.8%	34.2%	65.8%
	Grade 6	2.3%	4.3%	15.1%	84.9%
	Grade 7	4.6%	6.2%	16.0%	83.9%
	Grade 8	7.2%	11.6%	26.2%	73.8%
	Grade 9	16.2%	22.6%	44.8%	55.1%
	Grade 10	18.2%	27.3%	52.6%	47.4%
	Grade 11	20.3%	34.3%	63.2%	36.7%
	Grade 12	27.5%	40.2%	54.0%	46.0%
Inhalants	All	2.1%	2.5%	6.2%	93.9%
	Grade 6	3.7%	3.9%	5.9%	94.0%
	Grade 7	1.3%	1.8%	3.6%	96.4%
	Grade 8	0.8%	0.9%	5.8%	94.2%
	Grade 9	2.5%	2.6%	7.1%	92.9%
	Grade 10	3.7%	4.7%	11.4%	88.5%
	Grade 11	1.5%	1.7%	5.8%	94.1%
	Grade 12	1.2%	1.7%	4.6%	95.4%
Any Illicit Drug	All	3.3%	4.6%	9.6%	90.4%
	Grade 6	0.0%	0.1%	0.5%	99.6%
	Grade 7	1.0%	1.1%	1.9%	98.1%
	Grade 8	1.0%	1.6%	3.5%	96.5%
	Grade 9	5.7%	6.5%	10.0%	90.0%
	Grade 10	4.7%	7.4%	18.9%	81.0%
	Grade 11	4.8%	7.4%	19.8%	80.2%
	Grade 12	10.3%	14.6%	27.3%	72.6%
Marijuana	All	3.2%	4.5%	9.2%	90.7%
	Grade 6	0.0%	0.1%	0.5%	99.6%
	Grade 7	1.0%	1.1%	1.9%	98.2%
	Grade 8	1.0%	1.5%	2.9%	97.1%
	Grade 9	5.3%	6.1%	9.1%	90.9%
	Grade 10	4.7%	7.4%	17.8%	82.2%
	Grade 11	4.8%	7.5%	20.0%	80.0%
	Grade 12	10.3%	14.6%	27.4%	72.6%

**Table B-7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	1.4%	2.2%	6.0%	94.0%
Grade 6	0.0%	0.1%	0.4%	99.6%
Grade 7	0.5%	0.6%	1.4%	98.6%
Grade 8	0.1%	0.6%	2.0%	98.0%
Grade 9	4.1%	4.5%	6.7%	93.3%
Grade 10	1.9%	3.9%	12.1%	87.9%
Grade 11	2.6%	3.9%	13.9%	86.0%
Grade 12	2.7%	5.3%	15.2%	84.8%
Cocaine Or Crack				
All	0.2%	0.2%	0.6%	99.4%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	1.1%	1.1%	1.1%	98.9%
Grade 10	0.1%	0.1%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.4%	0.4%	3.0%	97.0%
Cocaine				
All	0.1%	0.1%	0.5%	99.4%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.7%	0.7%	0.7%	99.3%
Grade 10	0.1%	0.1%	0.8%	99.2%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.4%	0.4%	3.0%	97.0%
Crack				
All	0.0%	0.0%	0.0%	99.9%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.4%	0.4%	0.4%	99.6%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.0%	100.0%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.3%	0.4%	0.7%	99.3%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.1%	99.9%
Grade 8	0.3%	0.4%	0.5%	99.5%
Grade 9	0.2%	0.2%	0.4%	99.6%
Grade 10	0.6%	1.0%	1.8%	98.2%
Grade 11	0.2%	0.5%	2.1%	97.9%
Grade 12	0.9%	1.3%	1.5%	98.5%

**Table B-7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.1%	0.1%	0.3%	99.7%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.2%	0.2%	0.8%	99.2%
	Grade 9	0.2%	0.2%	0.8%	99.2%
	Grade 10	0.0%	0.0%	0.2%	99.8%
	Grade 11	0.0%	0.0%	0.2%	99.8%
	Grade 12	0.4%	0.4%	0.4%	99.6%
Steroids	All	0.2%	0.2%	0.5%	99.5%
	Grade 6	0.1%	0.2%	0.5%	99.5%
	Grade 7	0.0%	0.0%	0.1%	99.9%
	Grade 8	0.0%	0.0%	0.2%	99.8%
	Grade 9	0.6%	0.6%	1.0%	99.0%
	Grade 10	0.6%	0.6%	0.6%	99.4%
	Grade 11	0.3%	0.3%	0.4%	99.7%
	Grade 12	0.3%	0.3%	1.3%	98.7%
Ecstasy	All	0.1%	0.2%	0.8%	99.3%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.1%	0.1%	0.1%	99.9%
	Grade 9	0.0%	0.0%	0.7%	99.3%
	Grade 10	0.1%	0.1%	2.0%	98.1%
	Grade 11	0.0%	0.0%	2.6%	97.4%
	Grade 12	0.4%	0.9%	1.1%	98.8%
Heroin	All	0.0%	0.0%	0.0%	100.0%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.1%	99.9%
	Grade 11	0.1%	0.1%	0.1%	99.9%
	Grade 12	0.1%	0.1%	0.1%	99.9%

**Table B-7: Prevalence and recency of use of selected substances by grade
Students Reporting A Grades
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	0.8%	0.9%	2.3%	97.7%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.4%	99.6%
Grade 8	0.2%	0.4%	1.2%	98.7%
Grade 9	0.4%	0.8%	1.6%	98.4%
Grade 10	0.6%	0.8%	4.8%	95.2%
Grade 11	0.2%	0.5%	2.7%	97.3%
Grade 12	5.2%	5.2%	8.3%	91.7%
Methamphetamine				
All	0.0%	0.6%	0.7%	99.3%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.0%	0.0%	0.0%	100.0%
Grade 9	0.0%	0.0%	0.2%	99.8%
Grade 10	0.0%	0.0%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.2%	99.8%
Grade 12	0.4%	4.9%	5.0%	95.0%

**Table B-8: Prevalence and recency of use of selected substances by grade
Students Reporting Grades Lower Than an A**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	9.8%	13.5%	25.1%	74.9%
	Grade 6	2.7%	3.3%	8.0%	92.0%
	Grade 7	3.4%	5.3%	14.8%	85.2%
	Grade 8	8.0%	10.8%	19.2%	80.7%
	Grade 9	8.3%	11.2%	25.2%	74.8%
	Grade 10	11.7%	16.9%	31.1%	68.9%
	Grade 11	14.9%	19.6%	33.6%	66.3%
	Grade 12	18.7%	25.9%	39.1%	60.8%
Alcohol	All	22.7%	30.6%	52.1%	47.9%
	Grade 6	9.6%	12.4%	23.1%	76.9%
	Grade 7	16.0%	18.5%	38.4%	61.5%
	Grade 8	19.3%	26.3%	45.6%	54.5%
	Grade 9	20.4%	29.3%	55.9%	44.0%
	Grade 10	25.3%	35.3%	60.8%	39.2%
	Grade 11	30.9%	40.5%	63.8%	36.3%
	Grade 12	36.8%	49.3%	67.6%	32.4%
Inhalants	All	5.0%	6.3%	14.2%	85.8%
	Grade 6	7.6%	8.3%	13.7%	86.4%
	Grade 7	11.3%	12.0%	23.7%	76.3%
	Grade 8	5.8%	7.6%	16.7%	83.3%
	Grade 9	4.0%	5.2%	13.9%	86.2%
	Grade 10	2.5%	4.5%	11.5%	88.5%
	Grade 11	2.7%	3.6%	9.7%	90.3%
	Grade 12	3.1%	4.8%	12.0%	88.0%
Any Illicit Drug	All	9.6%	13.7%	26.1%	73.9%
	Grade 6	1.5%	1.5%	6.5%	93.5%
	Grade 7	4.0%	5.3%	9.9%	90.1%
	Grade 8	7.4%	8.5%	16.7%	83.4%
	Grade 9	8.8%	14.4%	27.9%	72.2%
	Grade 10	12.5%	20.3%	34.9%	65.1%
	Grade 11	17.1%	21.1%	38.0%	62.0%
	Grade 12	13.1%	19.7%	41.6%	58.4%
Marijuana	All	8.8%	12.7%	25.0%	75.0%
	Grade 6	1.5%	1.5%	5.5%	94.5%
	Grade 7	2.0%	3.4%	8.1%	91.9%
	Grade 8	6.5%	7.4%	15.5%	84.5%
	Grade 9	7.9%	13.1%	26.6%	73.4%
	Grade 10	12.2%	19.3%	34.3%	65.6%
	Grade 11	16.1%	19.9%	36.3%	63.7%
	Grade 12	12.5%	19.4%	41.6%	58.4%

Table B-8: Prevalence and recency of use of selected substances by grade
Students Reporting Grades Lower Than an A
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	4.8%	6.9%	15.2%	84.8%
Grade 6	0.2%	0.2%	3.3%	96.7%
Grade 7	0.3%	0.8%	3.7%	96.3%
Grade 8	2.2%	2.4%	7.0%	93.0%
Grade 9	4.6%	7.1%	16.1%	83.9%
Grade 10	7.7%	12.6%	23.4%	76.7%
Grade 11	9.8%	11.9%	22.6%	77.4%
Grade 12	6.5%	9.3%	24.9%	75.2%
Cocaine Or Crack				
All	0.6%	0.8%	1.8%	98.3%
Grade 6	0.4%	0.4%	1.6%	98.4%
Grade 7	0.1%	0.2%	0.6%	99.4%
Grade 8	0.7%	0.7%	2.8%	97.2%
Grade 9	0.2%	0.4%	0.9%	99.0%
Grade 10	0.4%	0.5%	1.8%	98.2%
Grade 11	1.4%	2.0%	3.3%	96.7%
Grade 12	0.7%	0.7%	1.0%	99.0%
Cocaine				
All	0.5%	0.6%	1.4%	98.6%
Grade 6	0.0%	0.0%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.5%	0.5%	1.9%	98.0%
Grade 9	0.2%	0.4%	0.9%	99.0%
Grade 10	0.3%	0.3%	1.4%	98.6%
Grade 11	1.4%	2.0%	3.1%	96.9%
Grade 12	0.7%	0.7%	1.0%	99.0%
Crack				
All	0.1%	0.1%	0.5%	99.4%
Grade 6	0.4%	0.4%	0.5%	99.5%
Grade 7	0.1%	0.2%	0.6%	99.4%
Grade 8	0.2%	0.2%	1.6%	98.4%
Grade 9	0.2%	0.2%	0.3%	99.8%
Grade 10	0.1%	0.2%	0.6%	99.5%
Grade 11	0.0%	0.0%	0.8%	99.2%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.7%	1.3%	2.7%	97.3%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.5%	0.5%	1.1%	98.8%
Grade 8	0.9%	1.0%	1.3%	98.7%
Grade 9	0.4%	1.0%	1.6%	98.4%
Grade 10	0.8%	0.9%	3.1%	96.9%
Grade 11	1.5%	2.6%	5.1%	94.9%
Grade 12	0.9%	3.3%	6.8%	93.2%

Table B-8: Prevalence and recency of use of selected substances by grade
Students Reporting Grades Lower Than an A
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.3%	0.6%	1.1%	99.0%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.3%	0.5%	1.3%	98.7%
	Grade 8	0.2%	0.2%	0.3%	99.7%
	Grade 9	0.6%	1.2%	1.8%	98.2%
	Grade 10	0.1%	0.9%	1.5%	98.5%
	Grade 11	0.3%	0.3%	0.6%	99.4%
	Grade 12	0.1%	0.1%	0.8%	99.2%
Steroids	All	0.3%	0.4%	1.4%	98.6%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.1%	0.6%	99.4%
	Grade 8	1.3%	1.3%	2.5%	97.4%
	Grade 9	0.1%	0.4%	2.2%	97.8%
	Grade 10	0.2%	0.2%	1.0%	99.0%
	Grade 11	0.3%	0.3%	0.9%	99.0%
	Grade 12	0.0%	0.3%	1.9%	98.1%
Ecstasy	All	0.4%	0.7%	2.1%	98.0%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.3%	0.3%	0.3%	99.7%
	Grade 8	0.4%	0.7%	1.9%	98.1%
	Grade 9	0.4%	1.3%	2.4%	97.6%
	Grade 10	0.5%	0.6%	2.8%	97.2%
	Grade 11	0.5%	0.6%	2.6%	97.4%
	Grade 12	0.4%	0.4%	3.4%	96.6%
Heroin	All	0.2%	0.2%	0.4%	99.5%
	Grade 6	0.0%	0.0%	0.2%	99.8%
	Grade 7	1.7%	1.7%	1.9%	98.1%
	Grade 8	0.1%	0.1%	0.3%	99.7%
	Grade 9	0.0%	0.0%	0.4%	99.6%
	Grade 10	0.1%	0.1%	0.4%	99.7%
	Grade 11	0.0%	0.0%	0.1%	99.8%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-8: Prevalence and recency of use of selected substances by grade
Students Reporting Grades Lower Than an A
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.5%	2.5%	7.4%	92.6%
Grade 6	0.0%	0.4%	1.0%	99.0%
Grade 7	1.2%	1.8%	3.1%	96.9%
Grade 8	2.0%	2.7%	6.1%	93.9%
Grade 9	1.6%	3.2%	8.7%	91.3%
Grade 10	1.7%	2.7%	8.5%	91.5%
Grade 11	1.6%	2.8%	11.0%	89.0%
Grade 12	1.8%	2.6%	10.7%	89.2%
Methamphetamine				
All	0.2%	0.3%	0.6%	99.4%
Grade 6	0.0%	0.0%	0.1%	99.9%
Grade 7	0.6%	0.8%	0.8%	99.2%
Grade 8	0.0%	0.1%	0.3%	99.7%
Grade 9	0.1%	0.3%	0.8%	99.2%
Grade 10	0.3%	0.4%	0.7%	99.3%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.2%	0.2%	0.7%	99.4%

**Table B-9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	5.8%	7.9%	15.4%	84.5%
	Grade 6	0.7%	1.1%	3.9%	96.1%
	Grade 7	1.2%	2.1%	6.5%	93.4%
	Grade 8	4.5%	6.0%	11.3%	88.7%
	Grade 9	5.1%	6.4%	17.4%	82.5%
	Grade 10	8.1%	11.4%	22.7%	77.4%
	Grade 11	13.4%	17.2%	29.6%	70.4%
	Grade 12	15.7%	22.1%	32.2%	67.7%
Alcohol	All	14.9%	21.4%	39.6%	60.3%
	Grade 6	4.7%	8.2%	18.9%	81.1%
	Grade 7	8.8%	9.4%	23.9%	76.1%
	Grade 8	10.7%	18.1%	35.7%	64.3%
	Grade 9	14.7%	22.6%	48.3%	51.7%
	Grade 10	21.2%	30.8%	52.1%	48.0%
	Grade 11	27.4%	36.3%	63.3%	36.7%
	Grade 12	30.7%	42.8%	58.6%	41.4%
Inhalants	All	3.8%	4.8%	10.6%	89.3%
	Grade 6	6.2%	6.4%	9.2%	90.7%
	Grade 7	5.5%	5.9%	12.2%	87.8%
	Grade 8	2.4%	3.8%	12.0%	88.0%
	Grade 9	3.4%	4.5%	10.4%	89.6%
	Grade 10	2.5%	4.5%	10.8%	89.3%
	Grade 11	3.1%	4.0%	11.0%	89.1%
	Grade 12	2.3%	4.1%	8.9%	91.1%
Any Illicit Drug	All	5.2%	7.3%	14.3%	85.7%
	Grade 6	0.9%	0.9%	2.4%	97.6%
	Grade 7	1.9%	2.1%	3.8%	96.3%
	Grade 8	4.1%	4.8%	9.1%	90.9%
	Grade 9	4.1%	7.1%	16.2%	83.8%
	Grade 10	9.6%	14.3%	22.9%	77.1%
	Grade 11	11.7%	15.0%	30.0%	70.0%
	Grade 12	9.4%	14.9%	31.9%	68.0%
Marijuana	All	4.9%	7.0%	13.8%	86.3%
	Grade 6	0.9%	0.9%	2.3%	97.7%
	Grade 7	0.7%	1.0%	2.6%	97.3%
	Grade 8	3.6%	4.0%	7.7%	92.2%
	Grade 9	3.9%	7.0%	15.8%	84.2%
	Grade 10	9.5%	13.8%	22.1%	77.9%
	Grade 11	11.8%	15.1%	29.9%	70.2%
	Grade 12	9.4%	14.9%	31.9%	68.0%

**Table B-9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	2.3%	3.5%	8.3%	91.7%
Grade 6	0.2%	0.2%	1.4%	98.6%
Grade 7	0.5%	0.5%	1.2%	98.8%
Grade 8	1.2%	1.4%	3.6%	96.4%
Grade 9	2.6%	5.0%	11.6%	88.4%
Grade 10	4.8%	8.0%	13.2%	86.8%
Grade 11	5.8%	7.6%	18.2%	81.8%
Grade 12	3.9%	6.2%	19.0%	81.0%
Cocaine Or Crack				
All	0.3%	0.3%	1.0%	99.1%
Grade 6	0.2%	0.2%	0.4%	99.6%
Grade 7	0.0%	0.0%	0.2%	99.7%
Grade 8	0.3%	0.3%	1.2%	98.8%
Grade 9	0.1%	0.1%	0.4%	99.6%
Grade 10	0.2%	0.2%	1.4%	98.6%
Grade 11	0.8%	0.8%	2.5%	97.5%
Grade 12	0.5%	0.5%	1.2%	98.8%
Cocaine				
All	0.2%	0.2%	0.7%	99.3%
Grade 6	0.0%	0.0%	0.1%	99.9%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.2%	0.2%	0.8%	99.2%
Grade 9	0.1%	0.1%	0.4%	99.6%
Grade 10	0.0%	0.0%	1.2%	98.7%
Grade 11	0.8%	0.8%	2.3%	97.7%
Grade 12	0.5%	0.5%	1.2%	98.8%
Crack				
All	0.1%	0.1%	0.4%	99.6%
Grade 6	0.2%	0.2%	0.2%	99.8%
Grade 7	0.0%	0.0%	0.2%	99.7%
Grade 8	0.1%	0.1%	0.9%	99.1%
Grade 9	0.1%	0.1%	0.2%	99.8%
Grade 10	0.1%	0.1%	0.3%	99.7%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.4%	0.9%	1.6%	98.4%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.7%	0.8%	1.0%	99.0%
Grade 9	0.2%	0.3%	0.5%	99.5%
Grade 10	0.2%	0.4%	2.1%	97.9%
Grade 11	1.4%	2.9%	6.1%	93.9%
Grade 12	0.1%	2.6%	3.4%	96.7%

**Table B-9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.1%	0.2%	0.5%	99.5%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.4%	99.6%
	Grade 8	0.1%	0.1%	0.2%	99.8%
	Grade 9	0.1%	0.2%	0.7%	99.3%
	Grade 10	0.0%	0.7%	1.4%	98.6%
	Grade 11	0.4%	0.4%	0.7%	99.3%
	Grade 12	0.3%	0.3%	0.3%	99.7%
Steroids	All	0.3%	0.3%	1.0%	99.1%
	Grade 6	0.1%	0.1%	0.6%	99.5%
	Grade 7	0.0%	0.0%	0.6%	99.4%
	Grade 8	0.5%	0.5%	0.9%	99.1%
	Grade 9	0.5%	0.5%	1.8%	98.2%
	Grade 10	0.2%	0.2%	0.6%	99.3%
	Grade 11	0.5%	0.5%	1.3%	98.8%
	Grade 12	0.2%	0.2%	1.0%	99.0%
Ecstasy	All	0.1%	0.1%	0.8%	99.1%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.1%	0.1%	99.9%
	Grade 8	0.0%	0.1%	0.8%	99.2%
	Grade 9	0.1%	0.1%	1.2%	98.7%
	Grade 10	0.3%	0.3%	1.4%	98.6%
	Grade 11	0.5%	0.5%	2.1%	97.9%
	Grade 12	0.2%	0.2%	1.0%	98.9%
Heroin	All	0.2%	0.2%	0.3%	99.7%
	Grade 6	0.0%	0.0%	0.1%	99.9%
	Grade 7	0.8%	0.8%	0.8%	99.2%
	Grade 8	0.1%	0.1%	0.2%	99.8%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.2%	99.8%
	Grade 11	0.1%	0.1%	0.3%	99.7%
	Grade 12	0.0%	0.0%	0.0%	100.0%

**Table B-9: Prevalence and recency of use of selected substances by grade
Students Living With 2 Parents
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.0%	1.2%	3.5%	96.4%
Grade 6	0.0%	0.2%	0.3%	99.7%
Grade 7	0.3%	0.3%	0.8%	99.2%
Grade 8	1.3%	1.5%	3.4%	96.5%
Grade 9	0.7%	0.8%	2.9%	97.1%
Grade 10	0.9%	1.5%	5.8%	94.1%
Grade 11	1.8%	2.5%	7.6%	92.4%
Grade 12	3.3%	3.3%	8.0%	92.0%
Methamphetamine				
All	0.2%	0.5%	0.7%	99.4%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.3%	0.3%	0.3%	99.7%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.0%	0.0%	0.1%	99.9%
Grade 10	0.5%	0.5%	0.5%	99.5%
Grade 11	0.1%	0.1%	0.7%	99.2%
Grade 12	0.3%	3.0%	3.0%	97.1%

**Table B-10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents**

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	10.4%	14.5%	26.4%	73.6%
	Grade 6	3.7%	4.9%	11.0%	89.0%
	Grade 7	3.7%	5.7%	13.1%	86.9%
	Grade 8	8.0%	10.0%	18.2%	81.8%
	Grade 9	10.2%	15.5%	28.0%	72.0%
	Grade 10	13.7%	19.4%	34.8%	65.3%
	Grade 11	13.7%	18.5%	33.9%	66.1%
	Grade 12	14.8%	19.7%	32.8%	67.3%
Alcohol	All	25.5%	34.7%	56.4%	43.6%
	Grade 6	10.6%	13.4%	26.6%	73.4%
	Grade 7	13.9%	17.9%	36.0%	64.0%
	Grade 8	18.9%	25.4%	45.7%	54.2%
	Grade 9	27.8%	36.8%	61.6%	38.4%
	Grade 10	29.7%	40.4%	70.2%	29.8%
	Grade 11	29.1%	44.0%	66.3%	33.6%
	Grade 12	38.1%	50.1%	65.6%	34.4%
Inhalants	All	4.8%	5.8%	13.1%	86.9%
	Grade 6	6.9%	7.7%	12.8%	87.3%
	Grade 7	8.0%	10.8%	19.3%	80.6%
	Grade 8	6.5%	7.1%	13.3%	86.6%
	Grade 9	4.1%	4.8%	15.3%	84.8%
	Grade 10	3.6%	4.8%	13.0%	87.0%
	Grade 11	2.0%	2.5%	6.7%	93.3%
	Grade 12	5.6%	6.2%	12.6%	87.5%
Any Illicit Drug	All	11.5%	16.2%	30.1%	69.9%
	Grade 6	1.4%	1.4%	6.9%	93.0%
	Grade 7	4.2%	5.8%	10.6%	89.4%
	Grade 8	6.1%	7.1%	17.5%	82.6%
	Grade 9	14.9%	21.3%	34.8%	65.2%
	Grade 10	13.7%	21.7%	42.4%	57.6%
	Grade 11	17.0%	22.1%	38.7%	61.4%
	Grade 12	14.2%	20.3%	39.0%	61.0%
Marijuana	All	10.6%	14.8%	28.9%	71.1%
	Grade 6	0.3%	0.3%	4.0%	95.9%
	Grade 7	4.1%	5.5%	10.4%	89.6%
	Grade 8	5.9%	6.9%	17.3%	82.8%
	Grade 9	13.4%	18.9%	32.8%	67.2%
	Grade 10	13.1%	20.6%	41.3%	58.7%
	Grade 11	15.6%	20.0%	36.6%	63.3%
	Grade 12	13.3%	19.1%	38.9%	61.1%

**Table B-10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents
(Continued)**

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	5.8%	8.0%	17.7%	82.3%
Grade 6	0.3%	0.3%	3.1%	96.9%
Grade 7	0.7%	1.6%	5.8%	94.2%
Grade 8	1.7%	2.2%	8.9%	91.1%
Grade 9	7.6%	9.3%	17.6%	82.4%
Grade 10	8.1%	12.8%	28.9%	71.2%
Grade 11	10.1%	12.6%	23.5%	76.5%
Grade 12	6.5%	9.5%	23.6%	76.4%
Cocaine Or Crack				
All	0.6%	0.9%	1.8%	98.2%
Grade 6	0.0%	0.0%	1.8%	98.2%
Grade 7	0.4%	0.6%	0.6%	99.4%
Grade 8	0.3%	0.3%	1.4%	98.6%
Grade 9	0.8%	1.2%	1.7%	98.4%
Grade 10	0.4%	0.5%	1.6%	98.4%
Grade 11	1.1%	2.0%	2.5%	97.5%
Grade 12	0.6%	0.6%	2.7%	97.3%
Cocaine				
All	0.5%	0.7%	1.6%	98.4%
Grade 6	0.0%	0.0%	1.8%	98.2%
Grade 7	0.4%	0.4%	0.4%	99.6%
Grade 8	0.3%	0.3%	1.2%	98.8%
Grade 9	0.5%	0.9%	1.4%	98.6%
Grade 10	0.4%	0.4%	1.2%	98.8%
Grade 11	1.1%	2.0%	2.5%	97.5%
Grade 12	0.6%	0.6%	2.8%	97.3%
Crack				
All	0.1%	0.1%	0.2%	99.8%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.1%	0.3%	0.3%	99.8%
Grade 8	0.0%	0.0%	0.2%	99.8%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.0%	0.1%	0.5%	99.5%
Grade 11	0.0%	0.0%	0.1%	99.9%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.9%	1.2%	2.7%	97.3%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.5%	0.5%	0.5%	99.5%
Grade 8	0.1%	0.1%	0.6%	99.4%
Grade 9	1.1%	2.1%	2.9%	97.1%
Grade 10	1.2%	1.3%	3.9%	96.0%
Grade 11	1.1%	1.2%	3.0%	97.0%
Grade 12	1.8%	2.1%	6.0%	94.0%

Table B-10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.4%	0.7%	1.2%	98.9%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.5%	0.8%	1.1%	98.8%
	Grade 8	0.3%	0.3%	1.3%	98.7%
	Grade 9	1.3%	2.1%	2.7%	97.3%
	Grade 10	0.1%	0.4%	0.6%	99.4%
	Grade 11	0.0%	0.0%	0.2%	99.8%
	Grade 12	0.1%	0.1%	0.9%	99.0%
Steroids	All	0.2%	0.4%	1.2%	98.8%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.1%	0.1%	99.9%
	Grade 8	0.7%	0.7%	2.0%	98.0%
	Grade 9	0.2%	0.7%	2.0%	98.1%
	Grade 10	0.6%	0.6%	1.6%	98.5%
	Grade 11	0.1%	0.1%	0.2%	99.7%
	Grade 12	0.0%	0.4%	2.1%	97.9%
Ecstasy	All	0.6%	1.0%	2.8%	97.1%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.5%	0.5%	0.5%	99.5%
	Grade 8	0.8%	1.1%	1.8%	98.2%
	Grade 9	0.6%	2.1%	3.5%	96.5%
	Grade 10	0.9%	1.1%	4.4%	95.7%
	Grade 11	0.5%	0.6%	3.0%	96.9%
	Grade 12	0.6%	1.0%	4.5%	95.5%
Heroin	All	0.2%	0.2%	0.5%	99.6%
	Grade 6	1.1%	1.1%	1.1%	98.9%
	Grade 7	0.1%	0.1%	0.4%	99.5%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 9	0.1%	0.1%	0.7%	99.3%
	Grade 10	0.1%	0.1%	0.6%	99.4%
	Grade 11	0.0%	0.0%	0.1%	99.8%
	Grade 12	0.1%	0.1%	0.1%	99.9%

Table B-10: Prevalence and recency of use of selected substances by grade
Students Not Living With 2 Parents
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.7%	3.2%	8.8%	91.1%
Grade 6	0.0%	0.0%	0.8%	99.2%
Grade 7	1.5%	1.9%	3.4%	96.5%
Grade 8	1.6%	2.5%	5.6%	94.4%
Grade 9	2.3%	5.2%	12.9%	87.1%
Grade 10	2.1%	2.9%	10.5%	89.5%
Grade 11	1.2%	3.5%	11.0%	89.0%
Grade 12	2.3%	4.4%	11.0%	89.0%
Methamphetamine				
All	0.2%	0.4%	0.8%	99.2%
Grade 6	1.1%	1.1%	1.1%	98.9%
Grade 7	0.5%	0.9%	0.9%	99.2%
Grade 8	0.0%	0.0%	0.3%	99.7%
Grade 9	0.1%	0.5%	1.4%	98.6%
Grade 10	0.1%	0.3%	0.9%	99.1%
Grade 11	0.0%	0.4%	0.5%	99.5%
Grade 12	0.1%	0.1%	0.8%	99.2%

Table B-11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	6.2%	8.5%	16.8%	83.2%
	Grade 6	1.2%	1.5%	4.6%	95.3%
	Grade 7	1.4%	2.4%	7.0%	93.0%
	Grade 8	4.0%	5.1%	11.1%	88.9%
	Grade 9	5.9%	8.2%	19.2%	80.8%
	Grade 10	8.7%	11.3%	24.0%	76.0%
	Grade 11	13.1%	17.4%	28.5%	71.5%
	Grade 12	12.8%	19.4%	30.4%	69.7%
Alcohol	All	17.2%	24.0%	43.4%	56.6%
	Grade 6	5.5%	9.2%	18.9%	81.1%
	Grade 7	10.0%	11.2%	25.1%	74.8%
	Grade 8	10.7%	16.5%	35.7%	64.4%
	Grade 9	18.3%	24.8%	51.4%	48.6%
	Grade 10	23.1%	32.1%	57.9%	42.1%
	Grade 11	26.4%	38.9%	63.8%	36.2%
	Grade 12	34.7%	46.4%	62.3%	37.7%
Inhalants	All	3.7%	4.4%	10.4%	89.6%
	Grade 6	5.5%	5.9%	9.5%	90.6%
	Grade 7	6.0%	6.5%	11.6%	88.4%
	Grade 8	2.9%	3.5%	10.9%	89.1%
	Grade 9	3.0%	3.8%	11.7%	88.3%
	Grade 10	2.4%	3.5%	10.3%	89.8%
	Grade 11	2.3%	2.9%	8.9%	91.1%
	Grade 12	3.4%	4.4%	8.9%	91.1%
Any Illicit Drug	All	6.2%	8.8%	17.4%	82.6%
	Grade 6	0.9%	0.9%	2.7%	97.4%
	Grade 7	1.8%	2.5%	5.2%	94.7%
	Grade 8	3.5%	4.0%	10.1%	89.8%
	Grade 9	7.4%	11.4%	21.0%	79.0%
	Grade 10	9.6%	13.9%	27.1%	72.9%
	Grade 11	12.5%	16.4%	30.4%	69.6%
	Grade 12	10.2%	16.5%	32.2%	67.7%
Marijuana	All	5.8%	8.2%	16.6%	83.4%
	Grade 6	0.6%	0.6%	2.3%	97.7%
	Grade 7	1.1%	1.8%	4.5%	95.6%
	Grade 8	3.5%	3.9%	9.5%	90.5%
	Grade 9	6.7%	10.3%	19.8%	80.2%
	Grade 10	9.3%	13.4%	26.2%	73.8%
	Grade 11	11.9%	15.4%	29.3%	70.6%
	Grade 12	9.9%	16.1%	32.2%	67.8%

Table B-11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	3.0%	4.3%	10.4%	89.6%
Grade 6	0.2%	0.2%	1.8%	98.2%
Grade 7	0.2%	0.5%	2.4%	97.6%
Grade 8	1.2%	1.2%	4.8%	95.2%
Grade 9	4.2%	5.7%	12.5%	87.4%
Grade 10	5.1%	8.3%	17.8%	82.1%
Grade 11	7.1%	8.9%	18.0%	82.0%
Grade 12	4.1%	7.0%	20.1%	80.0%
Cocaine Or Crack				
All	0.4%	0.5%	0.9%	99.1%
Grade 6	0.2%	0.2%	0.2%	99.8%
Grade 7	0.1%	0.2%	0.4%	99.7%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.4%	0.5%	0.7%	99.3%
Grade 10	0.1%	0.1%	0.9%	99.1%
Grade 11	1.2%	1.7%	2.6%	97.4%
Grade 12	0.3%	0.3%	1.3%	98.7%
Cocaine				
All	0.3%	0.4%	0.8%	99.2%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.3%	0.6%	99.4%
Grade 9	0.3%	0.4%	0.6%	99.4%
Grade 10	0.0%	0.0%	0.8%	99.2%
Grade 11	1.2%	1.7%	2.6%	97.4%
Grade 12	0.3%	0.3%	1.3%	98.7%
Crack				
All	0.1%	0.1%	0.2%	99.8%
Grade 6	0.2%	0.2%	0.2%	99.8%
Grade 7	0.1%	0.2%	0.4%	99.7%
Grade 8	0.1%	0.1%	0.3%	99.8%
Grade 9	0.3%	0.3%	0.3%	99.7%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.4%	99.6%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	0.3%	0.7%	1.5%	98.5%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.3%	0.3%	0.5%	99.5%
Grade 8	0.1%	0.2%	0.5%	99.5%
Grade 9	0.4%	0.9%	1.3%	98.7%
Grade 10	0.3%	0.4%	1.1%	98.9%
Grade 11	0.6%	1.5%	4.1%	96.0%
Grade 12	0.4%	2.3%	4.1%	95.9%

Table B-11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.1%	0.2%	0.5%	99.5%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.2%	0.2%	0.4%	99.6%
	Grade 8	0.2%	0.2%	0.6%	99.4%
	Grade 9	0.1%	0.5%	0.9%	99.0%
	Grade 10	0.0%	0.5%	0.8%	99.2%
	Grade 11	0.0%	0.0%	0.2%	99.8%
	Grade 12	0.1%	0.1%	0.6%	99.5%
Steroids	All	0.2%	0.2%	0.8%	99.2%
	Grade 6	0.0%	0.0%	0.4%	99.5%
	Grade 7	0.0%	0.0%	0.2%	99.8%
	Grade 8	0.1%	0.1%	0.7%	99.3%
	Grade 9	0.2%	0.4%	1.7%	98.3%
	Grade 10	0.4%	0.4%	0.8%	99.3%
	Grade 11	0.1%	0.1%	0.5%	99.5%
	Grade 12	0.4%	0.4%	1.3%	98.6%
Ecstasy	All	0.2%	0.4%	1.3%	98.7%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.1%	0.1%	99.8%
	Grade 8	0.2%	0.4%	0.7%	99.3%
	Grade 9	0.5%	1.2%	2.4%	97.7%
	Grade 10	0.5%	0.5%	2.3%	97.7%
	Grade 11	0.0%	0.0%	1.6%	98.4%
	Grade 12	0.3%	0.3%	2.4%	97.6%
Heroin	All	0.2%	0.2%	0.3%	99.8%
	Grade 6	0.3%	0.3%	0.3%	99.7%
	Grade 7	0.7%	0.7%	0.7%	99.3%
	Grade 8	0.0%	0.0%	0.1%	99.9%
	Grade 9	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.2%	99.8%
	Grade 11	0.0%	0.0%	0.2%	99.8%
	Grade 12	0.0%	0.0%	0.0%	100.0%

Table B-11: Prevalence and recency of use of selected substances by grade
Students who would seek help from adults for substance abuse problems
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	1.0%	1.7%	4.7%	95.3%
Grade 6	0.0%	0.2%	0.2%	99.8%
Grade 7	0.4%	0.6%	1.2%	98.8%
Grade 8	0.9%	1.3%	3.6%	96.3%
Grade 9	1.0%	2.5%	6.1%	93.9%
Grade 10	1.2%	1.5%	6.3%	93.7%
Grade 11	1.0%	2.6%	9.1%	90.8%
Grade 12	3.1%	4.1%	8.3%	91.7%
Methamphetamine				
All	0.1%	0.4%	0.7%	99.3%
Grade 6	0.3%	0.3%	0.3%	99.7%
Grade 7	0.3%	0.4%	0.4%	99.6%
Grade 8	0.0%	0.0%	0.5%	99.5%
Grade 9	0.1%	0.2%	0.5%	99.5%
Grade 10	0.2%	0.2%	0.5%	99.6%
Grade 11	0.0%	0.2%	0.7%	99.3%
Grade 12	0.1%	2.1%	2.5%	97.5%

Table B-12: Prevalence and recency of use of selected substances by grade
Students who would not seek help from adults for substance abuse problems

		Past Month	School Year	Ever Used	Never Used
Tobacco	All	13.6%	19.0%	33.0%	67.0%
	Grade 6	2.9%	3.4%	9.1%	90.9%
	Grade 7	6.4%	11.0%	22.8%	77.2%
	Grade 8	14.8%	18.9%	25.9%	74.2%
	Grade 9	12.5%	17.9%	33.5%	66.5%
	Grade 10	19.3%	31.3%	46.2%	53.8%
	Grade 11	15.2%	20.8%	44.1%	55.9%
	Grade 12	18.8%	21.9%	36.0%	64.0%
Alcohol	All	25.1%	37.4%	58.7%	41.3%
	Grade 6	9.1%	9.1%	36.4%	63.6%
	Grade 7	14.7%	20.6%	46.5%	53.5%
	Grade 8	24.8%	40.9%	55.3%	44.7%
	Grade 9	27.3%	41.5%	63.6%	36.4%
	Grade 10	30.7%	46.2%	66.9%	33.1%
	Grade 11	34.8%	44.8%	69.5%	30.5%
	Grade 12	24.4%	42.5%	58.5%	41.5%
Inhalants	All	5.8%	8.2%	18.6%	81.4%
	Grade 6	5.8%	6.4%	11.7%	88.3%
	Grade 7	9.1%	14.5%	38.2%	61.8%
	Grade 8	8.8%	11.5%	22.3%	77.7%
	Grade 9	6.8%	8.2%	16.6%	83.4%
	Grade 10	4.1%	7.0%	16.7%	83.3%
	Grade 11	4.0%	5.0%	10.3%	89.7%
	Grade 12	2.4%	5.5%	15.5%	84.6%
Any Illicit Drug	All	13.9%	18.1%	32.1%	68.0%
	Grade 6	0.9%	0.9%	4.8%	95.3%
	Grade 7	9.0%	9.2%	12.2%	87.8%
	Grade 8	9.8%	12.0%	18.0%	82.0%
	Grade 9	15.0%	19.6%	34.8%	65.2%
	Grade 10	18.7%	28.4%	44.1%	55.9%
	Grade 11	21.9%	26.7%	48.8%	51.2%
	Grade 12	13.9%	18.5%	43.4%	56.5%
Marijuana	All	13.0%	17.1%	31.2%	68.7%
	Grade 6	0.9%	0.9%	4.8%	95.3%
	Grade 7	6.2%	7.2%	10.0%	90.0%
	Grade 8	9.2%	11.3%	17.7%	82.3%
	Grade 9	14.1%	18.8%	34.2%	65.8%
	Grade 10	18.7%	27.6%	43.1%	57.0%
	Grade 11	21.3%	26.1%	47.9%	52.2%
	Grade 12	13.0%	17.6%	43.4%	56.5%

Table B-12: Prevalence and recency of use of selected substances by grade
Students who would not seek help from adults for substance abuse problems
(Continued)

	Past Month	School Year	Ever Used	Never Used
Marijuana Only				
All	6.7%	9.1%	17.8%	82.2%
Grade 6	0.8%	0.8%	1.4%	98.6%
Grade 7	3.0%	3.2%	4.7%	95.2%
Grade 8	2.6%	4.7%	8.1%	91.9%
Grade 9	7.5%	10.4%	19.0%	81.0%
Grade 10	11.5%	14.4%	25.1%	74.9%
Grade 11	10.7%	14.1%	29.5%	70.5%
Grade 12	6.7%	10.2%	25.8%	74.2%
Cocaine Or Crack				
All	0.4%	0.4%	2.3%	97.7%
Grade 6	0.0%	0.0%	1.2%	98.8%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	0.3%	0.3%	5.1%	94.8%
Grade 9	0.0%	0.0%	1.1%	98.9%
Grade 10	1.0%	1.0%	2.4%	97.6%
Grade 11	0.0%	0.0%	1.9%	98.1%
Grade 12	0.8%	0.8%	3.7%	96.3%
Cocaine				
All	0.4%	0.4%	2.0%	98.1%
Grade 6	0.0%	0.0%	1.2%	98.8%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	0.0%	0.0%	3.0%	97.0%
Grade 9	0.0%	0.0%	1.1%	98.9%
Grade 10	1.0%	1.0%	2.4%	97.6%
Grade 11	0.0%	0.0%	1.2%	98.8%
Grade 12	0.8%	0.8%	3.7%	96.3%
Crack				
All	0.1%	0.1%	0.7%	99.3%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.0%	0.0%	0.0%	100.0%
Grade 8	0.3%	0.3%	3.3%	96.7%
Grade 9	0.0%	0.0%	0.3%	99.7%
Grade 10	0.1%	0.1%	0.1%	99.9%
Grade 11	0.0%	0.0%	0.9%	99.1%
Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
All	1.8%	2.0%	4.6%	95.4%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.9%	0.9%	1.8%	98.2%
Grade 8	1.2%	1.3%	1.3%	98.7%
Grade 9	1.6%	1.9%	2.9%	97.0%
Grade 10	1.9%	2.2%	10.8%	89.3%
Grade 11	3.7%	4.2%	6.6%	93.3%
Grade 12	2.4%	2.4%	6.0%	93.9%

Table B-12: Prevalence and recency of use of selected substances by grade
Students who would not seek help from adults for substance abuse problems
 (Continued)

		Past Month	School Year	Ever Used	Never Used
Rohypnol	All	0.7%	0.7%	1.5%	98.5%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.1%	0.1%	1.6%	98.4%
	Grade 8	0.1%	0.1%	0.4%	99.7%
	Grade 9	2.6%	2.8%	4.3%	95.6%
	Grade 10	0.1%	0.1%	1.1%	99.0%
	Grade 11	1.1%	1.1%	1.6%	98.3%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids	All	1.0%	1.2%	2.3%	97.7%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.6%	99.4%
	Grade 8	3.7%	3.7%	3.8%	96.2%
	Grade 9	1.2%	1.4%	3.0%	97.0%
	Grade 10	0.3%	0.3%	1.6%	98.4%
	Grade 11	1.5%	1.5%	2.1%	98.0%
	Grade 12	0.0%	0.9%	3.5%	96.5%
Ecstasy	All	0.6%	1.0%	2.8%	97.3%
	Grade 6	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.8%	0.8%	0.8%	99.2%
	Grade 8	0.1%	0.1%	1.9%	98.1%
	Grade 9	0.0%	0.8%	2.6%	97.4%
	Grade 10	0.6%	1.1%	4.2%	95.8%
	Grade 11	2.5%	2.5%	6.6%	93.4%
	Grade 12	0.0%	0.9%	1.0%	99.0%
Heroin	All	0.3%	0.3%	0.8%	99.3%
	Grade 6	0.0%	0.0%	1.2%	98.8%
	Grade 7	1.3%	1.3%	1.3%	98.7%
	Grade 8	0.3%	0.3%	0.3%	99.7%
	Grade 9	0.0%	0.0%	1.5%	98.5%
	Grade 10	0.0%	0.0%	0.3%	99.7%
	Grade 11	0.2%	0.2%	0.2%	99.8%
	Grade 12	0.0%	0.0%	0.0%	100.0%

Table B-12: Prevalence and recency of use of selected substances by grade
Students who would not seek help from adults for substance abuse problems
 (Continued)

	Past Month	School Year	Ever Used	Never Used
Synthetic Marijuana				
All	2.8%	3.4%	10.2%	89.8%
Grade 6	0.0%	0.0%	3.2%	96.8%
Grade 7	2.3%	2.3%	4.3%	95.6%
Grade 8	4.1%	4.1%	6.6%	93.4%
Grade 9	3.0%	3.7%	12.0%	88.0%
Grade 10	2.6%	4.8%	15.0%	84.9%
Grade 11	4.5%	5.1%	11.8%	88.2%
Grade 12	1.9%	1.9%	13.4%	86.6%
Methamphetamine				
All	0.3%	0.4%	0.6%	99.4%
Grade 6	0.0%	0.0%	0.0%	100.0%
Grade 7	0.8%	0.8%	0.8%	99.2%
Grade 8	0.0%	0.3%	0.3%	99.7%
Grade 9	0.0%	0.5%	1.5%	98.5%
Grade 10	0.8%	0.8%	1.1%	99.0%
Grade 11	0.3%	0.3%	0.3%	99.7%
Grade 12	0.0%	0.0%	0.0%	100.0%

3 Margin Tables

GENDER		
q1	Frequency	Percent
Male	243,099	49.8%
Female	245,092	50.2%

Frequency Missing = 4809

GRADE		
q2	Frequency	Percent
Grade 6	74,333	15.1%
Grade 7	73,005	14.8%
Grade 8	73,937	15.0%
Grade 9	81,528	16.5%
Grade 10	72,368	14.7%
Grade 11	62,636	12.7%
Grade 12	55,195	11.2%

LIVE WITH BOTH PARENTS		
q3	Frequency	Percent
No	175,555	35.9%
Yes	313,351	64.1%

Frequency Missing = 4094

AGE		
q4	Frequency	Percent
10 or below	476	0.1%
11	36,314	7.4%
12	68,531	13.9%
13	72,861	14.8%
14	65,452	13.3%
15	76,787	15.6%
16	73,050	14.9%
17	58,010	11.8%
18	34,410	7.0%
19 or older	5,380	1.1%

Frequency Missing = 1731

ETHNICITY		
q5	Frequency	Percent
African Am.	45,469	9.5%
Asian Am.	11,645	2.4%
Mexican Am.	239,293	50.2%
Native Am.	1,756	0.4%
Other	11,251	2.4%
White	166,807	35.0%

Frequency Missing = 16780

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

ON AVERAGE WHAT GRADES DO YOU GET		
q6	Frequency	Percent
Mostly A's	152,008	36.1%
Mostly B's	201,950	48.0%
Mostly C's	58,036	13.8%
Mostly D's	5,235	1.2%
Mostly F's	3,856	0.9%

Frequency Missing = 71915

DO YOU HAVE A JOB		
q7	Frequency	Percent
No	363,662	85.7%
Yes	60,594	14.3%

Frequency Missing = 68745

QUALIFY FOR FREE/REDUCED PRICE LUNCH		
q8	Frequency	Percent
Do not know	113,481	26.9%
No	153,962	36.5%
Yes	154,765	36.7%

Frequency Missing = 70793

PARTICIPATE IN SCHOOL ATHLETICS (UIL, VARSITY, JR VARSITY)		
q9a	Frequency	Percent
No	210,713	52.0%
Yes	194,277	48.0%

Frequency Missing = 88011

PARTICIPATE IN SCHOOL BAND/ORCHESTRA		
q9b	Frequency	Percent
No	289,856	75.9%
Yes	91,806	24.1%

Frequency Missing = 111338

PARTICIPATE IN SCHOOL CHOIR		
q9c	Frequency	Percent
No	324,401	87.6%
Yes	45,728	12.4%
Frequency Missing = 122871		

PARTICIPATE IN ATHLETIC TEAMS OUTSIDE OF SCHOOL		
q9h	Frequency	Percent
No	239,159	62.1%
Yes	146,131	37.9%
Frequency Missing = 107711		

PARTICIPATE IN DRILL TEAM/CHEER-LEADING		
q9d	Frequency	Percent
No	336,832	90.4%
Yes	35,580	9.6%
Frequency Missing = 120589		

PARTICIPATE IN OTHER CLUBS OR GROUPS OUTSIDE OF SCHOOL		
q9i	Frequency	Percent
No	276,319	73.6%
Yes	99,145	26.4%
Frequency Missing = 117537		

PARTICIPATE IN STUDENT GOVERNMENT/SCHOOL NEWS-PAPER/YEARBOOK		
q9e	Frequency	Percent
No	345,565	93.2%
Yes	25,065	6.8%
Frequency Missing = 122370		

DO YOU FEEL SAFE IN YOUR HOME		
q10a	Frequency	Percent
Very Safe	414,689	85.0%
Somewhat Safe	62,482	12.8%
Not Very Safe	3,653	0.7%
Not Safe At All	1,756	0.4%
Don't Know	5,243	1.1%
Frequency Missing = 5178		

PARTICIPATE IN ACADEMIC CLUBS/SOCIETIES/COMPETITION GROUPS		
q9f	Frequency	Percent
No	271,248	71.8%
Yes	106,777	28.2%
Frequency Missing = 114975		

DO YOU FEEL SAFE IN YOUR NEIGHBORHOOD		
q10b	Frequency	Percent
Very Safe	214,502	44.2%
Somewhat Safe	220,668	45.5%
Not Very Safe	29,544	6.1%
Not Safe At All	8,210	1.7%
Don't Know	11,856	2.4%
Frequency Missing = 8221		

PARTICIPATE IN OTHER SCHOOL CLUBS OR GROUPS		
q9g	Frequency	Percent
No	281,174	74.7%
Yes	95,258	25.3%
Frequency Missing = 116568		

DO YOU FEEL SAFE AT SCHOOL		
q10c	Frequency	Percent
Very Safe	221,592	45.7%
Somewhat Safe	199,843	41.2%
Not Very Safe	31,765	6.6%
Not Safe At All	16,321	3.4%
Don't Know	15,349	3.2%
Frequency Missing = 8131		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

FRIENDS FEELING CLOSE TO THEIR PARENTS		
q11a	Frequency	Percent
None	24,250	5.0%
A Few	95,446	19.7%
Some	110,796	22.9%
Most	177,397	36.7%
All	75,594	15.6%

Frequency Missing = 9518

FRIENDS WISHING TO DROP OUT OF SCHOOL		
q11e	Frequency	Percent
None	318,278	65.8%
A Few	107,809	22.3%
Some	36,163	7.5%
Most	12,849	2.7%
All	8,829	1.8%

Frequency Missing = 9072

HOW MANY FRIENDS CARRY WEAPONS		
q11b	Frequency	Percent
None	336,692	70.5%
A Few	84,846	17.8%
Some	34,318	7.2%
Most	16,465	3.4%
All	5,151	1.1%

Frequency Missing = 15528

PARENTS ATTEND PTA/SCHOOL OPEN HOUSES		
q12	Frequency	Percent
No	229,940	62.0%
Yes	141,141	38.0%

Frequency Missing = 121920

HOW MANY FRIENDS CARE ABOUT GOOD GRADES		
q11c	Frequency	Percent
None	11,328	2.4%
A Few	50,099	10.5%
Some	92,170	19.4%
Most	196,942	41.5%
All	124,421	26.2%

Frequency Missing = 18042

RECENT INHALANT USE - SPRAY PAINT		
q13a	Frequency	Percent
Never	470,131	97.2%
Heard/Used		
In Your Life-time	9,532	2.0%
Since School Began	1,200	0.2%
In the Past Month	2,684	0.6%

Frequency Missing = 9454

HOW MANY FRIENDS BELONG TO A GANG		
q11d	Frequency	Percent
None	402,054	83.2%
A Few	51,763	10.7%
Some	19,130	4.0%
Most	6,706	1.4%
All	3,715	0.8%

Frequency Missing = 9633

RECENT INHALANT USE - WHITE-OUT, CORRECTION FLUID, MAGIC MARKERS		
q13b	Frequency	Percent
Never	455,092	94.2%
Heard/Used		
In Your Life-time	18,229	3.8%
Since School Began	2,560	0.5%
In the Past Month	7,009	1.5%

Frequency Missing = 10111

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

q13c	RECENT INHALANT USE - COMPUTER DUSTING SPRAYS	
	Frequency	Percent
Never	472,926	98.4%
Heard/Used		
In Your Life-time	3,968	0.8%
Since School Began	1,003	0.2%
In the Past Month	2,540	0.5%

Frequency Missing = 12564

q13f	RECENT INHALANT USE - TOLUENE, PAINT THINNER, OTHER SOLVENTS	
	Frequency	Percent
Never	475,395	98.8%
Heard/Used		
In Your Life-time	2,676	0.6%
Since School Began	524	0.1%
In the Past Month	2,333	0.5%

Frequency Missing = 12073

q13d	RECENT INHALANT USE - HELIUM, BUTANE, PROPANE, WHIPPETS, REFRIGERANTS/FREON	
	Frequency	Percent
Never	453,611	94.3%
Heard/Used		
In Your Life-time	16,812	3.5%
Since School Began	3,027	0.6%
In the Past Month	7,587	1.6%

Frequency Missing = 11963

q13g	RECENT INHALANT USE - GASOLINE, OCTANE BOOSTER, CARBURETOR CLEANER	
	Frequency	Percent
Never	472,392	97.9%
Heard/Used		
In Your Life-time	5,238	1.1%
Since School Began	1,024	0.2%
In the Past Month	3,766	0.8%

Frequency Missing = 10581

q13e	RECENT INHALANT USE - GLUE	
	Frequency	Percent
Never	474,542	98.7%
Heard/Used		
In Your Life-time	4,111	0.9%
Since School Began	734	0.2%
In the Past Month	1,407	0.3%

Frequency Missing = 12207

q13h	RECENT INHALANT USE - OTHER AEROSOLS/SPRAYS	
	Frequency	Percent
Never	470,440	97.6%
Heard/Used		
In Your Life-time	6,522	1.4%
Since School Began	969	0.2%
In the Past Month	4,273	0.9%

Frequency Missing = 10797

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

RECENT CIGARETTE USE		
q14a	Frequency	Percent
Never	399,165	82.8%
Heard/Used		
In Your Life-time	42,518	8.8%
Since School Began	11,893	2.5%
In the Past Month	28,451	5.9%

Frequency Missing = 10974

RECENT WINE USE		
q14e	Frequency	Percent
Never	335,201	70.9%
Heard/Used		
In Your Life-time	77,708	16.4%
Since School Began	22,084	4.7%
In the Past Month	37,680	8.0%

Frequency Missing = 20327

RECENT SMOKE-LESS TOBACCO USE		
q14b	Frequency	Percent
Never	439,897	91.8%
Heard/Used		
In Your Life-time	14,974	3.1%
Since School Began	7,489	1.6%
In the Past Month	16,964	3.5%

Frequency Missing = 13677

RECENT LIQUOR USE		
q14f	Frequency	Percent
Never	336,631	69.9%
Heard/Used		
In Your Life-time	62,160	12.9%
Since School Began	28,910	6.0%
In the Past Month	53,614	11.1%

Frequency Missing = 11686

RECENT BEER USE		
q14c	Frequency	Percent
Never	314,274	66.3%
Heard/Used		
In Your Life-time	77,864	16.4%
Since School Began	28,701	6.1%
In the Past Month	52,938	11.2%

Frequency Missing = 19224

RECENT INHALANT USE		
q14g	Frequency	Percent
Never	466,433	95.6%
Heard/Used		
In Your Life-time	13,641	2.8%
Since School Began	3,097	0.6%
In the Past Month	4,529	0.9%

Frequency Missing = 5301

RECENT WINE COOLER USE		
q14d	Frequency	Percent
Never	342,627	71.5%
Heard/Used		
In Your Life-time	62,126	13.0%
Since School Began	24,341	5.1%
In the Past Month	49,822	10.4%

Frequency Missing = 14085

RECENT MARIJUANA USE		
q15a	Frequency	Percent
Never	385,804	80.8%
Heard/Used		
In Your Life-time	44,864	9.4%
Since School Began	13,694	2.9%
In the Past Month	33,094	6.9%

Frequency Missing = 15546

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

	RECENT USE	COCAINE
q15b	Frequency	Percent
Never	472,142	99.0%
Heard/Used		
In Your Life- time	3,089	0.6%
Since School Began	378	0.1%
In the Past Month	1,481	0.3%
Frequency Missing = 15911		

	RECENT USE	STEROID
q15g	Frequency	Percent
Never	471,156	98.9%
Heard/Used		
In Your Life- time	3,441	0.7%
Since School Began	299	0.1%
In the Past Month	1,349	0.3%
Frequency Missing = 16756		

	RECENT USE	CRACK
q15c	Frequency	Percent
Never	473,900	99.7%
Heard/Used		
In Your Life- time	1,106	0.2%
Since School Began	69	0.0%
In the Past Month	428	0.1%
Frequency Missing = 17499		

	RECENT USE	ECSTASY
q15h	Frequency	Percent
Never	466,966	98.4%
Heard/Used		
In Your Life- time	5,362	1.1%
Since School Began	871	0.2%
In the Past Month	1,445	0.3%
Frequency Missing = 18357		

	RECENT CINOGEN USE	HALLU-
q15e	Frequency	Percent
Never	467,344	98.0%
Heard/Used		
In Your Life- time	4,955	1.0%
Since School Began	1,862	0.4%
In the Past Month	2,707	0.6%
Frequency Missing = 16133		

	RECENT USE	HEROIN
q15i	Frequency	Percent
Never	475,056	99.7%
Heard/Used		
In Your Life- time	754	0.2%
Since School Began	8	0.0%
In the Past Month	841	0.2%
Frequency Missing = 16342		

	RECENT NOL USE	ROHYP-
q15f	Frequency	Percent
Never	473,594	99.3%
Heard/Used		
In Your Life- time	1,626	0.3%
Since School Began	774	0.2%
In the Past Month	965	0.2%
Frequency Missing = 16041		

	RECENT PHETAMINE USE	METHAM-
q15j	Frequency	Percent
Never	474,097	99.3%
Heard/Used		
In Your Life- time	1,191	0.2%
Since School Began	1,232	0.3%
In the Past Month	859	0.2%
Frequency Missing = 15622		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

	RECENT THETIC JUANA USE	SYN- MARI- JUANA USE
q15k	Frequency	Percent
Never	449,634	94.5%
Heard/Used		
In Your Life- time	16,898	3.5%
Since School Began	3,471	0.7%
In the Past Month	6,031	1.3%

Frequency Missing = 16966

	RECENT SCRIPTION USE - VALIUM ETC	PRE- DRUG USE
q16d	Frequency	Percent
Never	474,879	99.0%
Heard/Used		
In Your Life- time	927	0.2%
Since School Began	920	0.2%
In the Past Month	2,853	0.6%

Frequency Missing = 13421

	RECENT SCRIPTION USE - CODEINE	PRE- DRUG USE
q16a	Frequency	Percent
Never	429,938	89.4%
Heard/Used		
In Your Life- time	18,371	3.8%
Since School Began	7,519	1.6%
In the Past Month	25,104	5.2%

Frequency Missing = 12069

	RECENT SCRIPTION USE - XANAX ETC	PRE- DRUG USE
q16e	Frequency	Percent
Never	466,880	97.1%
Heard/Used		
In Your Life- time	4,012	0.8%
Since School Began	2,527	0.5%
In the Past Month	7,537	1.6%

Frequency Missing = 12044

	RECENT SCRIPTION USE - OXYCONTIN ETC	PRE- DRUG USE
q16b	Frequency	Percent
Never	469,456	97.6%
Heard/Used		
In Your Life- time	3,209	0.7%
Since School Began	1,749	0.4%
In the Past Month	6,578	1.4%

Frequency Missing = 12009

	TAKE DXM, TRIPLE CS, ETC. TO GET HIGH	
q17	Frequency	Percent
Never	453,363	97.1%
Heard/Used		
In Your Life- time	6,875	1.5%
Since School Began	1,971	0.4%
In the Past Month	4,711	1.0%

Frequency Missing = 26080

	RECENT SCRIPTION USE - VICODIN ETC	PRE- DRUG USE
q16c	Frequency	Percent
Never	456,988	95.0%
Heard/Used		
In Your Life- time	6,171	1.3%
Since School Began	5,017	1.0%
In the Past Month	12,808	2.7%

Frequency Missing = 12016

	TOBACCO USE IN PAST MONTH	
q18a	Frequency	Percent
Never	435,823	91.0%
Heard/Used		
1-2 times	21,760	4.5%
3-10 times	7,924	1.7%
11+ times	13,453	2.8%

Frequency Missing = 14041

ALCOHOL USE IN PAST MONTH		
q18b	Frequency	Percent
Never	368,846	77.4%
Heard/Used		
1-2 times	67,437	14.1%
3-10 times	28,093	5.9%
11+ times	12,442	2.6%
Frequency Missing = 16182		

INHALANT USE IN PAST MONTH		
q18c	Frequency	Percent
Never	469,863	98.2%
Heard/Used		
1-2 times	6,767	1.4%
3-10 times	1,234	0.3%
11+ times	395	0.1%
Frequency Missing = 14742		

MARIJUANA USE IN PAST MONTH		
q18d	Frequency	Percent
Never	424,341	88.9%
Heard/Used		
1-2 times	26,195	5.5%
3-10 times	11,259	2.4%
11+ times	15,651	3.3%
Frequency Missing = 15555		

COCAINE USE IN PAST MONTH		
q18e	Frequency	Percent
Never	475,310	99.4%
Heard/Used		
1-2 times	2,034	0.4%
3-10 times	210	0.0%
11+ times	698	0.1%
Frequency Missing = 14749		

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

CRACK USE IN PAST MONTH		
q18f	Frequency	Percent
Never	475,967	99.7%
Heard/Used		
1-2 times	949	0.2%
3-10 times	97	0.0%
11+ times	478	0.1%
Frequency Missing = 15510		

CLOSE FRIENDS USE TOBACCO		
q19a	Frequency	Percent
Never	324,988	68.7%
heard/None		
A few	86,020	18.2%
Some	37,608	8.0%
Most	18,769	4.0%
All	5,635	1.2%
Frequency Missing = 19980		

CLOSE FRIENDS USE ALCOHOL		
q19b	Frequency	Percent
Never	248,336	52.6%
heard/None		
A few	103,693	22.0%
Some	63,101	13.4%
Most	44,140	9.4%
All	12,498	2.6%
Frequency Missing = 21233		

CLOSE FRIENDS USE INHALANTS		
q19c	Frequency	Percent
Never	432,353	91.9%
heard/None		
A few	27,715	5.9%
Some	6,006	1.3%
Most	3,334	0.7%
All	1,026	0.2%
Frequency Missing = 22568		

q19d	CLOSE FRIENDS USE MARIJUANA	
	Frequency	Percent
Never heard/None	290,005	61.4%
A few	77,036	16.3%
Some	50,115	10.6%
Most	40,810	8.6%
All	14,403	3.0%

Frequency Missing = 20632

q20d	DIFFICULT TO GET MARIJUANA	
	Frequency	Percent
Never heard of	118,833	25.7%
Impossible	131,406	28.5%
Very difficult	35,059	7.6%
Somewhat diff	38,630	8.4%
Somewhat easy	49,078	10.6%
Very easy	88,867	19.2%

Frequency Missing = 31126

q20a	DIFFICULT TO GET TOBACCO	
	Frequency	Percent
Never heard of	119,279	25.6%
Impossible	117,023	25.1%
Very difficult	38,583	8.3%
Somewhat diff	42,532	9.1%
Somewhat easy	60,960	13.1%
Very easy	87,331	18.8%

Frequency Missing = 27294

q20e	DIFFICULT TO GET COCAINE	
	Frequency	Percent
Never heard of	164,058	35.3%
Impossible	170,708	36.8%
Very difficult	59,289	12.8%
Somewhat diff	34,276	7.4%
Somewhat easy	16,189	3.5%
Very easy	19,641	4.2%

Frequency Missing = 28840

q20b	DIFFICULT TO GET COMBINED ALCOHOL	
	Frequency	Percent
Never heard of	96,280	20.7%
Impossible	80,754	17.4%
Very difficult	34,395	7.4%
Somewhat diff	50,187	10.8%
Somewhat easy	79,871	17.2%
Very easy	122,584	26.4%

Frequency Missing = 28929

q20f	DIFFICULT TO GET CRACK	
	Frequency	Percent
Never heard of	171,304	36.9%
Impossible	170,304	36.7%
Very difficult	58,649	12.6%
Somewhat diff	29,984	6.5%
Somewhat easy	14,777	3.2%
Very easy	18,949	4.1%

Frequency Missing = 29034

q20c	DIFFICULT TO GET INHALANTS	
	Frequency	Percent
Never heard of	165,556	35.8%
Impossible	86,713	18.7%
Very difficult	22,064	4.8%
Somewhat diff	32,397	7.0%
Somewhat easy	45,862	9.9%
Very easy	110,480	23.9%

Frequency Missing = 29928

q20h	DIFFICULT TO GET STEROIDS	
	Frequency	Percent
Never heard of	170,650	36.9%
Impossible	166,458	36.0%
Very difficult	57,295	12.4%
Somewhat diff	31,768	6.9%
Somewhat easy	19,070	4.1%
Very easy	17,713	3.8%

Frequency Missing = 30047

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

DIFFICULT TO GET ECSTASY		
q20i	Frequency	Percent
Never heard of	221,147	47.8%
Impossible	127,686	27.6%
Very difficult	46,623	10.1%
Somewhat diff	28,817	6.2%
Somewhat easy	17,853	3.9%
Very easy	20,448	4.4%
Frequency Missing = 30425		

AGE WHEN FIRST USED TOBACCO		
q21a	Frequency	Percent
8 or younger	5,504	7.0%
9 years old	3,147	4.0%
10 years old	5,027	6.4%
11 years old	5,343	6.8%
12 years old	9,094	11.5%
13 years old	11,554	14.7%
14 years old	10,684	13.6%
15 years old	11,705	14.9%
16 years old	10,121	12.8%
17 years old	4,765	6.0%
18 or older	1,833	2.3%
Frequency Missing = 414224		

DIFFICULT TO GET HEROIN		
q20j	Frequency	Percent
Never heard of	204,001	44.0%
Impossible	160,853	34.7%
Very difficult	51,583	11.1%
Somewhat diff	21,347	4.6%
Somewhat easy	9,641	2.1%
Very easy	15,783	3.4%
Frequency Missing = 29793		

AGE WHEN FIRST USED ALCOHOL		
q21b	Frequency	Percent
8 or younger	26,388	13.3%
9 years old	9,181	4.6%
10 years old	11,578	5.8%
11 years old	16,153	8.1%
12 years old	24,246	12.2%
13 years old	28,992	14.6%
14 years old	27,882	14.1%
15 years old	24,627	12.4%
16 years old	18,907	9.5%
17 years old	6,650	3.4%
18 or older	3,788	1.9%
Frequency Missing = 294608		

DIFFICULT TO GET METHAM-PHETAMINE		
q20k	Frequency	Percent
Never heard of	215,848	46.4%
Impossible	152,762	32.8%
Very difficult	49,470	10.6%
Somewhat diff	18,583	4.0%
Somewhat easy	10,918	2.3%
Very easy	17,744	3.8%
Frequency Missing = 27675		

AGE WHEN FIRST USED INHALANTS		
q21c	Frequency	Percent
8 or younger	3,576	16.1%
9 years old	1,445	6.5%
10 years old	3,661	16.5%
11 years old	2,787	12.6%
12 years old	2,104	9.5%
13 years old	3,399	15.3%
14 years old	2,837	12.8%
15 years old	1,404	6.3%
16 years old	874	3.9%
17 years old	80	0.4%
Frequency Missing = 470833		

DIFFICULT TO GET SYNTHETIC MARIJUANA		
q20l	Frequency	Percent
Never heard of	215,874	46.5%
Impossible	119,376	25.7%
Very difficult	35,959	7.7%
Somewhat diff	27,078	5.8%
Somewhat easy	28,763	6.2%
Very easy	37,418	8.1%
Frequency Missing = 28533		

q21d	AGE WHEN FIRST USED MARIJUANA	
	Frequency	Percent
8 or younger	2,139	2.3%
9 years old	1,795	1.9%
10 years old	3,432	3.7%
11 years old	7,040	7.5%
12 years old	10,358	11.1%
13 years old	14,967	16.0%
14 years old	18,102	19.3%
15 years old	17,152	18.3%
16 years old	11,406	12.2%
17 years old	5,766	6.2%
18 or older	1,444	1.5%

Frequency Missing = 399399

q21h	AGE WHEN FIRST USED STEROIDS	
	Frequency	Percent
8 or younger	694	17.5%
9 years old	493	12.4%
10 years old	224	5.6%
11 years old	615	15.5%
12 years old	188	4.7%
13 years old	399	10.0%
14 years old	601	15.1%
15 years old	471	11.9%
16 years old	59	1.5%
17 years old	140	3.5%
18 or older	91	2.3%

Frequency Missing = 489026

q21e	AGE WHEN FIRST USED COCAINE	
	Frequency	Percent
8 or younger	102	2.2%
10 years old	171	3.6%
11 years old	325	6.9%
12 years old	570	12.1%
13 years old	762	16.2%
14 years old	517	11.0%
15 years old	1,057	22.5%
16 years old	699	14.9%
17 years old	109	2.3%
18 or older	387	8.2%

Frequency Missing = 488302

q21i	AGE WHEN FIRST USED ECSTASY	
	Frequency	Percent
8 or younger	160	2.5%
9 years old	100	1.6%
10 years old	161	2.5%
11 years old	59	0.9%
12 years old	577	9.0%
13 years old	744	11.7%
14 years old	1,898	29.8%
15 years old	1,126	17.6%
16 years old	902	14.1%
17 years old	653	10.2%

Frequency Missing = 486620

q21f	AGE WHEN FIRST USED CRACK	
	Frequency	Percent
8 or younger	99	6.6%
9 years old	17	1.1%
10 years old	40	2.6%
11 years old	112	7.4%
12 years old	268	17.8%
13 years old	370	24.6%
14 years old	288	19.1%
15 years old	266	17.6%
16 years old	26	1.7%
17 years old	21	1.4%

Frequency Missing = 491493

q21j	AGE WHEN FIRST USED HEROIN	
	Frequency	Percent
8 or younger	359	33.6%
9 years old	32	3.0%
11 years old	10	1.0%
12 years old	46	4.3%
13 years old	209	19.5%
14 years old	157	14.7%
17 years old	256	24.0%

Frequency Missing = 491932

The frequencies have been weighted so that the analysis reflects the distribution of students by grade level.

	AGE WHEN FIRST USED METHAMPHETAMINE	
q21k	Frequency	Percent
8 or younger	517	17.5%
9 years old	25	0.9%
10 years old	163	5.5%
12 years old	395	13.4%
13 years old	174	5.9%
14 years old	342	11.6%
15 years old	229	7.7%
16 years old	189	6.4%
17 years old	892	30.2%
18 or older	26	0.9%

Frequency Missing = 490049

	HOW OFTEN NORMALLY USE ALCOHOL	
q22b	Frequency	Percent
Every day	726	0.2%
Several times/wk	9,610	2.1%
Several times/mo	27,254	5.8%
About once/- month	47,459	10.1%
About on- ce/year	49,499	10.6%
< once/year	38,764	8.3%
Never used	294,528	63.0%

Frequency Missing = 25161

	AGE WHEN FIRST USED SYNTHETIC MARIJUANA	
q21l	Frequency	Percent
8 or younger	131	0.5%
9 years old	93	0.4%
10 years old	774	3.2%
11 years old	1,106	4.6%
12 years old	2,333	9.6%
13 years old	4,811	19.8%
14 years old	4,207	17.3%
15 years old	4,448	18.3%
16 years old	3,194	13.2%
17 years old	2,278	9.4%
18 or older	905	3.7%

Frequency Missing = 468720

	HOW OFTEN NORMALLY USE INHALANTS	
q22c	Frequency	Percent
Every day	326	0.1%
Several times/wk	542	0.1%
Several times/mo	1,503	0.3%
About once/- month	2,312	0.5%
About on- ce/year	2,885	0.6%
< once/year	8,324	1.8%
Never used	454,772	96.6%

Frequency Missing = 22337

	HOW OFTEN NORMALLY USE TOBACCO	
q22a	Frequency	Percent
Every day	8,516	1.8%
Several times/wk	6,343	1.3%
Several times/mo	8,378	1.8%
About once/- month	13,906	3.0%
About on- ce/year	11,134	2.4%
< once/year	17,324	3.7%
Never used	404,709	86.1%

Frequency Missing = 22691

	HOW OFTEN NORMALLY USE MARIJUANA	
q22d	Frequency	Percent
Every day	7,465	1.6%
Several times/wk	8,650	1.8%
Several times/mo	12,134	2.6%
About once/- month	14,519	3.1%
About on- ce/year	16,309	3.5%
< once/year	20,384	4.3%
Never used	391,725	83.1%

Frequency Missing = 21815

q22e	HOW OFTEN NORMALLY USE COCAINE	
	Frequency	Percent
Several times/wk	289	0.1%
Several times/mo	301	0.1%
About once/- month	368	0.1%
About on- ce/year	820	0.2%
< once/year	1,294	0.3%
Never used	468,357	99.3%

Frequency Missing = 21571

q22i	HOW OFTEN NORMALLY USE ECSTASY	
	Frequency	Percent
Every day	179	0.0%
Several times/wk	69	0.0%
Several times/mo	134	0.0%
About once/- month	594	0.1%
About on- ce/year	1,550	0.3%
< once/year	2,677	0.6%
Never used	464,522	98.9%

Frequency Missing = 23276

q22f	HOW OFTEN NORMALLY USE CRACK	
	Frequency	Percent
Several times/wk	76	0.0%
About once/- month	118	0.0%
About on- ce/year	210	0.0%
< once/year	304	0.1%
Never used	470,142	99.8%

Frequency Missing = 22150

q22j	HOW OFTEN NORMALLY USE HEROIN	
	Frequency	Percent
Several times/wk	8	0.0%
Several times/mo	328	0.1%
About on- ce/year	71	0.0%
< once/year	195	0.0%
Never used	471,239	99.9%

Frequency Missing = 21160

q22h	HOW OFTEN NORMALLY USE STEROIDS	
	Frequency	Percent
Every day	403	0.1%
Several times/wk	257	0.1%
Several times/mo	506	0.1%
About once/- month	201	0.0%
About on- ce/year	203	0.0%
< once/year	1,656	0.4%
Never used	467,222	99.3%

Frequency Missing = 22553

q22k	HOW OFTEN NORMALLY USE METHAMPHETAMINE	
	Frequency	Percent
Every day	103	0.0%
Several times/wk	192	0.0%
Several times/mo	106	0.0%
About once/- month	56	0.0%
About on- ce/year	307	0.1%
< once/year	664	0.1%
Never used	468,769	99.7%

Frequency Missing = 22804

HOW OFTEN NORMALLY USE SYNTHETIC MARIJUANA		
q22l	Frequency	Percent
Every day	522	0.1%
Several times/wk	917	0.2%
Several times/mo	2,302	0.5%
About once/-month	3,705	0.8%
About once/year	4,456	0.9%
< once/year	7,847	1.7%
Never used	450,928	95.8%

Frequency Missing = 22323

AMOUNT OF BEER AT ONE TIME		
q23a	Frequency	Percent
Never drink this	305,231	65.6%
12+ drinks	11,345	2.4%
9-11 drinks	5,455	1.2%
5-8 drinks	16,113	3.5%
3-4 drinks	24,042	5.2%
2 drinks	26,108	5.6%
1 drink	27,130	5.8%
< 1 drink	49,847	10.7%

Frequency Missing = 27729

AMOUNT OF WINE COOLERS AT ONE TIME		
q23b	Frequency	Percent
Never drink this	327,326	70.3%
12+ drinks	7,933	1.7%
9-11 drinks	6,462	1.4%
5-8 drinks	13,370	2.9%
3-4 drinks	24,707	5.3%
2 drinks	23,730	5.1%
1 drink	26,890	5.8%
< 1 drink	34,978	7.5%

Frequency Missing = 27606

AMOUNT OF WINE AT ONE TIME		
q23c	Frequency	Percent
Never drink this	334,016	72.1%
12+ drinks	3,950	0.9%
9-11 drinks	2,056	0.4%
5-8 drinks	4,407	1.0%
3-4 drinks	11,907	2.6%
2 drinks	19,871	4.3%
1 drink	31,648	6.8%
< 1 drink	55,717	12.0%

Frequency Missing = 29429

AMOUNT OF LIQUOR AT ONE TIME		
q23d	Frequency	Percent
Never drink this	323,047	69.2%
12+ drinks	9,766	2.1%
9-11 drinks	7,457	1.6%
5-8 drinks	16,708	3.6%
3-4 drinks	27,214	5.8%
2 drinks	20,549	4.4%
1 drink	25,942	5.6%
< 1 drink	36,107	7.7%

Frequency Missing = 26210

HOW MANY 5+ DRINKS IN PAST 30 DAYS		
q24	Frequency	Percent
Never 5+ at time	233,199	50.2%
None	178,769	38.5%
1 day	18,307	3.9%
2 days	13,404	2.9%
3 to 5 days	8,556	1.8%
6 to 9 days	4,230	0.9%
10 or more days	7,882	1.7%

Frequency Missing = 28653

GET ALCOHOLIC BEVERAGES FROM HOME		
q25a	Frequency	Percent
Do not Drink	274,581	58.6%
Never	81,941	17.5%
Seldom	76,627	16.4%
Most of the Time	23,455	5.0%
Always	11,736	2.5%

Frequency Missing = 24661

GET ALCOHOLIC BEVERAGES FROM FRIENDS		
q25b	Frequency	Percent
Do not Drink	276,344	59.3%
Never	86,946	18.7%
Seldom	51,131	11.0%
Most of the Time	39,368	8.4%
Always	12,195	2.6%

Frequency Missing = 27016

DANGEROUS FOR KIDS TO USE TOBACCO		
q26a	Frequency	Percent
Very	302,272	63.9%
Somewhat	104,633	22.1%
Not very	33,837	7.2%
Not at all	10,621	2.2%
Don't know	21,858	4.6%

Frequency Missing = 19780

GET ALCOHOLIC BEVERAGES FROM A STORE		
q25c	Frequency	Percent
Do not Drink	288,710	62.2%
Never	148,624	32.0%
Seldom	14,701	3.2%
Most of the Time	7,000	1.5%
Always	5,423	1.2%

Frequency Missing = 28543

DANGEROUS FOR KIDS TO USE ALCOHOL		
q26b	Frequency	Percent
Very	253,709	53.8%
Somewhat	130,599	27.7%
Not very	59,473	12.6%
Not at all	10,027	2.1%
Don't know	17,923	3.8%

Frequency Missing = 21269

DANGEROUS FOR KIDS TO USE INHALANTS		
q26c	Frequency	Percent
Very	359,727	76.4%
Somewhat	58,180	12.4%
Not very	16,910	3.6%
Not at all	5,533	1.2%
Don't know	30,600	6.5%

Frequency Missing = 22051

GET ALCOHOLIC BEVERAGES AT PARTIES		
q25d	Frequency	Percent
Do not Drink	269,965	57.8%
Never	77,268	16.5%
Seldom	40,900	8.7%
Most of the Time	40,895	8.7%
Always	38,406	8.2%

Frequency Missing = 25567

DANGEROUS FOR KIDS TO USE MARIJUANA		
q26d	Frequency	Percent
Very	295,517	62.7%
Somewhat	55,321	11.7%
Not very	44,743	9.5%
Not at all	56,139	11.9%
Don't know	19,424	4.1%

Frequency Missing = 21858

GET ALCOHOLIC BEVERAGES FROM OTHER SOURCES		
q25e	Frequency	Percent
Do not Drink	286,230	61.8%
Never	103,967	22.4%
Seldom	39,904	8.6%
Most of the Time	17,821	3.8%
Always	15,405	3.3%

Frequency Missing = 29674

DANGEROUS FOR KIDS TO USE COCAINE		
q26e	Frequency	Percent
Very	415,221	88.1%
Somewhat	24,932	5.3%
Not very	4,172	0.9%
Not at all	2,507	0.5%
Don't know	24,314	5.2%

Frequency Missing = 21856

	DANGEROUS FOR KIDS TO USE CRACK	
q26f	Frequency	Percent
Very	416,660	88.4%
Somewhat	21,270	4.5%
Not very	4,275	0.9%
Not at all	2,658	0.6%
Don't know	26,316	5.6%

Frequency Missing = 21822

	DANGEROUS FOR KIDS TO USE SYNTHETIC MARIJUANA	
q26k	Frequency	Percent
Very	369,645	78.5%
Somewhat	36,034	7.6%
Not very	16,057	3.4%
Not at all	8,227	1.7%
Don't know	41,202	8.7%

Frequency Missing = 21835

	DANGEROUS FOR KIDS TO USE ECSTASY	
q26g	Frequency	Percent
Very	385,918	82.0%
Somewhat	32,606	6.9%
Not very	9,786	2.1%
Not at all	3,005	0.6%
Don't know	39,449	8.4%

Frequency Missing = 22236

	DANGEROUS FOR KIDS TO USE HYDROCODONE	
q26l	Frequency	Percent
Very	380,592	80.8%
Somewhat	29,256	6.2%
Not very	10,245	2.2%
Not at all	4,937	1.0%
Don't know	45,971	9.8%

Frequency Missing = 22000

	DANGEROUS FOR KIDS TO USE STEROIDS	
q26h	Frequency	Percent
Very	362,062	76.9%
Somewhat	55,635	11.8%
Not very	18,407	3.9%
Not at all	5,557	1.2%
Don't know	28,871	6.1%

Frequency Missing = 22469

	DAYS SKIPPED SINCE SEPTEMBER	
q27a	Frequency	Percent
None	386,875	83.1%
1-3 days	61,488	13.2%
4-9 days	10,576	2.3%
10+ days	6,599	1.4%

Frequency Missing = 27463

	DANGEROUS FOR KIDS TO USE HEROIN	
q26i	Frequency	Percent
Very	410,699	87.3%
Somewhat	20,637	4.4%
Not very	3,670	0.8%
Not at all	2,618	0.6%
Don't know	33,073	7.0%

Frequency Missing = 22304

	DAYS ILL SINCE SEPTEMBER	
q27b	Frequency	Percent
None	168,385	36.2%
1-3 days	228,819	49.2%
4-9 days	53,345	11.5%
10+ days	14,392	3.1%

Frequency Missing = 28060

	DANGEROUS FOR KIDS TO USE METHAMPHETAMINE	
q26j	Frequency	Percent
Very	411,397	87.3%
Somewhat	19,012	4.0%
Not very	3,686	0.8%
Not at all	2,413	0.5%
Don't know	34,732	7.4%

Frequency Missing = 21760

	OTHER REASON FOR DAYS MISSED SINCE SEPTEMBER	
q27c	Frequency	Percent
None	208,684	45.5%
1-3 days	206,393	45.0%
4-9 days	32,458	7.1%
10+ days	11,428	2.5%

Frequency Missing = 34038

SENT TO PRINCIPAL/DEAN SINCE SEPTEMBER		
q27d	Frequency	Percent
None	409,300	88.1%
1-3 days	43,361	9.3%
4-9 days	7,014	1.5%
10+ days	5,093	1.1%
Frequency Missing = 28232		

TROUBLE WITH FRIENDS BECAUSE OF DRUG USE		
q28d	Frequency	Percent
None	449,482	96.8%
1-3 times	12,091	2.6%
4-9 times	1,713	0.4%
10+ times	839	0.2%
Frequency Missing = 28875		

SOMEONE CALLED HOME SINCE SEPTEMBER		
q27e	Frequency	Percent
None	424,656	91.5%
1-3 days	30,889	6.7%
4-9 days	4,427	1.0%
10+ days	4,077	0.9%
Frequency Missing = 28951		

DRIVEN A CAR WHILE HIGH FROM DRUGS		
q28e	Frequency	Percent
None	448,150	96.8%
1-3 times	9,109	2.0%
4-9 times	2,936	0.6%
10+ times	2,567	0.6%
Frequency Missing = 30239		

TROUBLE WITH FRIENDS BECAUSE OF DRINKING		
q28a	Frequency	Percent
None	451,950	97.0%
1-3 times	12,173	2.6%
4-9 times	1,304	0.3%
10+ times	282	0.1%
Frequency Missing = 27292		

CRITICIZED BY DATE BECAUSE OF DRUG USE		
q28f	Frequency	Percent
None	443,662	95.7%
1-3 times	16,453	3.5%
4-9 times	2,133	0.5%
10+ times	1,545	0.3%
Frequency Missing = 29208		

DRIVEN A CAR AFTER A GOOD BIT TO DRINK		
q28b	Frequency	Percent
None	452,151	97.3%
1-3 times	9,592	2.1%
4-9 times	2,057	0.4%
10+ times	693	0.1%
Frequency Missing = 28508		

CLASS DAYS DRUNK ON ALCOHOL SINCE SEPT		
q29a	Frequency	Percent
None	446,422	96.1%
1-3 days	14,677	3.2%
4-9 days	1,796	0.4%
10+ days	1,419	0.3%
Frequency Missing = 28687		

CRITICIZED BY DATE BECAUSE OF DRINKING		
q28c	Frequency	Percent
None	442,565	95.9%
1-3 times	16,369	3.5%
4-9 times	2,134	0.5%
10+ times	481	0.1%
Frequency Missing = 31452		

CLASS DAYS HIGH ON MARIJUANA SINCE SEPT		
q29b	Frequency	Percent
None	435,047	93.8%
1-3 days	16,839	3.6%
4-9 days	4,616	1.0%
10+ days	7,370	1.6%
Frequency Missing = 29129		

	CLASS DAYS HIGH ON INHALANTS SINCE SEPT	
q29c	Frequency	Percent
None	458,353	99.1%
1-3 days	3,454	0.7%
4-9 days	519	0.1%
10+ days	389	0.1%
Frequency Missing = 30287		

	WOULD SEEK HELP FROM SCHOOL COUNSELOR	
q32a	Frequency	Percent
No	277,229	60.7%
Yes	179,645	39.3%
Frequency Missing = 36127		

	CLASS DAYS HIGH ON OTHER DRUG(S)	
q29d	Frequency	Percent
None	450,932	97.4%
1-3 days	8,616	1.9%
4-9 days	2,364	0.5%
10+ days	1,082	0.2%
Frequency Missing = 30006		

	WOULD SEEK HELP FROM ANOTHER ADULT IN SCHOOL	
q32b	Frequency	Percent
No	270,019	59.1%
Yes	187,162	40.9%
Frequency Missing = 35820		

	ALCOHOL USE AT PARTIES THIS SCHOOL YEAR	
q30a	Frequency	Percent
Never	249,618	53.8%
Seldom	26,426	5.7%
Half the time	20,077	4.3%
Most of the time	32,374	7.0%
Always	40,701	8.8%
Don't know	8,296	1.8%
Didn't attend	86,647	18.7%
Frequency Missing = 28862		

	WOULD SEEK HELP FROM COUNSELOR OR PROGRAM OUTSIDE SCHOOL	
q32c	Frequency	Percent
No	261,665	57.8%
Yes	191,321	42.2%
Frequency Missing = 40015		

	DRUG USE AT PARTIES THIS SCHOOL YEAR	
q30b	Frequency	Percent
Never	280,078	60.4%
Seldom	22,209	4.8%
Half the time	17,506	3.8%
Most of the time	23,545	5.1%
Always	24,489	5.3%
Don't know	10,232	2.2%
Didn't attend	85,863	18.5%
Frequency Missing = 29079		

	WOULD SEEK HELP FROM PARENTS	
q32d	Frequency	Percent
No	145,243	31.8%
Yes	311,913	68.2%
Frequency Missing = 35845		

	SOUGHT HELP FOR DRUG/ALCOHOL PROBLEM	
q31	Frequency	Percent
No	394,886	94.1%
Yes	24,946	5.9%
Frequency Missing = 73168		

	WOULD SEEK HELP FROM A MEDICAL DOCTOR	
q32e	Frequency	Percent
No	203,646	44.9%
Yes	250,323	55.1%
Frequency Missing = 39032		

	WOULD SEEK HELP FROM FRIENDS	
q32f	Frequency	Percent
No	181,288	39.9%
Yes	273,344	60.1%
Frequency Missing = 38368		

WOULD SEEK HELP FROM ANOTHER ADULT		
q32g	Frequency	Percent
No	181,241	39.7%
Yes	274,953	60.3%
Frequency Missing = 36806		

DRUG/ALCOHOL INFO-SCHOOL STUDENT GROUP OR CLUB		
q33e	Frequency	Percent
No	368,841	87.0%
Yes	55,087	13.0%
Frequency Missing = 69072		

WOULD NOT SEEK HELP		
q32h	Frequency	Percent
No	377,213	83.8%
Yes	73,171	16.2%
Frequency Missing = 42617		

DRUG/ALCOHOL INFO-INVITED SCHOOL GUEST		
q33f	Frequency	Percent
No	311,053	73.4%
Yes	112,639	26.6%
Frequency Missing = 69308		

DRUG/ALCOHOL INFO-SCHOOL HEALTH CLASS		
q33a	Frequency	Percent
No	273,177	63.8%
Yes	155,217	36.2%
Frequency Missing = 64606		

DRUG/ALCOHOL INFO-ANOTHER SCHOOL SOURCE		
q33g	Frequency	Percent
No	312,381	73.7%
Yes	111,602	26.3%
Frequency Missing = 69018		

DRUG/ALCOHOL INFO-SCHOOL ASSEMBLY PROGRAM		
q33b	Frequency	Percent
No	259,530	61.0%
Yes	165,816	39.0%
Frequency Missing = 67655		

PARENTS FEEL ABOUT KIDS USING TOBACCO		
q34a	Frequency	Percent
Strong disapprove	362,347	77.9%
Mild disapprove	27,345	5.9%
Neither	25,749	5.5%
Mildly approve	4,322	0.9%
Strongly approve	4,690	1.0%
Don't know	40,556	8.7%
Frequency Missing = 27992		

DRUG/ALCOHOL INFO-SCHOOL GUIDANCE COUNSELOR		
q33c	Frequency	Percent
No	320,232	75.5%
Yes	103,933	24.5%
Frequency Missing = 68835		

PARENTS FEEL ABOUT KIDS DRINKING ALCOHOL		
q34b	Frequency	Percent
Strong disapprove	307,581	66.3%
Mild disapprove	53,557	11.5%
Neither	44,644	9.6%
Mildly approve	13,492	2.9%
Strongly approve	5,716	1.2%
Don't know	39,048	8.4%
Frequency Missing = 28961		

DRUG/ALCOHOL INFO-SCIENCE OR SOCIAL STUDIES CLASS		
q33d	Frequency	Percent
No	317,679	74.9%
Yes	106,555	25.1%
Frequency Missing = 68766		

		PARENTS ABOUT KIDS USING MARIJUANA	FEEL
q34c		Frequency	Percent
Strongly disapprove		365,008	78.8%
Mild disapprove		24,853	5.4%
Neither		24,411	5.3%
Mildly approve		6,021	1.3%
Strongly approve		7,269	1.6%
Don't know		35,482	7.7%
		Frequency Missing = 29955	

			TESTED FOR DRUG USE AT SCHOOL
q35		Frequency	Percent
No		384,834	83.0%
Yes		78,863	17.0%
		Frequency Missing = 29304	

		DRUG SHOULD BE RE- QUIRED FOR ALL STUDENT ATH- LETES	TESTING
q36		Frequency	Percent
Do not know		109,719	23.5%
No		88,089	18.9%
Yes		269,168	57.6%
		Frequency Missing = 26024	